

US007299501B2

(12) United States Patent

Hendricks

(54) ELECTRONIC BOOK SELECTION AND DELIVERY SYSTEM HAVING ENCRYPTION AND SECURITY FEATURES

- (75) Inventor: John S. Hendricks, Potomac, MD (US)
- (73) Assignee: Discovery Communications, Inc., Silver Spring, MD (US)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 729 days.
- (21) Appl. No.: 09/964,882
- (22) Filed: Sep. 28, 2001

(65) **Prior Publication Data**

US 2002/0040472 A1 Apr. 4, 2002

Related U.S. Application Data

- (60) Division of application No. 09/237,825, filed on Jan. 27, 1999, now abandoned, which is a division of application No. 08/336,247, filed on Nov. 7, 1994, now Pat. No. 5,986,690, which is a continuation-inpart of application No. 08/160,194, filed on Dec. 2, 1993, now Pat. No. 5,990,927.
- (51) Int. Cl.

H04N 7/16	(2006.01)
H04K 1/00	(2006.01)
H04L 9/00	(2006.01)

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3.869.873 A 3/1975 Ringstad

(Continued)

FOREIGN PATENT DOCUMENTS

US 7,299,501 B2

Nov. 20, 2007

EP 140302 5/1985

(45) Date of Patent:

(10) Patent No.:

(Continued)

OTHER PUBLICATIONS

Fox, Hix, Nowell, Brueni, Wake, Heath, and Rao. Users, user interfaces, and objects: Envision, a Digital Library. Sep. 1993. Journal of the American Society of Information Science. vol. 44. issue 8. p. 480.*

(Continued)

Primary Examiner—Emmanuel L. Moise Assistant Examiner—Tamara Teslovich (74) Attorney, Agent, or Firm—Arent Fox LLP

(57) ABSTRACT

The invention, an electronic book selection and delivery system, is a new way to distribute books and other textual information to bookstores, libraries and consumers. The primary components of the system are a subsystem for placing text in a video signal format and a subsystem for receiving and selecting text that is placed in the video signal format. The system configuration for consumer use contains additional components and optional features that enhance the system, namely: (1) an operation center, (2) a video distribution system, (3) a home subsystem, including reception, selection, viewing, transacting and transmission capabilities, and (4) a billing and collection system. The operation center and/or video distribution points perform the functions of manipulation of text data, security and coding of text, cataloging of books, messaging center, and uplink functions. The home subsystem performs the functions of connecting to a video distribution system, menu selecting text, storing text, and transacting through phone or cable communicating mechanisms. A portable book-shaped viewing device is used for viewing the textual material delivered. The billing and collection system performs the transaction, management, authorization, collection and publisher payments automatically utilizing the telephone system.

22 Claims, 40 Drawing Sheets



U.S. PATENT DOCUMENTS

3 801 702	٨		6/1075	Kimura
3,078,470	<u>^</u>		8/1076	MaGuira
4 0 23 408	A		5/1077	Byon et al
4,023,408	Ā		1/1078	Ryan et al. Bushnell et al
4,071,097	~		4/1020	Sukeniak et al
4,197,390	A		6/1021	Kataumata at al
4,272,019	A	*	11/1001	Malia et al. 225/487
4,298,793	A		11/1981	Mells et al 255/487
4,301,848	A		4/1092	L such such
4,381,522	A		4/1983	Lambert
4,398,216	A		8/1983	Field et al.
4,405,829	A		9/1983	Rivest et al.
4,429,385	A		1/1984	Cichelli et al.
4,455,570	A		6/1984	Saeki et al.
4,484,217	A		11/1984	Block et al.
4,488,179	Α		12/1984	Kruger et al.
4,513,390	Α		4/1985	Walter et al.
4,517,598	А		5/1985	Van Valkenburg et al.
4,528,589	А		7/1985	Block et al.
4,528,643	А		7/1985	Freeny, Jr.
4,532,540	А		7/1985	Wine
4,533,948	Α		8/1985	McNamara et al.
4,546,382	Α		10/1985	McKenna et al.
4,567,512	А		1/1986	Abraham
4,578,531	Α		3/1986	Everhart et al.
4.587.520	А		5/1986	Astle
4.602.279	А		7/1986	Freeman et al.
4,605,964	Ā		8/1986	Chard
4 616 263	A		10/1986	Eichelberger
4 621 282	A		11/1986	Ahem
4 625 076	A		11/1986	Okamoto et al
4 625 235	Å		11/1086	Wateon
4 633 462	Δ		12/1086	Stifle et al
4 630 225	<u>A</u>		1/1087	Washizuka
4,039,223	<u>л</u>		2/1087	Feigenbaum et al
4,044,470	A		2/1907	Perpett et al
4,035,100	A		5/1907	Virtanon
4,008,218	A		6/1007	Vintalien Wreferd Herrord
4,073,970	A		0/1987	Dimensional and
4,088,218	A		0/1987	Ellere et al.
4,088,240	A		0/1007	Characteria
4,094,485	A		9/1987	University of all
4,094,490	A		9/1987	Harvey et al.
4,097,209	A		9/1987	Niewit et al.
4,706,121	A		11/1987	Young
4,712,103	A		12/1987	Contract
4,712,130	A		12/1987	Casey
4,724,491	A		2/1988	Lambert
4,739,510	A		4/1988	Jeffers et al.
4,751,578	A		6/1988	Reiter et al.
4,768,087	A		8/1988	laub et al.
4,774,655	A		9/1988	Kollin et al.
4,792,972	A		12/1988	Cook, Jr.
4,796,220	A		1/1989	Wolfe
4,805,014	Α		2/1989	Sahara et al.
4,816,901	Α		3/1989	Music et al.
4,816,904	Α		3/1989	McKenna et al.
4,820,167	Α		4/1989	Nobles et al.
D301,037	S		5/1989	Matsuda
4,829,372	Α		5/1989	McCalley et al.
4,829,558	А		5/1989	Welsh
4,829,569	А	*	5/1989	Seth-Smith et al 380/234
4,835,607	А		5/1989	Keith
4,855,725	Α	*	8/1989	Fernandez 345/173
4,860,379	A		8/1989	Schoeneberger et al.
4,876,736	A		10/1989	Kiewit
4,885,803	A		12/1989	Hermann et al.
4,890,319	Α		12/1989	Seth-Smith et al.
4,891,838	Α		1/1990	Faber
4,920,432	Α		4/1990	Eggers et al.
4,924,513	Ā		5/1990	Herbison et al.
4,928,168	Ā		5/1990	Iwashita
4.928.177	A		5/1990	Martinez
·,, + / /	- -			vaaa va.

4,930,160	Α		5/1990	Vogel
4,941,089	Α		7/1990	Fischer
4,941,125	Α		7/1990	Boyne
4,947,429	Α		8/1990	Bestler et al.
4,949,187	Α		8/1990	Cohen
4,959,810	Α		9/1990	Darbee et al.
4.961.109	А		10/1990	Tanaka
4,965,819	A		10/1990	Kannes
4.965.825	A		10/1990	Harvey et al.
4,975,951	A		12/1990	Bennett
4.977.455	A		12/1990	Young
4.982.344	A		1/1991	Jordan
4,985,697	Α		1/1991	Boulton
D314.383	S		2/1991	Hafner
4.995.078	Ā		2/1991	Monslow et al.
4 996 597	A		2/1991	Duffield
4 997 495	A		3/1991	Young
5 001 554	A		3/1991	Johnson et al
5 003 384	A		3/1991	Durden et al
5 003 591	A		3/1991	Kauffman et al
5 010 499	A		4/1991	Vee
5 014 125	A		5/1991	Pocach et al
5 015 829	A		5/1991	Filert et al
5 0 20 1 29	A		5/1991	Martin et al
5,020,129	A		6/1001	Roji et al
5,027,400	<u>л</u>		7/1001	Morii
5,036,537	<u>л</u>		7/1001	laffers et al
5,038,402	<u>л</u>		8/1001	Robbins
5,038,402	A		0/1001	Washab
5,040,055	л л		0/1001	Strubbo of al
5,047,807	A		0/1001	Kondo et al
5,054,994	<u>л</u>		10/1001	Chan et al
5,056,138	A		10/1001	Twon Sr
5,057,917	Δ		10/1001	Shalkauser et al
5,057,917	<u>л</u>		12/1001	Green et al
5,075,930	A		12/1991	Hashimoto
5,077,607	<u>л</u>		12/1991	Johnson et al
5,078,010	A		1/1002	Aoki
5,078,019	<u>л</u>		2/1002	MacPhail
5,089,930	Ā		2/1002	Krouse et al
5,091,782	<u>л</u>		3/1002	Hoarty et al
5,099,710	Δ		3/1002	Fich et al
5,099,311	Δ		3/1002	Truong
D325 581	S		4/1002	Schwartz
5 103 314	Δ		4/1002	Keenan
5 105 268	Δ		4/1992	Vamanouchi et al
D326 446	S		5/1002	Wong
5 115 426	Δ		5/1992	Spanke
5 121 476	A		6/1992	Vee
5 1 24 980	A		6/1992	Maki
5 130 792	A		7/1992	Tindell et al
5 130 924	Δ		7/1992	Barker et al
5 132 789	A		7/1992	Ammon et al
5 132 992	Δ		7/1992	Yurt et al
5 133 079	A		7/1992	Ballantyne et al
5 140 419	Δ		8/1992	Galumbeck et al
D329 238	S		9/1992	Grasso et al
5 144 663	A	*	9/1992	Kudelski et al 380/230
5 144 665	Δ		9/1992	Takaragi et al
5 146 552	A		9/1992	Cassorla et al
5 146 600	A		9/1992	Sugiura
5,150,118	A		9/1992	Finkle
5.151.782	A		9/1992	Ferraro
5.151.789	A		9/1992	Young
5.152.011	Ā		9/1992	Schwob
5,155,591	A		10/1992	Wachob
5,159,452	A		10/1992	Kinoshita et al.
5,159,669	A		10/1992	Trigg et al.
5,166,886	A		11/1992	Molnar et al
D331.760	S		12/1992	Renk. Jr.
5.172.413	Ã		12/1992	Bradley et al.
5.182.639	Ā		1/1993	Jutamulia et al.
5,185,667	A		2/1993	Zimmermann et al
2,102,007	× 7		- 1775	

5 199 104	Δ	3/1993	Hiravama
5 202 817	Δ	4/1993	Koenck et al
5 204 947	A	4/1993	Bernstein et al
5 206 722	Δ	4/1993	Kwan
5 206 929	Δ	4/1993	I angford et al
5,200,929	<u>л</u>	4/1003	Inoue et al
5,200,934	A	5/1003	Quantin at al
5,208,745	A	5/1993	Vientin et al.
5,210,011	A	5/1993	Tee et al.
5,212,555	A	5/1993	Maruoka
5,210,515	A	6/1993	Steele et al.
5,220,438	A	6/1993	Yamamoto
5,220,649	A	6/1993	Forcier
5,221,962	A	6/1993	Backus et al.
5,222,136	A	6/1993	Rasmussen et al.
5,223,924	A	6/1993	Strubbe
5,233,333	A	8/1993	Borsuk
5,235,419	A	8/1993	Krause et al.
5,235,619	A	8/1993	Beyers et al.
5,235,680	A	8/1993	Bijnagte
5,237,311	A	8/1993	Mailey et al.
5,237,610	Α	8/1993	Gammie et al.
5,237,614	Α	8/1993	Weiss
5,239,665	Α	8/1993	Tsuchiya
5,241,671	Α	8/1993	Reed et al.
5,247,347	А	9/1993	Litteral et al.
5,247,575	А	9/1993	Sprague et al.
5,251,324	А	10/1993	McMullan
5,253,066	А	10/1993	Vogel
5,253,275	А	10/1993	Yurt et al.
5,253,341	А	10/1993	Rozmanith et al.
5,257,185	А	10/1993	Farley et al.
5,260,778	А	11/1993	Kauffman et al.
5,260,788	А	11/1993	Takano et al.
5,282,028	Α	1/1994	Johnson et al.
5,283,639	Α	2/1994	Esch et al.
5,285,272	Α	2/1994	Bradley et al.
5,289,271	Α	2/1994	Watson
5,289,288	Α	2/1994	Silverman et al.
5,291,554	Α	3/1994	Morales
5.293.540	Α	3/1994	Trani et al.
5,293,633	Α	3/1994	Robbins
D346.620	S	5/1994	McSorlev
5.315.711	Α	5/1994	Barone et al.
5.318.450	Α	6/1994	Carver
5.319.454	A	6/1994	Schutte
5.319.455	A	6/1994	Hoarty et al.
5.319.542	Α	6/1994	King et al.
5.319.649	Ā	6/1994	Raghaven et al.
5.319.707	A	6/1994	Wasilewski et al.
5.321.846	Ā	6/1994	Yokota et al.
5.323.240	A	6/1994	Amano et al.
5.327.554	A	7/1994	Palazzi. III et al.
5.329.590	A	7/1994	Pond
D349.923	S	8/1994	Billings et al.
5.339.091	Ā	8/1994	Yamazaki et al.
5.339.239	A	8/1994	Manabe et al.
5.339.315	A	8/1994	Maeda et al.
5.341.166	A	8/1994	Garr et al
5 341 425	Ā	8/1994	Wasilewski et al
5.341.426	A	8/1994	Barney et al. 713/171
5 341 474	Ā	8/1994	Gelman et al
5 343 239	A	8/1994	L'appington
5 343 516	Ā	8/1994	Callele et al
5 345 580	A	9/1994	Tamaru et al
5,345 594	A	9/1994	Tsuda
5 349 638	A	9/1994	Pitroda et al
5,351.075	A	9/100/	Herz et al.
5,353,121	A	10/1004	Young et al
5,355,121	Δ	10/100/	Vazolino et al
5 357 276	Δ	10/100/	Banker et al
5 365 265	Δ	11/100/	Shibata et al
5 365 434	Δ	11/1994	Fiolinzzi
5 367 220	Δ	11/1004	Haave et al
5,507,550	1	エエノエフフサ	marve et al.

5 267 571 A	11/1004	Darrian at al
5,507,571 A	11/1994	Bowen et al.
5,367,621 A	11/1994	Cohen et al.
5,367,643 A	11/1994	Chang et al.
5.371.532 A	12/1994	Gelman et al.
5 373 324 A	12/100/	Kuroda et al
5,575,524 1	12/1004	
5,575,008 A	12/1994	Paimer et al.
5,375,160 A	12/1994	Guidon et al.
5.379.057 A	1/1995	Clough et al.
5 384 588 A	1/1995	Martin et al
5 3 9 9 101 A	2/1005	Dinking
5,500,101 A	2/1993	
5,388,196 A	2/1995	Pajak et al.
5,390,348 A	2/1995	Magin et al.
5.396.546 A	3/1995	Remillard
5 400 401 A	3/1995	Wasilewski et al
5,404,202 A	4/1005	Demailland
5,404,595 A	4/1993	Reminard
5,404,505 A	4/1995	Levison
5,408,258 A	4/1995	Kolessar
5.408.465 A	4/1995	Guesella et al.
5 410 326 A	4/1995	Goldstein
5,110,320 11	4/1005	Consteni
5,410,544 A	4/1995	Graves et al.
5,412,416 A	5/1995	Nemirofsky
5,414,426 A	5/1995	O'Donnell et al.
5.416.508 A	5/1995	Sakuma et al.
5 A17 575 A	5/1005	McTaggart
5,417,575 A	5/1995	Dill
5,418,559 A	5/1995	Blahut
5,418,957 A	5/1995	Narayan
5,420,974 A	5/1995	Morris et al.
5 424 770 A	6/1995	Schmelzer
5 426 504 A	6/1005	Wright at al
5,420,594 A	0/1993	wingin et al.
5,428,529 A	6/1995	Hartrick et al.
5,432,542 A	7/1995	Thibadeau et al.
5.432.561 A	7/1995	Strubbe
5 437 552 A	8/1995	Baer et al
5 428 272 4	8/1005	Taumani at al
5,458,572 A	8/1993	Tsumon et al.
5,440,632 A	8/1995	Bacon et al.
5,442,626 A	8/1995	Wei
5.444.853 A	8/1995	Lentz
5 446 488 4	8/1005	Vogel
5,440,400 A	8/1995	D1-1
5,446,490 A	8/1995	Blahut et al.
5,446,919 A	8/1995	Wilkins
D362,429 S	9/1995	Lande et al.
5 461 667 A	10/1995	Remillard
5 465 213 A	11/1005	Poss
5,405,215 A	11/1995	RUSS
5,465,401 A	11/1995	Thompson
5,466,158 A	11/1995	Smith, III
5,467,102 A	11/1995	Kuno et al.
5.469.206 A	11/1995	Strubbe et al.
5 473 362 A		ou dooe of an
5,475,502 A	12/1005	Fitzgerald et al
	12/1995	Fitzgerald et al.
5,475,398 A	12/1995 12/1995	Fitzgerald et al. Yamazaki et al.
5,475,398 A 5,475,399 A	12/1995 12/1995 12/1995	Fitzgerald et al. Yamazaki et al. Borsuk
5,475,398 A 5,475,399 A 5,475,585 A	12/1995 12/1995 12/1995 12/1995	Fitzgerald et al. Yamazaki et al. Borsuk Bush
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A	12/1995 12/1995 12/1995 12/1995 12/1995	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Cellaghan et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,508 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,268 A 5,479,615 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,508 A 5,479,615 A 5,481,294 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,508 A 5,479,615 A 5,481,294 A 5,481,296 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,508 A 5,479,615 A 5,481,294 A 5,481,294 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,508 A 5,479,615 A 5,481,294 A 5,481,296 A 5,481,542 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Logston
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,508 A 5,479,508 A 5,479,615 A 5,481,294 A 5,481,296 A 5,481,542 A 5,483,278 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996 1/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Logston Strubbe et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,508 A 5,479,615 A 5,481,294 A 5,481,296 A 5,481,542 A 5,481,542 A 5,482,278 A 5,484,292 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996 1/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Logston Strubbe et al. McTaggart
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,508 A 5,479,508 A 5,479,615 A 5,481,294 A 5,481,296 A 5,481,542 A 5,483,278 A 5,483,278 A 5,484,292 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1996 1/1996 1/1996 1/1996 1/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Logston Strubbe et al. McTaggart Banker et al
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,268 A 5,479,615 A 5,481,294 A 5,481,296 A 5,481,296 A 5,481,542 A 5,483,278 A 5,484,292 A 5,485,221 A 5,486,221 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996 1/1996 1/1996 1/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Logston Strubbe et al. McTaggart Banker et al. Zdybel. Ir, et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,508 A 5,479,615 A 5,481,294 A 5,481,294 A 5,481,294 A 5,481,542 A 5,481,542 A 5,481,542 A 5,483,278 A 5,484,292 A 5,485,221 A 5,485,221 A 5,485,626 A 5,495,201 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996 1/1996 1/1996 1/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Logston Strubbe et al. McTaggart Banker et al. Zdybel, Jr. et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,508 A 5,479,508 A 5,479,615 A 5,481,294 A 5,481,294 A 5,481,296 A 5,481,542 A 5,481,542 A 5,484,542 A 5,484,292 A 5,485,221 A 5,486,686 A 5,495,581 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996 1/1996 1/1996 1/1996 1/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Logston Strubbe et al. McTaggart Banker et al. Zdybel, Jr. et al. Tsai
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,508 A 5,479,615 A 5,481,294 A 5,481,294 A 5,481,296 A 5,481,542 A 5,483,278 A 5,483,278 A 5,483,221 A 5,485,221 A 5,485,221 A 5,485,221 A 5,485,221 A 5,485,221 A 5,485,221 A 5,485,281 A 5,485,281 A 5,485,781 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996 1/1996 1/1996 1/1996 1/1996 3/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Logston Strubbe et al. McTaggart Banker et al. Tsai Banker et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,615 A 5,479,615 A 5,481,294 A 5,481,296 A 5,481,296 A 5,481,542 A 5,483,278 A 5,485,221 A 5,485,221 A 5,485,221 A 5,485,581 A 5,497,187 A 5,497,187 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996 1/1996 1/1996 1/1996 1/1996 3/1996 3/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Logston Strubbe et al. McTaggart Banker et al. Zdybel, Jr. et al. Tsai Banker et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,508 A 5,479,615 A 5,481,294 A 5,481,294 A 5,481,542 A 5,481,542 A 5,483,278 A 5,484,292 A 5,485,221 A 5,485,221 A 5,485,581 A 5,497,187 A 5,497,187 A 5,497,459 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996 1/1996 1/1996 1/1996 3/1996 3/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Cragin et al. Logston Strubbe et al. McTaggart Banker et al. Zdybel, Jr. et al. Tsai Banker et al. Tanihira et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,508 A 5,479,508 A 5,479,615 A 5,481,294 A 5,481,294 A 5,481,294 A 5,481,292 A 5,481,542 A 5,483,278 A 5,484,292 A 5,486,686 A 5,495,581 A 5,497,187 A 5,497,187 A 5,497,459 A 5,499,300 A 5,500,704 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996 1/1996 1/1996 1/1996 3/1996 3/1996 3/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Logston Strubbe et al. McTaggart Banker et al. Zdybel, Jr. et al. Tsai Banker et al. Tanihira et al. Lucas et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,263 A 5,479,268 A 5,479,268 A 5,479,268 A 5,479,268 A 5,479,615 A 5,481,294 A 5,481,294 A 5,481,296 A 5,481,542 A 5,483,278 A 5,483,278 A 5,483,278 A 5,483,221 A 5,485,221 A 5,495,581 A 5,497,187 A 5,497,459 A 5,500,794 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996 1/1996 1/1996 1/1996 3/1996 3/1996 3/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Logston Strubbe et al. McTaggart Banker et al. Zdybel, Jr. et al. Tsai Banker et al. Tanihira et al. Lucas et al. Fujita et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,508 A 5,479,615 A 5,481,294 A 5,481,294 A 5,481,294 A 5,481,294 A 5,481,292 A 5,484,292 A 5,485,221 A 5,485,221 A 5,485,221 A 5,485,581 A 5,495,581 A 5,495,581 A 5,495,787 A 5,497,187 A 5,497,459 A 5,497,459 A 5,500,794 A 5,502,576 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996 1/1996 1/1996 1/1996 3/1996 3/1996 3/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Cragin et al. Craggart Banker et al. Zdybel, Jr. et al. Tsai Banker et al. Tanihira et al. Fujita et al. Ramsay et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,268 A 5,479,508 A 5,479,615 A 5,481,294 A 5,481,294 A 5,481,294 A 5,481,294 A 5,484,292 A 5,484,292 A 5,484,292 A 5,484,292 A 5,484,292 A 5,484,292 A 5,485,221 A 5,485,221 A 5,485,221 A 5,485,221 A 5,485,581 A 5,497,187 A 5,497,459 A 5,500,794 A 5,500,794 A 5,500,6902 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996 1/1996 1/1996 1/1996 3/1996 3/1996 3/1996 3/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Logston Strubbe et al. McTaggart Banker et al. Zdybel, Jr. et al. Tsai Banker et al. Lucas et al. Fujita et al. Ramsay et al. Kubota
5,475,398 A 5,475,399 A 5,475,585 A 5,477,262 A 5,477,263 A 5,479,508 A 5,479,508 A 5,479,615 A 5,481,294 A 5,481,294 A 5,481,294 A 5,481,294 A 5,481,542 A 5,483,278 A 5,484,292 A 5,485,221 A 5,486,686 A 5,495,581 A 5,497,187 A 5,497,187 A 5,497,459 A 5,500,794 A 5,500,794 A 5,500,074 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996 1/1996 1/1996 1/1996 3/1996 3/1996 3/1996 3/1996 4/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Logston Strubbe et al. McTaggart Banker et al. Zdybel, Jr. et al. Tsai Banker et al. Tanihira et al. Lucas et al. Fujita et al. Ramsay et al. Kubota Choudhury et al.
5,475,398 A 5,475,399 A 5,475,585 A 5,477,263 A 5,477,263 A 5,479,268 A 5,479,268 A 5,479,268 A 5,479,615 A 5,481,294 A 5,481,294 A 5,481,296 A 5,481,292 A 5,483,278 A 5,483,278 A 5,483,221 A 5,485,221 A 5,505,581 A 5,500,794 A 5,502,576 A 5,506,902 A 5,509,074 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996 1/1996 1/1996 1/1996 3/1996 3/1996 3/1996 3/1996 4/1996 4/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Logston Strubbe et al. McTaggart Banker et al. Zdybel, Jr. et al. Tsai Banker et al. Lucas et al. Fujita et al. Ramsay et al. Kubota Choudhury et al.
5,475,398 A 5,475,399 A 5,475,385 A 5,477,262 A 5,477,263 A 5,479,268 A 5,479,268 A 5,479,508 A 5,479,615 A 5,481,294 A 5,481,294 A 5,481,294 A 5,481,292 A 5,481,542 A 5,483,278 A 5,485,221 A 5,485,221 A 5,485,221 A 5,485,221 A 5,485,581 A 5,495,581 A 5,495,581 A 5,495,787 A 5,495,787 A 5,500,794 A 5,500,902 A 5,500,904 A 5,512,934 A	12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 12/1995 1/1996 1/1996 1/1996 1/1996 1/1996 3/1996 3/1996 3/1996 4/1996 4/1996 4/1996	Fitzgerald et al. Yamazaki et al. Borsuk Bush Bunker et al. O'Callaghan et al. Young Bestler et al. Ishii et al. Thomas et al. Cragin et al. Cragin et al. Cragin et al. Cragin et al. Craggart Banker et al. McTaggart Banker et al. Zdybel, Jr. et al. Tsai Banker et al. Tanihira et al. Lucas et al. Fujita et al. Ramsay et al. Kubota Choudhury et al. Kochanski

		5/1005	
5,517,254	А	5/1996	Monta et al.
5.521.631	Α	5/1996	Budow et al.
5 524 103	٨	6/1006	Covington et al
5,524,195		6/1000	
5,524,201	А	6/1996	Shwarts et al.
5,526,035	Α	6/1996	Lappington et al.
5.526.469	Α	6/1996	Brindle et al.
5 528 281	Δ.	6/1006	Grady at al
5,528,281	<u>л</u>	0/1990	Glady et al.
5,532,920	Α	7/1996	Hartrick et al.
5,534,888	Α	7/1996	Lebby et al.
5 544 320	Δ	8/1996	Konrad
5,544,242		0/1000	Deer
5,544,342	А	8/1996	Dean
5,550,863	А	8/1996	Yurt et al.
5.557.722	Α	9/1996	DeRose et al.
5 5 5 7 7 4 4	<u>,</u>	0/1006	Kabayakaya at al
5,557,744	A	9/1990	Kobayakawa et al.
5,561,708	А	10/1996	Remillard
5,561,803	Α	10/1996	Kilis
5 565 908	Α	10/1996	Ahmad
5,565,500		10/1006	Talzahazhi
3,303,999	A	10/1990	Takanasm
5,570,126	Α	10/1996	Blahut et al.
5.572.625	Α	11/1996	Raman et al.
5 579 055	Δ	11/1996	Hamilton et al
5,575,055		11/1000	Design at al
5,579,057	A	11/1990	Banker et al.
5,581,560	Α	12/1996	Shimada et al.
5.581.686	Α	12/1996	Koppolu et al.
5 585 858	Δ	12/1006	Harper et al
5,585,858	<u></u>	12/1990	
5,586,235	А	12/1996	Kauffman et al.
5,587,724	А	12/1996	Matsuda
5.598.209	А	1/1997	Cortiens et al.
5 508 351	Ā	1/1007	Choter et al
5,598,551	A	1/1997	
5,598,523	А	1/1997	Fujita
5,600,368	А	2/1997	Matthews, III
5,600,573	Α	2/1997	Hendricks et al.
5 602 596	Δ	2/1997	Claussen et al
5 604 824		2/1007	Chui et al
5,004,824	A	2/1997	
5,608,449	A	3/1997	Swafford et al.
5,621,456	Α	4/1997	Florin et al.
5,621,658	Α	4/1997	Jackson et al.
5 624 265	Α	4/1997	Redford et al
5 6 25 822	Å	4/1007	Louina et al
5,025,855	<u>,</u>	5/1007	
5,630,103	Α	5/1997	Smith et al.
5,630,125	Α	5/1997	Zellweger
5.631.693	Α	5/1997	Wunderlich et al.
5 632 022	Δ	5/1997	Warren et al
5 624 064	<u>,</u>	5/1007	Worma als at al
3,034,004	A	5/1997	wannock et al.
5,635,918	А	6/1997	Tett
5,636,036	А	6/1997	Ashbey
5.640.193	Α	6/1997	Wellner
5 640 196	Δ	6/1997	Behrens et al
5,040,150		7/1007	The second second
5,644,354	А		i nomnson et al
6 6 4 6 6 7 6		//1997	mompson et al.
3,040,075	Α	7/1997	Copriviza et al.
5,649,230	A A	7/1997 7/1997 7/1997	Copriviza et al. Lentz
5,649,230 5.657.414	A A A	7/1997 7/1997 7/1997 8/1997	Copriviza et al. Lentz Lett et al.
5,649,230 5,657,414	A A A	7/1997 7/1997 7/1997 8/1997 8/1997	Copriviza et al. Lentz Lett et al. Carles
5,649,230 5,657,414 5,661,516	A A A A	7/1997 7/1997 7/1997 8/1997 8/1997	Copriviza et al. Lentz Lett et al. Carles
5,640,075 5,649,230 5,657,414 5,661,516 5,663,757	A A A A A	7/1997 7/1997 7/1997 8/1997 8/1997 9/1997	Copriviza et al. Lentz Lett et al. Carles Morales
5,640,075 5,649,230 5,657,414 5,661,516 5,663,757 5,666,493	A A A A A	7/1997 7/1997 7/1997 8/1997 8/1997 9/1997 9/1997	Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al.
5,640,073 5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206	A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 9/1997 10/1997	Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al.
5,640,073 5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641	A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 9/1997 10/1997 11/1997	Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Ludwig et al.
5,640,073 5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,648	A A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 9/1997 10/1997 11/1997	Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Ludwig et al.
5,640,073 5,649,230 5,657,414 5,661,516 5,666,493 5,682,206 5,689,641 5,689,641	A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 9/1997 10/1997 11/1997 11/1997	Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Ludwig et al. Diaz et al.
5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,648 5,689,664	A A A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 9/1997 10/1997 11/1997 11/1997 11/1997	Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Ludwig et al. Diaz et al. Williams
5,640,675 5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,648 5,689,663 5,689,663 5,691,777	A A A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 9/1997 10/1997 11/1997 11/1997 11/1997	Copriviza et al. Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Webmeyer et al. Ludwig et al. Diaz et al. Williams Kassatly
5,640,675 5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,648 5,689,663 5,689,663 5,689,663 5,689,663	A A A A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 9/1997 10/1997 11/1997 11/1997 11/1997 11/1997	Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Ludwig et al. Diaz et al. Williams Kassatly Peters et al.
5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,664 5,689,664 5,689,664 5,689,669	A A A A A A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 9/1997 10/1997 11/1997 11/1997 11/1997 12/1997	Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Ludwig et al. Diaz et al. Williams Kassatly Peters et al. Tanizawa et al
5,640,673 5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,648 5,689,663 5,691,777 5,696,906 5,696,982 5,697,702	A A A A A A A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 9/1997 10/1997 11/1997 11/1997 11/1997 11/1997 12/1997 12/1997	Copriviza et al. Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Ludwig et al. Diaz et al. Williams Kassatly Peters et al. Tanigawa et al.
5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,648 5,689,663 5,699,663 5,691,777 5,696,906 5,696,982 5,697,793	A A A A A A A A A A A A A A A	7/1997 7/1997 7/1997 8/1997 9/1997 9/1997 10/1997 11/1997 11/1997 11/1997 12/1997 12/1997 12/1997	Copriviza et al. Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Ludwig et al. Diaz et al. Williams Kassatly Peters et al. Tanigawa et al. Huffman et al.
5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,643 5,689,663 5,691,777 5,696,906 5,696,902 5,697,793 5,710,887	A A A A A A A A A A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 10/1997 11/1997 11/1997 11/1997 12/1997 12/1997 12/1997 12/1997	Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Ludwig et al. Diaz et al. Williams Kassatly Peters et al. Tanigawa et al. Huffman et al. Chelliah et al.
5,640,673 5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,648 5,689,664 5,689,663 5,691,777 5,696,906 5,696,982 5,697,793 5,710,887 5,715,314	A A A A A A A A A A A A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 10/1997 11/1997 11/1997 11/1997 12/1997 12/1997 12/1997 12/1997 12/1998	Copriviza et al. Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Ludwig et al. Diaz et al. Williams Kassatly Peters et al. Tanigawa et al. Huffman et al. Chelliah et al. Payne et al.
5,640,673 5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,648 5,689,663 5,691,777 5,696,906 5,696,982 5,697,793 5,710,887 5,715,314 5,721,832	A A A A A A A A A A A A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 9/1997 10/1997 11/1997 11/1997 11/1997 11/1997 12/1997 12/1997 12/1997 12/1998 2/1998	Copriviza et al. Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Webmeyer et al. Ludwig et al. Diaz et al. Williams Kassatly Peters et al. Tanigawa et al. Huffman et al. Chelliah et al. Payne et al.
5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,643 5,689,663 5,691,777 5,696,906 5,696,982 5,697,793 5,710,887 5,715,314 5,721,832 5,721,832	A A A A A A A A A A A A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 9/1997 10/1997 11/1997 11/1997 11/1997 12/1997 12/1997 12/1997 12/1998 2/1998 2/1998	Copriviza et al. Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Ludwig et al. Diaz et al. Williams Kassatly Peters et al. Tanigawa et al. Huffman et al. Chelliah et al. Payne et al. Westrope et al.
5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,643 5,699,645 5,699,645 5,696,906 5,696,902 5,696,902 5,697,793 5,710,887 5,715,314 5,721,832 5,721,908	A A A A A A A A A A A A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 10/1997 11/1997 11/1997 11/1997 12/1997 12/1997 12/1997 12/1997 12/1998 2/1998 2/1998 2/1998	Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Ludwig et al. Diaz et al. Williams Kassatly Peters et al. Tanigawa et al. Huffman et al. Chelliah et al. Payne et al. Westrope et al. Lagarde et al.
5,640,673 5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,648 5,689,663 5,691,777 5,696,906 5,696,982 5,697,793 5,710,887 5,715,314 5,721,832 5,721,908 5,721,908	A A A A A A A A A A A A A A A A A A A	7/1997 7/1997 8/1997 9/1997 9/1997 10/1997 11/1997 11/1997 11/1997 12/1997 12/1997 12/1997 12/1997 12/1998 2/1998 2/1998 2/1998	Copriviza et al. Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Webmeyer et al. Ludwig et al. Diaz et al. Williams Kassatly Peters et al. Tanigawa et al. Huffman et al. Chelliah et al. Payne et al. Uestrope et al. Lagarde et al.
5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,643 5,689,663 5,691,777 5,696,906 5,696,982 5,697,793 5,710,887 5,715,314 5,721,832 5,721,908 5,721,956	A A A A A A A A A A A A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 9/1997 10/1997 11/1997 11/1997 11/1997 12/1997 12/1997 12/1997 12/1997 12/1998 2/1998 2/1998 2/1998 3/1998	Copriviza et al. Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Ludwig et al. Diaz et al. Williams Kassatly Peters et al. Huffman et al. Payne et al. Westrope et al. Lagarde et al. Bro
5,649,230 5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,643 5,689,663 5,691,777 5,696,906 5,696,982 5,697,793 5,710,887 5,715,314 5,721,832 5,721,906 5,722,418 5,722,418	A A A A A A A A A A A A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 9/1997 10/1997 11/1997 11/1997 11/1997 12/1997 12/1997 12/1997 12/1998 2/1998 2/1998 2/1998 3/1998 3/1998	Copriviza et al. Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Ludwig et al. Diaz et al. Williams Kassatly Peters et al. Tanigawa et al. Huffman et al. Chelliah et al. Payne et al. Lagarde et al. Martin et al. Bro Freeman et al.
5,640,673 5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,648 5,689,664 5,696,982 5,697,793 5,710,887 5,715,314 5,721,832 5,721,908 5,722,418 5,722,419 5,724,091 5,724,091	A A A A A A A A A A A A A A A A A A A	7/1997 7/1997 8/1997 8/1997 9/1997 10/1997 11/1997 11/1997 11/1997 11/1997 12/1997 12/1997 12/1997 12/1997 12/1998 2/1998 2/1998 2/1998 3/1998 3/1998	Copriviza et al. Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Diaz et al. Williams Kassatly Peters et al. Huffman et al. Chelliah et al. Payne et al. Westrope et al. Lagarde et al. Martin et al. Bro Freeman et al. Dedrick
5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,648 5,689,663 5,691,777 5,696,906 5,696,982 5,697,793 5,710,887 5,715,314 5,721,832 5,721,908 5,721,956 5,722,418 5,724,091 5,724,521	A A A A A A A A A A A A A A A A A A A	7/1997 7/1997 7/1997 8/1997 9/1997 9/1997 10/1997 11/1997 11/1997 11/1997 12/1997 12/1997 12/1997 12/1997 12/1998 2/1998 2/1998 2/1998 3/1998 3/1998 3/1998	Copriviza et al. Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Webmeyer et al. Ludwig et al. Diaz et al. Williams Kassatly Peters et al. Tanigawa et al. Huffman et al. Chelliah et al. Payne et al. Lagarde et al. Martin et al. Bro Freeman et al. Dedrick Krikorian
5,649,230 5,649,230 5,657,414 5,661,516 5,663,757 5,666,493 5,682,206 5,689,641 5,689,643 5,689,663 5,691,777 5,696,906 5,696,982 5,697,793 5,710,887 5,715,314 5,721,832 5,721,908 5,721,908 5,722,418 5,722,418 5,722,4091 5,724,521 5,722,909	A A A A A A A A A A A A A A A A A A A	7/1997 7/1997 7/1997 8/1997 9/1997 9/1997 10/1997 11/1997 11/1997 11/1997 12/1997 12/1997 12/1997 12/1998 2/1998 2/1998 2/1998 3/1998 3/1998 3/1998	Copriviza et al. Copriviza et al. Lentz Lett et al. Carles Morales Wojoik et al. Wehmeyer et al. Ludwig et al. Diaz et al. Williams Kassatly Peters et al. Huffman et al. Payne et al. Huffman et al. Payne et al. Martin et al. Bro Freeman et al. Dedrick Krikorian

5,734,891	Α	3/1998	Saigh
5,737,725	Α	4/1998	Case
5,737,747	А	4/1998	Vishlitzky et al.
5,739,814	Α	4/1998	Ohara et al.
5,740,549	А	4/1998	Reily et al.
5,742,680	А	4/1998	Wilson
5,748,441	А	5/1998	Loritz et al.
5,754,172	А	5/1998	Kubota et al.
5,758,257	Α	5/1998	Herz et al.
5,761,468	А	6/1998	Emberson
5,761,485	Α	6/1998	Munyan
5,761,606	A	6/1998	Wolzien
5,764,276	A	6/1998	Martin et al.
5,767,896	A	6/1998	Nemirofsky
5,768,521	A	6/1998	Dedrick
5,774,170	A	6/1998	Uita at al
5 797 171	A	0/1998	File et al.
5 788 504	A	8/1008	Rubola et al.
5 700 176	<u>л</u>	8/1998	Criag
5 790 935	Δ	8/1998	Payton
5 793 414	A	8/1998	Shaffer
5 798 785	Ā	8/1998	Hendricks et al
5.799.071	A	8/1998	Azar et al.
5,799,157	Ā	8/1998	Escallon
5.802.465	A	9/1998	Hamalainen et al.
5.802.526	Ā	9/1998	Fawcett et al.
5,805,204	Α	9/1998	Thompson et al.
5,815,671	Α	9/1998	Morrison
5,819,301	Α	10/1998	Rowe et al.
5,835,732	Α	11/1998	Kikinis et al.
5,844,600	А	12/1998	Kerr
5,844,890	А	12/1998	Delp et al.
5,850,218	А	12/1998	LaJoie et al.
5,850,629	А	12/1998	Holm et al.
5,859,594	А	1/1999	King et al.
5,862,325	А	1/1999	Reed et al.
5,862,329	Α	1/1999	Aras et al.
5,864,823	A	1/1999	Levitan
5,870,717	A	2/1999	Wiecha
5,877,755	A	3/1999	Helhake
5,877,801	A	3/1999	Martin et al.
5,881,209	A	3/1999	Dobbelstein Ven Klasslast al
5,890,122	A	3/1999	Van Kleeck et al.
5,892,900	A	4/1999	Duse et al
5 802 100	A	4/1999	Duso et al.
5 803 132	A	4/1999	Huffman et al
5 808 852	Δ	4/1999	Petolino et al
5 903 319	A	5/1999	Busko et al
5,903,652	A	5/1999	Mital
5.903.901	A	5/1999	Kawakura et al.
5.914.706	Α	6/1999	Kono
5,917,543	А	6/1999	Uehara
5,917,915	Α	6/1999	Hirose
5,929,848	Α	7/1999	Albukerk et al.
5,930,768	Α	7/1999	Hooban
5,933,498	А	8/1999	Schneck et al.
5,940,073	А	8/1999	Klosterman et al.
5,956,034	А	9/1999	Sachs et al.
5,957,695	А	9/1999	Redford et al.
5,963,246	А	10/1999	Kato
5,986,677	Α	11/1999	Jones et al.
5,986,690	A	11/1999	Hendricks 725/60
5,990,927	A	11/1999	Hendricks et al.
5,999,214	A	12/1999	Inagaki
0,012,890	A	1/2000	Celorio Vince et el
6.025.827	A	1/2000	Niee et al. Mothews, III et al.
6 025 971	A	2/2000	Watter et al.
6 0 20 0 45	A	2/2000	Picco et al
6.034 680	A	3/2000	Kessenich et al 345/733
6.052.717	A	4/2000	Revnolds et al 700/218
~,~~~,/1/	× 7	1/2000	107/210

6,091,823	Α	7/2000	Hosomi et al.
6.091.930	Α	7/2000	Mortimer et al.
6.101.485	Α	8/2000	Fortenberry et al.
6.112.049	А	8/2000	Sonnenfeld
6.115.040	A	9/2000	Bladow et al.
6 163 796	A	12/2000	Yokomizo
6,195,667	BI	2/2001	Duga et al.
6 204 885	BI	3/2001	Kwoh
6 229 694	BI	5/2001	Kono
6 243 071	BI	6/2001	Shwarte et al
6 240 785	D1 D1	6/2001	Daopko
6 252 870	B1	6/2001	Thopa
6 260 024	D1 D1	7/2001	Shlady
6,260,024	DI D1	7/2001	Drawaaand
6,209,485	DI D1	9/2001	Droussard Weller
6,279,017	BI	8/2001	walker
6,281,986	BI	8/2001	Form
6,295,542	BI	9/2001	Corbin
6,298,441	BI	10/2001	Handelman et al.
6,320,591	B1	11/2001	Griencewic
6,331,865	B1	12/2001	Sachs et al.
6,331,867	B1	12/2001	Eberhard et al.
6,335,678	B1	1/2002	Heutschi
6,351,750	B1	2/2002	Duga et al.
6,363,418	B1	3/2002	Conboy et al.
6,385,614	B1	5/2002	Vellandi
6,411,973	B1	6/2002	Yianilos
6,415,316	B1	7/2002	Van Der Meer
6,438,233	B1	8/2002	Yoshimune et al.
6,452,614	B1	9/2002	King et al.
6,460,036	B1	10/2002	Herz
6,462,729	B2	10/2002	Morita
6,493,734	B1	12/2002	Sachs et al.
6.507.342	B1	1/2003	Hiravama
6.535.505	B1	3/2003	Hwang et al.
6.546.016	B1	4/2003	Gerszberg et al.
6,556,561	B1	4/2003	Himbeault et al.
6.557.173	BI	4/2003	Hendricks
6 606 603	BI	8/2003	Ioseph
6 611 531	BI	8/2003	Chen et al
6 634 028	B2	10/2003	Handelman
6 654 754	BI	11/2003	Knauft et al
6 675 384	B1	1/2004	Block et al
6714 228	D1 D2	2/2004	Urisaka at al
6 725 202	D2 D1	3/2004	Ullsaka et al.
0,725,205	BI	4/2004	Seet et al.
0,813,249	BI	11/2004	Laumenburger et al.
2002/0120635	AI	8/2002	Joao
2003/0018543	AI	1/2003	Alger et al.
2003/0093336	Al	5/2003	Ukita et al.
2003/0093382	Al	5/2003	Himeno et al.
2003/0198932	A1	10/2003	Stuppy
2005/0144133	A1	6/2005	Hoffman

FOREIGN PATENT DOCUMENTS

GB	2269302	2/1994
ЛЬ	03225445	10/1991
ЛЬ	05233547	9/1993
WO	WO93/15466	8/1993
WO	WO95/15649	6/1995
WO	WO97/22049	6/1997
WO	WO97/22062	6/1997
WO	WO97/22063	6/1997
WO	WO97/22064	6/1997
WO	WO97/22065	6/1997
WO	WO97/22067	6/1997
WO	WO97/22079	6/1997
WO	WO97/22080	6/1997
WO	WO97/22097	6/1997

WO	WO97/22099	6/1997
WO	WO97/22100	6/1997
WO	WO97/22101	6/1997
WO	WO97/22102	6/1997
WO	WO97/22103	6/1997
WO	WO97/22104	6/1997
WO	WO97/22105	6/1997
WO	WO97/22106	6/1997
WO	WO97/22107	6/1997
WO	WO97/22108	6/1997
WO	WO97/22109	6/1997
WO	WO97/22110	6/1997
WO	WO97/22111	6/1997
WO	WO97/22112	6/1997
WO	WO97/23819	7/1997
WO	WO98/02836	1/1998
WO	WO98/08344	2/1998
WO	WO99/45491	9/1999

OTHER PUBLICATIONS

DeBuse, Raymond. So That's a Book . . . Advancing Technology and the Library. Mar. 1988. Information Technology and Libraries. vol. 7. Issue 1. pp. 7-18.*

Miyazawa, Kinoshita, Kobayashi, Yokoyama and Matsushita. An electronic book: APTBook. Aug. 1990. Human-Computer Interaction. INTERACT '90. Proceedings of the IFIP TC 13 Third International Conference, Cambridge, UK. pp. 513-519.*

Free On-Line Dictionary of Computing. http://foldoc.doc.ic.ac.uk/ foldoc/.3

Encryption, Free On-Line Dictionary of Computing. http://foldoc. doc.doc.ic.ac.uk/foldoc/ Apr. 12, 2003.*

Encode. Free On-Line Dictionary of Computing. http://foldoc.doc. ic.ac.uk/foldoc/ Jul. 6, 1999.*

Handshaking. Free On-Line Dictionary of Computing. http://foldoc. doc.ic.ac.uk/foldoc/ Jan. 13, 1995.*

Herron T.L., "Teaching with the Internet" Internet and Higher Education, US, JAI Press, Stamford, CT, vol. 1, No. 3, 1998, pp. 217-222, XP002118719, ISSN: 1096-7516.

Azuma J., "Creating Educational Web Sites", IEEE Communications Magazine, US, IEEE Service Center, Piscataway, N.J., vol. 37, No. 3, Mar. 1999, pp. 109-113, XP000823980, ISSN: 0163-6804. Goldberg, M.W. et al., "World Wide Web-Course tool: An enviroment for building WWW-based courses", Computer Networks and ISON Systems, NL, North Holland Publishing, Amsterdam, vol. 28, No. 11, May 1, 1996, pp. 1219-1231, XP004018222, ISSN: 0169-7552.

An Interactive Lesson in the Interactive Course Series, Waite Group Press, Macmillan Computer Publishing, 'Online! 1996, XP000829591, Retrieved from the Internet URL:http://www.walte. com/> 'retrieved on 1996/.

Goorfin. L., "Electronic Dictionary Pronounces over 83,000 Words", Speech Technology, Man-Machine Voice Communications, US, Media Dimensions Inc.. New York, vol. 4, No. 4, Apr. 1, 1989, pp. 78-79, XP000033505, ISSN: 0744-1355.

Hartley, S. et al., "Enhancing Teaching Using the Internet", SIGCSE/SIGCUE Conference on Integrating Technology into Computer Science Education, US, New York, ACM, vol. CONF. 1. Jun. 2, 1996, pp. 218-228, ISBN: 0-89791-844-4.

Technology Update, Wordperfect Corporation Introduces Wordperfect 6.0 for DOS, http://www.nfbnet.org/files/word processing/WP60,TXT, Mar. 24, 1993.

T.V. Raman, "An Audio View of (LA)Tex Documents," Proceedings of the 1991 Annual Meeting, pp. 1001-1008. Feb. 1993.

Microsoft Press Computer Dictionary Second Edition, Microsoft Press, 1994, p. 418.

* cited by examiner

A LO





Fig. 2



















Fig. 10







Fig. 13















Fig. 14h



Fig. 14i



















Fig. 14*r*











U.S. Patent



Fig. 16b

Nov. 20, 2007

U.S.

Patent



Fig. 17

Fig. 18a





5

60

65

ELECTRONIC BOOK SELECTION AND **DELIVERY SYSTEM HAVING ENCRYPTION** AND SECURITY FEATURES

RELATED APPLICATIONS

This application is a division of U.S. patent application Ser. No. 09/237,825, filed Jan. 27, 1999 now abandoned, which is a division of Ser. No. 08/336,247, filed Nov. 7, 1994, now U.S. Pat. No. 5,986,690, which is a continuation-10 in-part of U.S. application Ser. No. 08/160,194, filed Dec. 2, 1993, now U.S. Pat. No. 5,990,927, all of which are incorporated herein by reference as if fully set forth.

BACKGROUND OF THE INVENTION

Sparked by the concept of an information superhighway, a revolution will take place in the distribution of books. Not since the introduction of Gutenberg's movable typeset printing has the world stood on the brink of such a revolution in 20 the distribution of text material. The definition of the word "book" will change drastically in the near future. Due to reasons such as security, convenience, cost, and other technical problems, book and magazine publishers are currently only able to distribute their products in paper form. This 25 invention solves the problems encountered by publishers.

SUMMARY OF INVENTION

The electronic book selection and delivery system is a 30 new way to distribute books to bookstores, libraries, and consumers. The technological breakthroughs of this invention provide a secure electronic system for both delivering selected books and receiving payments. The system has an unusual combination of features that provides the consumer 35 with a daily use household appliance that has a high tech aura while being very practical, portable, and easy to use.

The clear advantage of the system is that it eliminates the distribution of any physical object such as a paper book or computer memory device from any book distribution sys- 40 tem. The purchase of a book becomes a pay-per-read TM event avoiding the overhead, "middle-men," printing costs, and time delay associated with the current book distribution system. Published material and text such as the President's speech, a new law, a court decision on abortion, or O. J. 45 Simpson's testimony can be made immediately available to the consumer at a nominal fee.

The system is a novel combination of new technology involving the television, cable, telephone, and computer industries. It utilities high bandwidth data transmissions, 50 strong security measures, sophisticated digital switching, high resolution visual displays and user friendly interface software.

The primary components of the text delivery system are the subsystem for placing the text onto a video signal and the 55 subsystem for receiving and selecting text that was placed on the video signal. The preferred embodiment of the system includes additional components and optional features that enhance the system. The system may be configured for use by bookstores, libraries, and consumers.

The system for consumer use is made up of four subsystems, namely: (1) an Operations Center, (2) a video distribution system, (3) a home subsystem including reception, selection, viewing, transacting and transmission capabilities, and (4) a billing and collection system.

The Operations Center performs several primary functions: manipulating text data (including receiving, format2

ting and storing of text data), security encoding text, cataloging books, providing a messaging center capability, and performing uplink functions. The system delivers the text from the Operations Center to consumer homes by inserting data within analog video signals. The insertion of text is generally performed with a text generator and an encoder at an uplink site that is within or near the Operations Center. The system can be several lines of the Vertical Blanking Interval (VBI), all the lines of the analog video signal, or a digital video signal to transmit text data. Using the VBI delivery method, the top ten or twenty book titles may be transmitted with video during normal programming utilizing existing cable or broadcast transmission capability without disruption to the subscriber's video reception. Using the 15 entire video signal, thousands of books may be transmitted within just one hour of air time. Nearly any analog or digital video distribution system may be used to deliver the video signal with included text.

The home subsystem performs four primary functions: connecting to the video distribution system, selecting text, storing text, and transacting through a phone or cable communicating mechanism. The components of the home subsystem may be configured in a variety of hardware configurations. Each function may be performed by a separate component, the components may be integrated, or the capability of existing cable set top converter boxes and televisions may be utilized. Preferably, a connector, library unit and viewer unit are used. The connector portion of the home subsystem receives the analog video signal and strips or extracts the text from the video. The home library stores the text signal, provides a user friendly software interface to the system and processes the transactions at the consumer home. The viewer provides a screen for viewing text or menus.

The viewing device is preferably a portable book shaped viewer which stores one or more books for viewing and provides a screen for interacting with the home library unit. A high resolution LCD display is used to both read the books and to interact with the home library software. An optional phone connector or return-path cable connection initiates the telephone calls and, with the aid of the library, transmits the necessary data to complete the ordering and billing portion of the consumer transaction. The billing and collection system performs transaction management, authorizations, collections and publisher payments automatically utilizing the telephone system.

DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of the primary components of the electronic book selection and delivery system.

FIG. 2 is a schematic showing an overview of the electronic book selection and delivery system.

FIG. 3 is a schematic of the delivery plan for the electronic book selection and delivery system.

FIG. 4 is a block diagram of the operations center.

FIG. 5a is a flow diagram of the processing at the operations center and uplink.

FIG. 5b is a block diagram of the hardware configuration for an uplink site.

FIG. 6a is a block diagram of the hardware configuration for a four component home subsystem.

FIG. 6b is a schematic of a two unit home subsystem.

FIG. 7 is a flow diagram of the processes performed by the video connector.

FIG. 8 is a block diagram for an example of a library unit.

20

FIG. 9 is a flow diagram of some of the processes performed by the library on the received data stream.

FIG. 10 is a flow diagram of the processes performed by the library unit on information requests from the viewer.

FIG. 11 is a block diagram showing the components for 5 an example of a viewer.

FIG. 12 is a flow diagram of some of the processes performed by the viewer on an information request from a subscriber.

FIG. 13 is a chart depicting the menu structure and 10 sequencing of menus in the menu system.

FIG. 14a is a schematic of an introductory menu.

FIG. 14b is a schematic showing an example of a main menu.

FIG. 14c through FIG. 14q are schematics showing 15 examples of submenus.

FIG. 14r is a schematic showing another example of a main menu.

FIG. 14s and FIG. 14t are schematics showing examples of screens for a book.

FIG. 15 is a schematic diagram of an electronic book system for a bookstore or public library.

FIG. 16a and FIG. 16b are schematics of hardware modifications or upgrades to a set top converter.

FIG. 17 is a schematic showing a set top terminal that 25 includes a data receiver and data transmitter.

FIG. 18a is a schematic of a book-on-demand system.

FIG. 18b is a schematic of an operations center supporting a book-on-demand system.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

The primary components of the electronic book selection and delivery system 200 are an encoder 204, a video 35 distribution system 208, a connector 212, and a text selector 216 as shown in FIG. 1. The encoder 204 places textual data on a video signal to form a composite signal. A variety of equipment and methods may be used to encode text data onto a video signal. The video distribution system 208 40 distributes the video signal from the single point of the encoder 204 to multiple locations which have connectors **212**. The connector **212** receives the digital or analog video signal from the video distribution system 208 and separates, strips or extracts the text data from the composite video 45 signal. If necessary, the extracted text data is converted into a digital bit stream. Text selector 216 works in connection with the connector 212 to select text.

Using a connector 212 and text selector 216 combination, various methods of selecting and retrieving desired text from 50 a composite or video signal are possible. Text may be preselected, selected as received or selected after being received and stored. The preferred method is for the connector 212 to strip all the text from the video signal and have the text selector 216 screen all the text as received from the 55 connector 212. The text selector 216 only stores text in long term or permanent memory if the text passes a screening process described below.

An overview of a preferred embodiment is shown in FIG. 2. The system 200 includes: an operations center 250 60 including an uplink site 254, a video distribution system 208, a home subsystem 258 including a video connector 212, a library 262, a viewer 266, and a phone connector 270, and telephone system 274 and a billing and collection subsystem 278. The operations center receives textual mate- 65 rial from outside sources 282 such as publishers, newspapers, and on-line services. The operations center receives

4

this textual material in various digital formats and converts them to a standard compressed format for storage. In so doing, the operations center creates a pool of textual material that is available to be delivered to the home system. Normally, the text material is grouped by books or titles for easy access. The operations center includes an uplink site for placing the text onto a video signal and sending the composite video signal into a video distribution system. The uplink site would generally include an encoder (not shown in FIG. 2) to encode the text onto a video signal.

Many analog and digital video distribution systems 208 can be used with this text delivery system 200, such as, cable television distribution systems, broadcast television distribution systems, video distributed over telephone systems, direct satellite broadcast distribution systems, and other wire and wireless distribution systems. Nearly any distribution system which can deliver a video signal will work with the text delivery system. It is also possible to distribute the text without using a video signal as described below.

The home subsystem performs five primary functions, (1) connecting with a video distribution system, (2) selecting data, (3) storing data, (4) displaying data, and (5) handling transactions. An important optional function of the home sub-system is communicating using a telephone communication system. The home subsystem is made up of primarily four parts: a video connector 212 or similar type of connector for connecting with a video distribution system, a library unit 262 for storing and processing, a viewer unit 266 for viewing menus and text and a telephone connector 270 for ³⁰ connecting with a telephone communications system **274**.

The billing and collection subsystem 278 may be colocated with the operations center 250 or located remote from the operations center. The billing and collection subsystem 278 is in communication with the home subsystem via telephone-type communication systems. Any of a number of telephone type communication systems, such as, a cellular system, will operate with the billing and collection system. The billing and collection system records the books or portions of text that are selected or ordered by the subscriber. The collection system will charge a subscriber's credit account or bill the subscriber. In addition, the billing and collection system will monitor that amount due to publishers or other outside sources 282 who have provided textual data or other services such as air time to enable the text delivery system 200 to operate.

FIG. 3 is an expanded overview of a preferred delivery plan for the electronic book selection and delivery system. It is a comprehensive delivery plan to support various types of users and various billing systems. FIG. 3 shows that publishers 282 will provide text transfer 302 to the operations center 250' and receive payments 306 from the billing and collection system 278'. A separate channel uplink site 254' is shown in this configuration receiving data 310 from the operations center 250'. The operations center 250' has three separate sections (318, 322, 326) one for text receiving, formatting and re-entry 318, a second for security encoding 322 and a third section for catalog and messaging center functions 326.

The collection and billing system 278' shown has two sections (330, 334) one for transaction management, authorizations and publisher payments 330, and the other for customer service 334. The customer service section 334 provides for data entry and access to customer account information. Transaction accounting information 338 is supplied to credit card companies 342 by the transaction management section 330 of the billing and collection system

278'. The credit card companies 342 provide billing 346 to customers either electronically or by mail.

Three methods for communicating between the subscriber base 348 and the billing and collection system 278' are shown: by telephone switching 350 alone, cellular switching 5 354 and telephone switching 250 combined, and by use of the cable system 358 and the telephone switching 350. The system shown supports both one-way 362 and two-way cable communication 366 with subscribers. Libraries and schools 370 as well as bookstores 374 may use the delivery 10 system.

Libraries and schools 370 would have a modified system to allow the viewer to be checked-out or borrowed while bookstores 374 would rent or sell the viewer and sell electronic book data. The bookstores 374 as well as the 15 libraries and schools 370 may be serviced by cable 378. Optional direct broadcast systems (DBS) 382 can also be used with the system 200.

I. The Operations Center

20 FIG. 4 is a schematic of an operations center 250 which includes an uplink 254. The Operations Center 250 gathers text or books by receiving, formatting, storing, and encoding. A data stream 302 containing text is received at the operations center by a data receiver 402. The data receiver $_{25}$ 402 is under the control of a processor 404. After reception, the data stream is formatted using digital logic for formatting 406 which is also under the control of the processor 404. If any additional text is being generated at the operation center locally for insertion into the distributed signal, the 30 text generation is handled through text generator hardware 410 which may include a data receiver and a keyboard (not shown). Following processing by the text generator, the additional text can be added to the text received the combining hardware **414** that includes digital logic circuitry (not 35 shown).

The processing at the operations center is controlled by a processor 404 which uses an instruction memory 416. The processor and instruction memory may be supplied by a personal computer or mini-computer. To perform the catalog 40 and messaging functions, the operations center uses a catalog and message memory 420 and the text generator 410 if necessary.

The data stream of text, catalog and messages is preferably encoded by a security ending prior to being sent to the 45 uplink module 424. Various encoding techniques may be used such as the commercial derivative of NSA's encryption algorithm, Data Encryption System (DES), and General Instrument's DigiCipher II may be used by the security encoding module **424**. Following encoding, the encoded text 50 may be stored in text memory 428 prior to being sent the uplink 254. It is preferred that a first-in-first-out text memory arrangement is used under the control of the processor 404. Various types of memory may be used for the text memory 428 including RAM. The operations center may use file 55 server technology for the text memory 428 to catalog and spool books for transmission as is described below.

To transmit textual data, the delivery system uses high bandwidth transmission techniques such as those defined by the North American Broadcast Teletext Standard (NABTS) 60 and the World System Teletext (WST) standard. Using the WST format (where each line of the Vertical Blanking Interval contains 266 data bits), a four hundred page book, for example, may be transmitted during programming using four lines of the Vertical Blanking Interval at a rate of 65 approximately one book every 1.6 minutes (63,840 bits per second). Alternatively, books may be transmitted over a

dedicated channel, which interrupts programming so that 246 lines of video can be used to transmit approximately 2,250 books every hour (3.9 Mbits per second). A teletext type format is the simplest but possibly the slowest text format to use with the system. In either event, an encoder is utilized at an uplink site to insert textual data into the analog video signal. In many other respects, the delivery of the textual information is completed using existing cable television plants and equipment.

FIG. 5a is a flowchart of the steps involved in processing text from the publisher or provider 282 that occurs at the operations center 250. As shown in block 500, the publisher 282 processes data files of text for books, compresses, encrypts and sends the data files to the operations center or uplink. Text files for books are preferably sent one book at a time. As shown in block 504, the uplink 254 or operations center 250 receives and processes the data stream from the publisher 282. Generally, part of this processing includes encryption and error correction.

As shown in block 508, files are broken into smaller packets of information. Header information is added to the packets. The bit stream is converted from a serial digital bit stream to an analog bit stream that is compatible with an NTSC video signal. Block 512 shows the switching of analog data into the video lines of a video signal. The analog data is either placed in the VBI or the active video lines.

FIG. 5b is an example of a hardware configuration to perform some of the functions for blocks 508 and 512. A video feed 516 is received and processed through a sync stripper 520. The sync signal 532 stripped is used by the digital logic control 524. The digital logic control 524 receives the sync signal 532 and a serial digital bit stream 528 for processing. The digital logic control 524 passes the serial digital bit stream to the Digital to Analog converter 536 and outputs a control signal 540 for the video switch 544. The video switch 544 integrates the video feed 516 and analog data stream 548 into a video feed with analog data signal inserted 552.

As an alternative to cable or television delivery methods, the telephone system may be used to transmit books to the subscribers. An average book would take about 7 minutes to transmit over the public telephone system. Using the telephone system, it is not necessary to combine video and text into a composite signal. In most other respects, the operation center would remain similar whether text delivery was by telephone or cable. It is preferred that file server technology (such as that described in U.S. Pat. No. 5,262,875, entitled AUDIO/VIDEO FILE SERVER INCLUDING DECOM-PRESSION/PLAYBACK MEANS, issued to Mincer, et al., and, U.S. Pat. No. 5,218,695, entitled FILE SERVER SYS-TEM HAVING HIGH-SPEED WRITE EXECUTION, issued to Noveck, et al., incorporated herein by reference) be used at the operation center with a telephone system text delivery method.

II. The Home Subsystem

The hardware configuration for a four component home subsystem 258 is shown in FIG. 6a. FIG. 6b shows a hardware configuration for a two component home subsystem. The home subsystem 258 performs several functions, such as receiving data and video transmissions, stripping the data from the video signal, screening and storing the data, providing user friendly interface software, displaying menus and text, processing transactions, initiating telephone calls and transmitting billing data. Various hardware configurations may be utilized to achieve the desired functions of the home subsystem. For example, as shown in FIG. 6b, the home subsystem can be configured to utilize the reception and channel tuning capability of the current installed subscriber base of cable converter boxes and televisions **601**. The home subsystem can also be designed as an advanced set top terminal converter box with menu generation capability, electronic memory and a telephone modem as described in section V below.

The electronic components which make up the home subsystem can be arranged in a variety of ways. In the four unit subsystem of FIG. 6a the viewer 266 and library 262 are 10 wired together while the remaining components communicate through RF transceivers 604. In the simplest version of the home subsystem there are only two units, a library 262 and a viewer 266. FIG. 6b shows a two unit home subsystem with certain optional features. The viewer **266** is generally equipped with a high resolution viewing area 602, digital logic (including a key 605, security 606, and a microprocessor 621), video graphics control and memory 607, power supply circuitry 602 (not shown), an optional battery 603 and an optional RF transceiver 604. In a two unit arrange- 20 ment, the library 262 contains the connector function to the video distribution system, connector function to a public telephone communications system, and memory 600 (which may be removable and portable 600'). More specifically, the library would include data stripping functions 617, digital 25 logic 609, memory storage 600, power circuitry 610, optional telephone connections 611 (including cellular or PCN 611'), optional battery (not shown), optional tuner module 613 and an optional RF transceiver 604. The video connector 212 and the public telephone system connection 30 **270**, as well as the removable portable memory unit **600** of the library may be broken out into separate components. (FIG. 6b shows a removable portable hard disk memory 600' with removable cartridges 614.) Therefore, the home subsystem may have as many as five separate components 35 which communicate with each other. The two, three, four or five separate components which make up the home subsystem can communicate with each other in a variety of ways, including hardwired connection 615, RF transceiver 604 and other wireless methods.

RF communications are preferred in the home because it allows the separate components to be located throughout the home without restriction.

The data communicated between the units is preferably secure data. In addition, the library **262** may provide power 45 to the viewer **266** through the hard wire communication link **615**.

To receive and strip the data from the video signal at the consumer's home, either a cable interface device or cable connector is used. The cable connector device includes a 50 tuner 613, while the cable interface device makes use of existing tuning equipment in the home. In either configuration, data is stripped from the video signal and stored at the subscriber's location in the library 262. The phone connector 270, and modem 611 initiate telephone calls and transmit 55 ordering and billing information to the Operations Center or billing and collection system. The home library 262 is the intelligent component of the home subsystem, incorporating the hardware and software necessary to store the text data, generate menus and effect the purchase transactions. In 60 addition to an RF transceiver 604, the home library 262 also includes the necessary jacks and connections to allow the system to be connected to the viewer 266. As shown in FIG. 6b, the library communicates the text data to the viewer in a secure format which requires a key 605 for decryption. The 65 text is generally only decrypted page by page just before viewing.

a. The Video Connector

FIG. 7 shows the flow of the processes performed by the video connector 212. The video connector receives the video signal 608, tunes to the channel containing the text data 612, strips the text data from the video signal 616, and communicates the text data stream to logic components in the library 620.

The connection to the video distribution system is preferably a cable connector to a cable television delivery system, as shown in FIG. 6b. The cable connector includes a data stripper circuit 617, which accepts video input from either a set top converter, TV or VCR 601, or an optional tuner block 613 that receives the CATV signal through the cable connector 212'. The data stripper circuit 617 strips data out of the video, and outputs a digital bit stream to the digital logic portion 609 of the library unit 262. The data is embedded in the video signal either in the vertical blanking interval or the active video portion in an encrypted and compressed format. The data stripper circuit 617 can be placed inside the set top converter box 601, TV, or in the library unit. The data stripper circuit 617 outputs the digital bit stream to be used by the library digital logic 609.

The video connector **212** may also contain a channel tuner module **613** that can tune to the video channel and provide access to the video that contains the data to be stripped. Using the optional tuner module **613**, a set top converter, VCR, or TV tuner is not needed in the home subsystem. The optional tuner module **613** would instead receive the CATV signal directly through the cable connector **212**'.

b. Library

An embodiment of the library **212** for a two unit home subsystem is shown in both FIG. **6***b* and FIG. **8**. The embodiment shown includes the following optional parts the video connector **212**, phone connector **270**, RF transceiver **604**, and battery pack **624** in addition to a removal portable memory **600**', microprocessor **628**, instruction memory unit **632**, digital logic **636**, and power unit **640**.

The library 262 contains a digital logic section 609 (not shown in FIG. 8) which includes the microprocessor 628, 40 the digital logic 636 and the instruction memory unit 632. The microprocessor 628 is preferably a secure microprocessor such as the Mot SC21 device sold by Motorola. The digital logic section 609 will receive the serial digital bit stream from the data stripper circuit 617 and process the data. Error correction will also be performed by the digital logic section 609 and the data will be checked for proper address. If the address of the data is correct and the library 262 is authorized to receive the data, the data will be transferred to the memory storage unit 600, 600'. Authorization to receive the data is provided by the cable headend or another distribution point. An authorization code may be sent in the serial digital bit stream. The digital logic section 609 will send appropriate text and graphical data to the memory storage unit 600, 600'. It transfers this data in a compressed and encrypted format and the data remains stored in a compressed and encrypted format.

i. Memory Storage Unit

The memory storage unit of the library is preferably a removable portable memory unit **600** (as shown in FIGS. **6***a*, **6***b* and **8**). A variety of options are available for memory storage: a hard disk drive, such as an 80 megabyte, a 200 megabyte, a hard disk with removable platters, and CD ROM. Referring to FIG. **6***b*, a hard disk drive unit **600**' which contains removable platters may also be used. This would provide virtually unlimited library storage capacity. Data will be stored in the memory storage unit in a compressed and encrypted format. As is also shown in FIG. **6***b*,

the data will also contain a key or unique ID number that matches the ID or key of the viewer **266**. This matching of a unique key or ID number prevents unauthorized transfer of text data from the memory storage unit to an unauthorized viewer. Small memory devices such as smart cards, electronic memory cards or PCM CIA cards (personal computer memory card industry association) may also be used to store the data.

ii. Power Circuitry

As shown in FIGS. 6b and 8, the library 262 will accept 10 power from either AC wall power or optional battery power. It is preferred that the power circuitry provide all the voltage necessary from either the battery 624 or AC unit for the various circuitry in the library. Preferably the power circuitry will also provide power to the viewer through a single 15 data cable when connected to the viewer. The power circuitry will recharge the battery using AC power when in operation. With the optional battery unit 624 installed, the library 262 becomes a portable unit and can still provide power to the viewer 266. In order to extend battery life, 20 power conservation measures may be utilized, such as shutting down the memory system when not in use. When the viewer unit 266 is being utilized and the library circuitry is not being utilized, virtually all power may be shut down to the library 262. 25

iii. Connection to the Public Telephone System

The connection to the telephone system is preferably provided by a modem **611**. Various available modems may be used to perform this function. As shown in FIG. **6***b*, cellular phone or PCN phone connections **611**' may also be 30 provided. When the home subsystem is first initialized, the modem will be used to transfer the name and credit card information of the consumer to the billing and collection subsystem. The telephone connection **270** may be utilized each time a book is purchased by a consumer to complete 35 and record the transaction. The telephone connection **270** may also be used as a means for receiving the text data from the operations center, by-passing the video distribution system. The phone connection **270** may be a separate unit as shown in FIG. **6***b*. 40

iv. Library Processing

FIG. 9 shows an example of some basic processing performed by the library 262 on the data stream received from the video connector 212 or stripper circuit 617. First the data stream is checked for error correction by block 650. 45 If an error is detected, block 654 de-interleaves the data followed by block 658 running a FEC (Forward Error Correcting) algorithm. The combination of block 650, 654 and 658 perform the error correction needed on the data stream. If no error correction is necessary the data proceeds 50 to block 662 where packets are individually checked for packet address.

If the address is a unique address, block **666** checks whether the address of the packet matches the library box ID number. The library box ID number is a unique number 55 associated with that library **262** which is used to ensure security of the data. Block **670** determines whether an electronic file has already been opened into which the data packet can be saved. If no data file has been opened then block **674** opens a new data file for that packet. If an 60 electronic file has been opened, then the packet is saved in that electronic file on disk, block **678**. Next, the process checks to see if this is the last packet for a particular book for a particular textual data block being received **682**. If it is the last packet of information, then the electronic file is 65 closed and the directory of available electronic files is updated **686**. Following either block **682** or **686**, the process

returns to receive another data packet from the data stream received from the data stripper block.

With the packet address is checked and the address is determined to be a broadcast address, the process determines the type of message that is being sent **690**. The message is then stored in appropriate electronic message file **694** and the process is returned to block **650** to receive another data packet and perform another error check.

Using the process of FIG. 9, the library is able to receive, store and update directories related to the textual data and graphical data that can be used to depict pictures in a given book. Variations of the processes are possible depending on the format of the data and operating system of the library 262.

FIG. 10 shows an example of the processing of information requests from the viewer 266 at the library 262. Information requests from the viewer 266 are received either through the cable connecting the viewer 266 to the library 262 or through wireless transmissions such as RF. It is possible in some embodiments for subscribers' requests to come from a set top converter box 602.

Information requests received from the viewer 266 generally fall into three categories: (1) directory data of books stored in the library 262, (2) index of all available books on the system, and (3) requests for a specific book (Block 700). Process block 704 answers a request from the viewer 266 for a directory of data showing the books stored at the viewer 266. The directory of data is sent to the viewer 266 so that it may be displayed to the subscriber. Process block 708 handles requests from the viewer 266 for an index of all available books on the system. The library 262 will obtain an index of all the available books on the system and transmit that index, process 712, with menu information to the viewer box. Process block 716 replies to a request from the viewer 266 for a specific book. The library 262 opens an electronic file for the specific book requested by the viewer **266** and transmits the record or transmits the information on a packet-by-packet basis to the viewer, 720. This process of transmitting the specific book, record, or packets to the 40 viewer continues until the last record or packet has been sent. 724.

In addition to the processes shown on FIG. 10 in handling a request for a specific book, the library 262 also orders and receives specific books from the operations center 250 using the process as described in 716. Following a request for a specific book which is not stored at the library 262, the library 262 will proceed to determine the next available time the book will be on the video distribution system 208 and ensure reception and storage of that book (process not shown). In performing this process the library 262 will transmit to the viewer information on when it will obtain the text data for the book so that the subscriber may view the book. In addition to timing information, price and other ordering information may also be passed by the library unit 262 to the subscriber.

c. The Viewer

FIG. 11 is a block diagram of a viewer 266 showing its internal components. The viewer 266 of FIG. 11 is similar to the viewer 266 depicted in FIG. 6*b*. The viewer 266 is designed to physically resemble a bound book. The viewer 266 is made up of five primary components and four optional components: (1) LCD display 602, (2) digital circuitry (not shown), (3) video graphics controller 607', (4) controls 740, (5) book memory 728, (6) optional power supply circuitry 736, (7) optional battery 603', (8) optional RF transceiver 604, and (9) optional cellular or mobile communicator (not shown).

(1) A high resolution LCD screen, preferably of VGA quality, is used by the viewer **266** to display text and graphic images. The screen is preferably the size of one page of a book.

(2) Digital circuitry that includes a secure microprocessor 5 621, instruction memory 732, and digital logic. Data is transferred to the viewer 266 in compressed and encrypted format. The secure microprocessor 621 compares the ID number of the viewer 266 with the incoming data stream and only stores the text data if the ID number of the viewer 266 10 matches that within the incoming data stream. It is preferred that the viewer 266 not output text data or other data and that the data is decompressed and decrypted only at the moment of viewing and only for the current page being viewed. These measures are preferred because they provide addi- 15 tional security against unauthorized access to data.

(3) A video graphics controller **607**' that is capable of assisting and displaying VGA quality text and graphic images is included in the viewer **266**. The graphics controller **607**' is controlled by the digital circuitry described above. 20 Text may be displayed in multiple font sizes.

(4) The viewer **266** of FIG. **11** has touch panel controls **740**. The controls **740** allow the consumer to select stored books and books from catalogues, move a cursor, and turn pages in a book. Typically, the preferred controls include 25 forward and reverse page buttons **741**, a ball **743** for cursor movement, a selection button **745**, a current book button **747** and a bookmark button **749** (see FIG. **14***a*).

(5) Book memory **728** for at least one book or more of text is included in the viewer **266**. The memory **728** stores text 30 and any graphics which represent pictures in a book. The memory **728** can also store menu graphics data. Two different memory **728** devices may be used in the viewer **266**, one for the instructions for the microprocessor **621** in the digital circuitry and a second type of memory may be used 35 for the book memory **728**. Various memory devices available on the market may be used such as, ROM, RAM or a small hard disk. Since a book requires approximately 0.6 megabytes of storage, a small hard disk providing approximately 60 MBytes of storage provides memory to store 40 approximately 100 books. Text for books may be stored in various font sizes so that larger or smaller fonts may be recalled from memory **728** as desired.

(6) Power supply circuitry **736** in the view will accept power from either an AC power source or from an optional 45 battery **603'**, or the library **262**. The power supply circuitry provides the necessary voltages to accommodate the various systems within the viewer **266**.

(7) An optional battery **603'** is provided in the preferred embodiment. The battery **603'** is automatically recharged 50 when AC power is available.

(8) An optional RF transceiver **604** which provided twoway data link between the viewer **266** and other components of the home subsystem can also be included in the viewer **266**.

(9) Also, the viewer **266** may include a cellular transceiver (not shown) for mobile communications.

The viewer **266** of FIG. **11** has parts available for providing a library connection **744**, electronic card memory **748**, CD ROM units **752**, and a portable memory unit **756** 60 (such as that shown in FIG. **6b 600'**). Various electronic memory cards such as PCM CIA can be used with this viewer **266**.

Security, low power consumption and excellent display technology are desired features of the viewer **266** design. 65 The viewer **266** should be lightweight and portable. The viewer **266** contains a software operating system that allows

books to be stored, read and erased and includes the capability to order books and retain them in memory for a predefined period of time determined by the system operator. The software can be configured to allow the book to be read during a period of time (i.e., two weeks) and then automatically erased, read once and erased, or held in memory permanently. Each viewer **266** has a unique key **605**. All of the data storage is encrypted with the key **605** for an individual viewer **266** to prevent more than one viewer device **266** accessing the text file or book file.

FIG. 12 is a flow diagram of some of the processes executed by the viewer 266. Generally, the viewer 266 receives inputs from the subscriber through touch panel controls 740. The subscriber's information requests are then processed 800 by the viewer 266.

If the subscriber requests a menu of available books, process block **804** will select a book menu. Process block **808** will open the electronic files which list the books that are available (related to the category of topic of the menu) and display the menu with the names of the available books.

If the subscriber selects a particular book to read, then process block 812 will process the selection and determine the electronic file that contains the specific book. Process block 816 will open the file for that specific book and normally access the first page. (If a pointer has already been set in that books electronic file, the process may default to that printer.) Process block 820 will then determine which page needs to be displayed. Process block 820 will determine whether a next page, previous page or a bookmarked page needs to be displayed. If the pointer for the electronic file is not in the correct location then process block 828 will move the pointer and obtain the previous page of data from the stored file. Otherwise, process block 824 will normally obtain the next page of text from the stored electronic file. Process block 832 will decrypt and decompress the text data and send the data to the video display. The video display will generally have a video display memory associated with it and process block 832 will send the data directly to that video display memory. The circuitry for the display then completes the process of displaying the page of text.

If the subscriber, through the controls **740**, requests (from process block **800**) that the power be turned off, then the process, **836**, of turning the power off will be initiated. Process block **840** saves the pointer in memory to the page number in the book that the viewer **266** is currently reading. Process block **844** closes all the electronic files and signals the power circuitry to shut down the power to the various circuits in the viewer **266**. With these examples of basic processes the viewer **266** is able to display book selections and display text from those books.

d. Menu System

It is preferred that the electronic book system have a menu system for selecting features and books from the electronic book system. The operating software and memory required 55 for the menu system is preferably located at the viewer **266**. However, it can also be located at the library or the library and the viewer **266** can share the software and memory needed to operate the menu system. Since the menus are usually displayed on the viewer **266** and it is preferred that 60 the viewer **266** be capable of operating in the absence of the library, the basic software and memory to create the menus is more conveniently located at the viewer **266**.

The preferred menu system is a system which allows sequencing between menus and provides menu graphics for graphical displays such as on the viewer **266**. In a system which uses a set top converter these menus may also be displayed on a television screen. In the simplest embodiment, the menus provide just basic text information for the subscriber to choose from. In more sophisticated embodiments, the menus provide visual displays and icons to assist the subscriber.

FIG. 13 depicts a menu system with sequencing. The 5 primary menus in the system are an introductory menu 850, a main menu 854 and various submenus 858. In the embodiment shown, there are three levels of submenus. In certain instances one or two submenus is sufficient to easily direct the subscriber to the selection or information requested. 10 However, there are features in which three or more submenus makes the user interface more friendly for the subscriber. Each level of submenus may consist of various menus. The particular menu displayed depends on the selection by the subscriber on the previous shown menu. An 15 example of this tree sequence of menus are the help submenus 887, 888. Depending upon the specific help requested, a different menu is displayed.

An example of an introductory menu 850 is shown on FIG. 14a. Generally the introductory menu 850 introduces 20 it will appear on the screen as shown in FIG. 14s for the title the viewer 266 to the system and provides initial guidance and instruction. The introductory menu 850 is followed by a main menu 854, an example of which is shown in FIG. 14b. The main menu provides the viewer 266 with the basic selection or features available in the system. For example, 25 FIG. 14b shows that the viewer 266 is able to choose by a point and click method, six available options; (1) free previews, (2) books you can order, (3) books in your library, (4) your current book, (5) help, and (6) other system features. Following a selection on the main menu, a sub- 30 menu is shown.

FIG. 13 shows ten available primary or first level submenus. They are (1) account set up 862, (2) free previews 866, (3) books in your library 872, (4) books you can order 878, (5) your current book 884, (6) help 887, (7) available 35 features 890, (8) messages 893, (9) account information 896 (10) outgoing message submenu 898. FIG. 14c is an example of a first level submenu for books in your library 872. This "Book In Your Library" submenu shows six available books by title and author and provides the sub- 40 IV. Library and Bookstore System scriber with the ability to check a different shelf of books or return to the main menu. FIGS. 14d and 14e show other submenus for books that may be ordered using the "Books You Can Order" submenu.

The "Account Set Up Menu" 862 and further submenu us 45 related to account set up (which provide instructions and account input 864) are shown in FIG. 14f through FIG. 14m. These submenus allow initialization of an account at the operations center and orders to be charged to credit cards. The submenus include the ability to enter data related to 50 your credit cards.

Free previews for books 866 are also provided by submenus (868, 870). Examples of the free preview menus are shown in FIG. 14n, FIG. 14o, and FIG. 14p.

Referring to FIG. 13, submenus are shown on the "Books 55 In Your Library" submenu 872 and are preferably broken into shelf numbers with submenus for each shelf 874, 876. The submenus on the "Books You Can Order" submenu 878 is similarly broken out into submenus by shelves 880, 882. These shelves may each be a category or genre of books. 60 Books may be grouped into categories such as best sellers, novels, fiction, romance, etc. See FIG. 14d.

Referring to FIG. 13, the submenu for "Your Current Book" allows a subscriber to select a current book 884 and then determine what page to view. This selection is con- 65 firmed with submenu 885. The help submenu provides the subscriber with additional help screens 888. The submenus

for available features 890 are preferably broken out into a separate submenu for each feature 891, 892.

Referring to FIG. 13, messages can also be sent with the electronic book selection and delivery system. A level one message screen provides the subscriber with the ability to select from the various pending messages he has 893. Each message is then shown on a separate submenu screen 894, **895**. An example of such a submenu is shown in FIG. 14q.

Referring to FIG. 13, account information is shown on a level one submenu 896 and then follow-on submenus show the recent orders and your account balance 897. There is also a level one submenu for outgoing messages 898 which has a follow-on submenu used as an input screen 899.

In addition to the specific features and submenus described in FIG. 13 and FIG. 14a through FIG. 14q, many other variations and features are possible. FIG. 14r is an example of a main menu with additional features and submenus available.

When a book is finally selected for viewing on the system and FIG. 14t for a page of text.

III. The Billing and Collection System

The billing and collection system utilizes the latest technology in electronic transaction and telephone switching to track orders, authorize deliveries, bill consumers, and credit publishers automatically. The telephone calls initiated by the phone connector are received by the billing and collection system which responds immediately without human intervention by placing the order and charging the consumers credit card account. Data is compiled periodically and publishers are credited for sales of their books. The billing and collection system may also connect with subscribers through two-way cable connections, cellular or other communication means.

It is preferred that the billing and collection system communicate with the operations center to track changes in available books and to provide statistical data to the operations center.

The electronic book system can be modified to be used at public libraries and bookstores. FIG. 15 shows one possible arrangement of components for a public library or bookstore location. The main unit at public library or bookstore is the file server 900. The file server 900 is a large electronic memory unit that can store thousands of books. Various electronic storage means may be used in the file servers, such as hard disks and read-write CD ROMs and read only CD ROMs.

The system comprises five components; a converter or video connector 904, a controller 908, a viewer 912, and a catalog printer 916. The software for controlling the system is primarily located in the controller. The converter or video connector 904 is similar to those described above. In this configuration the controller unit 908 monitors the data being transferred to the file server by the converter 904. The controller 908 is preferably provided with a viewing screens and several control buttons. When it is necessary to have a larger screen to perform more sophisticated controlling of the system a viewer may be connected to the controller 908 and the viewer screen and controls may be used.

The controller 908 is only able to download books to the viewer 912 which are authorized to receive books from the particular file server. For security reasons it is not desirable that the public viewer 912 have access to more than one file server. In this way, security can be maintained over the text data for books. It is preferred that the public viewer 912 be limited to receiving one or two books at a time from the controller **908**. When the user of the public viewer **912** needs a new or additional book he returns the viewer **912** to the library where he receives a new book from the controller **908**.

In order to track the books that are available on the file server, the titles of the available books may be printed on a catalog printer **916**. The catalog printer **916** is connected to the library controller **908** and the titles of the books are downloaded to the catalog printer **916**. None of the coded text for any of the books can be printed using the controller **908** and catalog printer **916** of this system. In order to maintain security over the data, none of the book data is allowed to be downloaded to the printer. Once a complete 15 printout of available book titles, magazines, or other textual material is complete, a hard copy of the catalog **920** can be maintained at the file server.

The system shown may also be used at bookstores. The 20 bookstores can rent the public viewer 912 to customers with the text for one or two books loaded onto the viewer 912. The viewer 912 may be provided with an automatic timeout sequence. The timeout sequence would erase the textual data for the books after a certain period of time, for example, two 25 weeks. It is expected that after a period of time (perhaps within two weeks) the renter would return the public viewer 912 to the bookstore and receive additional books for viewing. Using this arrangement, it is also possible for the bookstore to (permanently) sell a viewer 912 to a regular customer. The customer then returns to the bookstore from time to time to receive textual data for a book which the customer can then store permanently on his own viewer 912. Various other configurations are possible for bookstores and libraries using the file server and viewer 912 described.

V. Use of Set Top Converter

Existing set top converter boxes such as those made by Scientific Atlanta or General Instruments are presently unequipped to handle the book selection system of the present invention. Although set top converters may be built which include the library functions, hardware modifications are necessary in order to use the book selection system with existing set top converter technology.

FIGS. **16***a* and **16***b* are examples of hardware modification. A port is used to attach hardware upgrades described below to a set top terminal. Two upgrades are possible to set top converters **601** to assist in receiving and selecting electronic books. A menu generation card upgrade (FIG. **16***a*) and an information download unit (FIG. **16***b*). Each of 50 these upgrades may be connected to the set top terminal unit through an upgrade port. A four wire a cable, ribbon cable or the like may be used to connect the upgrade to the set top converter **601**.

A card addition **950** to a set top converter **601** is depicted 55 in FIG. **16***a*. The card **950** shown provides the additional functionality needed to utilize the book selection system with existing set top converter **601** technology. The card **950** may be configured to slip inside the frame of a set top terminal and become part of the set top terminal, an 60 advanced set top terminal. The primary functions the card **950** adds to the set top converter **601** are the interpreting of data signals, generating of menus, sequencing of menus, and, ultimately, the ability of the viewer **912** to select a book using either the television or a viewer **912**. The card **950** also 65 provides a method for a remote location, such as the cable headend, to receive information on books ordered. The

books ordered information and control commands may be passed from the cable headend to the card **950** using telephone lines.

The primary components of the card 950 are a PC chip CPU 952, a VGA graphic controller 954, a video combiner 956, logic circuitry 958, NTSC encoder 960, a receiver 962, demodulator (not shown), and a dialer 611'. The card 950 operates by receiving the data text signal from the cable headend through the coaxial cable. The logic circuitry 958 of the card 950 receives data 964, infrared commands 966, and synchronization signals (not shown) from the set top converter 601. Menu selections made by the viewer 912 on the remote control are received by the set top converter's 601 IR equipment and passed through to the card 950. The card 950 interprets the IR signal and determines the book (or menu) the subscriber has selected. The card 950 modifies the IR command to send the information to the set top converter 601. The modified IR command contains the channel information needed by the set top converter 601. Using the phone line 968 and dialer 611', the card 950 is able to transmit books ordered information to the cable headend. It is also possible to receive the books over the telephone lines and by-pass the video distribution system.

These commands are passed through the interface linking the set top terminal's microprocessor with the microprocessor of the hardware upgrades. In this way, subscriber inputs, entered through the set top terminal keypad or remote control, can be transferred to any of the hardware upgrades for processing and responses generated therein can then be sent back to the set top terminal for display. In the preferred embodiment the IR commands **966** are transferred from set top terminal **601** to hardware upgrade.

Hardware upgrades may include a microprocessor, interactive software, processing circuitry, bubble memory, and a 35 long-term memory device. In addition to these basic components, the hardware upgrade may make use of an additional telephone modem or CD-ROM device.

The information download hardware upgrade 1001 (shown in FIG. 16b) allows the subscriber to download large volumes of information from the operations center or cable headend using the set top converter 601 601. The hardware upgrade 1001 will enable subscribers to download data, such as books and magazines, to local storage. Primarily, the hardware upgrade 1001 is an additional local storage unit 1003 (e.g., hard disk, floppy, optical disk or magnetic cartridge and may include a microprocessor 1005, instruction memory 1007, and a random access memory 1009, as shown in FIG. 16b). Preferably, a small portable viewer 912 is also provided with the upgrade 1001 to enable downloaded text to be read without the use of a TV.

The downloadable information may be text or graphics supplied by the operations center or cable headend. With this upgrade, books may be downloaded and read anywhere with the portable reader. Using this upgrade, books may be downloaded and stored in compressed form for later decompression. The books would be decompressed only at the time of viewing. Important text that the public desires immediate access may made available through this system. Text such as the President's speech, a new law, or a recent abortion decision rendered by the Supreme Court may be made immediately available.

In the preferred embodiment, book ordering information is stored at each set top terminal until it is polled by the cable headend using a polling request message format. An example of a polling request message format consists of six fields, namely: (1) a leading flag at the beginning of the message, (2) an address field, (3) a subscriber region designation, (4) a set top terminal identifier that includes a polling command/response (or P/F) bit, (5) an information field, and (6) a trailing flag at the end of the message. A similar response frame format for information communicated by the set top terminal to the cable headend in response 5 to the polling request may be used.

FIG. 17 shows a preferred set top terminal that includes a data receiver 617' and a data transmitter 1011. The data transmitter provides upstream data communications capability between the set top terminal 601 and the cable 10 headend. Upstream data transmissions are accomplished using the polling system described and, using a data transmitter 1011. Both receiver 617' and transmitter 1011 may be built into the set top terminal 601 itself or added through an upgrade module. Regardless of the specific hardware con-15 figuration, the set top terminal's data transmission capabilities may be accomplished using the hardware shown in FIG. 17.

FIG. **17** shows RF signals, depicted as being received at by a data receiver **617**' and tuner **613** working in unison. ²⁰ Both of these devices are interfaced with the microprocessor **1013**, which receives inputs **1015**, from the subscriber, either through a set top terminal's keypad, a remote control unit or viewer **912**. All cable signals intended for reception on the subscriber's TV are accessed by the tuner **613** and ²⁵ subsequently processed by the processing circuitry **1017**. This processing circuitry **1017** typically includes additional components (not shown) for descrambling, demodulation, volume control and remodulation on a Channel **3** or **4** TV carrier. **30**

Data targeted to individual set top terminals is received by the data receiver **617**' according to each set top terminal's specific address or ID. In this way, each addressable set top terminal only receives its own data. The data receiver **617**' may receive set top terminal **601** specific data in the infor-³⁵ mation field of the signal frame described or on a separate data carrier located at a convenient frequency in the incoming spectrum.

Any received data includes information regarding books and menus available for selection. The subscriber may enter ⁴⁰ a series of commands **1015** using a keypad or remote control in order to choose a channel or program. Upon receipt of such commands, the set top terminal's microprocessor **1013** instructs the tuner to tune to the proper frequency of the channel carrying data and subsequently instructs the pro-⁴⁵ cessing circuitry **1017** to begin descrambling of this data.

Upon selection of a book, the microprocessor **1013** stores any selection information in local memory (not shown) for later data transmission back to the cable headend. The set top terminal's microprocessor **1013** coordinates all CATV signal reception and also interacts with various upstream data transmission components. Typically, the data transmitter **1011** operates in the return frequency band between 5 and 30 MHz. In an alternative embodiment, the frequency band of 10 to 15 MHz may be used. Regardless, however, of the frequency band used, the data transmitter **1011** sends information to the cable headend in the information field of the response frame described. Those skilled in the art will recognize that a number of variations and combinations of the above-described set top terminal hardware components may be used to accomplish upstream data transmissions.

VI. Books-on-demand System

The electronic book system described may also be configured in a book-on-demand style. FIG. 18a shows one 65 example of a configuration for a book-on-demand system. A book on demand system requires more powerful two-way

communications between the consumer's home, bookstore or library and either the operations center or a distribution site **1020** such as the cable headend. This type of two-way communication can be provided by the hardware shown in FIG. **17** and described above.

Referring to FIG. 18a, in a book-on-demand system, the subscriber selects the book to be download from an available menu of books. The available menu is usually sent to the subscriber location by the distribution site 1020. After his selection, information about his selection (or request) is then communicated to either a distribution point 1020 (such as a cable headend) or the operations center. Upon receipt of this request, the needed textual and graphical information for the book is spooled and sent to the subscriber. In this manner, books are only sent when requested by the subscriber and are sent immediately upon demand for the book.

In order to support such a demand system, the text delivery and distribution must be conducted on a strong nodal architectured distribution system, such as, a videoon-demand cable or telephone television system, or through use of individual telephone calls on the public telephone system.

The book-on-demand system allows for a greater selection of books to the subscriber and limits the amount of communicated book data that is unnecessary or unneeded. It also provides the book to the subscriber in a much timelier fashion.

In addition to a stronger distribution system, a book-ondemand system requires a distribution point **1020** to have more sophisticated equipment to spool out the textual information. This can be accomplished using file server technology **1024** for storing the books and ATM **1028** or telephonetype switching (not shown) to distribute the textual information. The file server **1024** and distribution technology that can be used in configuring such a book-on-demand system is described in U.S. Pat. No. 5,262,875 and U.S. Pat. No. 5,218,695, cited above.

FIG. 18*a* shows an embodiment for a book-on-demand system that utilizes file server technology. In addition to books, the embodiment of FIG. 18*a* will support distribution of nearly any digital data. Books or textual files are received from publishers 282 and other sources through local feeds 1032, ATM 1028, or by satellite dish 1036. The data is then stored in memory 1040 at the file server 1024. Preferably, distribution point 1020 is a cable headend that receives requests from subscribers and delivers text to subscribers over a two-way communication system (such as a video-on-demand system (VOD) 1044).

The library unit 262 can be connected to either a basic premium-type service cable system 1048, a near video-on-demand type cable system (or pay-per-view (PPV) 1052) or a video-on-demand cable system 1044. In connecting with either of these three systems the library 262 may access the cable directly or may access the system through a set top terminal 601', 601", or 601"".

Using the two-way video-on-demand system 1044, a subscriber is able to request a specific book title and receive that text immediately following its request. To accomplish this, the distribution point 1020 transmits a list of available books through the cable delivery system to the library 262. The library 262 displays the list of available books on a menu or similar format. As described earlier, it is preferred that the library 262 use menus which list categories of available books to form its request from the distribution point 1020. After selecting a book the library 262 then sends a request signal on the two-way communication system 1044 back to the distribution point 1020. This request signal

can be handled in two ways. Either the library 262 initiates the request or the distribution point 1020 polls the various libraries on to the two-way system 1044. Upon receiving the request for the book title, the text associated with that book title is transmitted to the library 262 using the two-way cable 5 system 1044.

FIG. 18*b* is an expanded view of an operations center 250 that supports a regional or national book-on-demand system. In fact, the operations center 250 shown supports distribution of nearly any digital data. The operations center 250 10 supports multiple feeds to receive digital information by tape 1060, 1060', ATM 1028, or satellite 1036. The information is processed through an input MUX 1064 and a small file server 1068 before reaching the master file server 1072. Digital data such as books received from publishers 282 is 15 then stored on the master file server 1072. It is preferred that the digital data is stored compressed in a standard format such as MPEG2.

A system controller **1076** provides control over the regional or national book-on-demand system. Books may be 20 packaged into groups to provide feeds to various cable headends. In addition, scheduling and marketing research are conducted at the operations center **250**. In order to handle the scheduling and market research, book buy data is received at the operations center **250** through a multiplexer 25 **1082**. Book buy information can be provided by the operation center **250** to the billing and collection subsystem.

The operations center 250 is also equipped to insert messages or advertisements into the file server. These messages or advertisements will eventually be received by the 30 subscribers.

The master file server **1072** uses an output multiplexer **1080** and ATM **1028** as well as satellite connections to distribute digital data. In the preferred embodiment, cable headends receive text data on books from the master file server **1080** through the output multiplexer **1028** and an ATM system **1028**. After receiving the digital book data, the cable headends store the books in a local file server **1024**. FIG. **18***a*'s distribution point **1020** is an example of a cable headend which may receive data from the operations center **250** of FIG. **18***b* through an ATM hookup **1088** or satellite hookup.

What is claimed is:

1. A method for restricting access to electronic books displayed on a viewer, the method comprising: 45

storing an encrypted electronic book on a viewer, the electronic book having a plurality of pages;

receiving a request to view the electronic book; and

decrypting the pages for viewing on a page-by-page basis, including:

retrieving a selected page;

decrypting and displaying the selected page; and encrypting the selected page when no longer displayed.

2. The method of claim 1 wherein the decrypting the pages step includes decrypting the pages on a page-by-page 55 basis upon receiving a unique key associated with the electronic book.

3. The method of claim **1** wherein the receiving step includes displaying a menu providing an identification of the electronic book for selection. 60

4. A method for restricting access to electronic books displayed on a viewer, the method comprising:

- associating an identification of the electronic book with a unique viewer;
- storing an encrypted electronic book on a viewer only if 65 the identification associated with the electronic book matches an identification of the viewer;

restricting access to the electronic book to the unique viewer for display on the unique viewer; and

decrypting the pages for viewing on a page-by-page basis, including:

retrieving a selected page;

decrypting and displaying the selected page; and

encrypting the selected page when no longer displayed. 5. The method of claim 4, further including displaying a menu providing an identification of the electronic book for selection.

 $\mathbf{6}$. The method of claim $\mathbf{5}$ wherein the restricting step includes:

receiving an identification of the viewer; and

determining if the identification of the viewer corresponds with the unique viewer.

7. A method for restricting access to electronic books displayed on a viewer, the method comprising:

storing an electronic book on a viewer;

- associating a predetermined amount of time after the electronic book is stored on the viewer with the electronic book;
- allowing access to and display of the electronic book for the predetermined amount of time; and
- restricting access to the electronic book, for display of the electronic book on the viewer, once the predetermined amount of time has passed.

8. The method of claim **7**, further including deleting the electronic book from the viewer based upon the time parameter.

9. The method of claim **8** wherein the deleting step includes automatically erasing the electronic book from the viewer upon expiration of a particular time period.

10. The method of claim **7** wherein the restricting step includes providing permanent storage of the electronic book on the viewer.

11. A method for restricting access to electronic books displayed on a viewer, the method comprising:

- associating an identification of a viewer unique key with an electronic book;
- storing the electronic book on a viewer only if the identification associated with the electronic book matches the identification of the viewer;
- encrypting the stored electronic book based upon the viewer unique key;
- decrypting the electronic book only upon receipt of the viewer unique key, and
- decrypting the pages for viewing on a page-by-page basis, including:

retrieving a selected page;

50

decrypting and displaying the selected page; and

encrypting the selected page when no longer displayed.

12. A portable viewer for displaying electronic books, comprising:

a memory for storing instructions;

- a memory for storing electronic books; and
- a display for displaying the electronic books; and
- a processor that operates under control of the instructions and is capable of:

storing an encrypted electronic book on the viewer; receiving a request to view the electronic book; and

decrypting the encrypted electronic book for viewing on a page-by-page basis following a decrypting process that comprises:

retrieving a selected page;

decrypting and displaying the selected page; and encrypting the selected page when no longer displayed. 10

35

13. The portable viewer of claim 12 wherein the processor is further capable of decrypting the pages on a page-by-page basis upon receiving a unique key associated with the electronic book.

14. The portable viewer of claim 12 wherein the processor 5 is further capable of displaying a menu providing an identification of the electronic book for selection.

15. A portable viewer for displaying electronic books, comprising:

- a memory for storing instructions;
- a memory for storing electronic books,
- a display for displaying the electronic books; and
- a processor that operates under control of the instructions and is capable of:
 - storing an encrypted electronic book on the viewer; associating an identification of the electronic book with a unique viewer; and
 - restricting access to the electronic book to the unique viewer for display on the unique viewer; and
- decrypting the pages for viewing on a page-by-page basis, 20 including:
 - retrieving a selected page;
 - decrypting and displaying the selected page; and
- encrypting the selected page when no longer displayed. 16. The portable viewer of claim 15, wherein the proces- 25
- sor is further capable of displaying a menu providing an identification of the electronic book for selection.

17. The portable viewer of claim 16 wherein the processor is further capable of:

- receiving an identification of the viewer; and 30 determining if the identification of the viewer corresponds with the unique viewer.
- 18. A portable viewer for displaying electronic books, comprising:
 - a memory for storing instructions;
 - a memory for storing electronic books;
 - a display for displaying the electronic books; and
 - a processor that operates under control of the instructions and is capable of:

storing an electronic book on the viewer;

- associating a predetermined amount of time after the electronic book is stored on the viewer with the electronic book:
- allowing access to and display of the electronic book for the predetermined amount of time; and
- restricting access to the electronic book, for display of the electronic book on the viewer, once the predetermined amount of time has passed.
- 19. The portable viewer of claim 18, wherein the processor is further capable of deleting the electronic book from the viewer based upon the time parameter.
- 20. The portable viewer of claim 19 wherein the processor is further capable of automatically erasing the electronic 15 book from the viewer upon expiration of a particular time period.
 - 21. The portable viewer of claim 18, wherein the processor is further capable of providing permanent storage of the electronic book on the viewer.
 - 22. A portable viewer for displaying electronic books, comprising:
 - a memory for storing instructions;
 - a memory for storing electronic books;
 - a display for displaying the electronic books; and
 - a processor that operates under control of the instructions and is capable of:
 - storing an encrypted electronic book on the viewer;
 - storing an identification of a viewer unique key;
 - encrypting the stored electronic book based upon the viewer unique key;
 - decrypting the electronic book only upon receipt of the viewer unique key; and
 - decrypting the pages for viewing on a page-by-page basis, including:

retrieving a selected page;

decrypting and displaying the selected page; and encrypting the selected page when no longer displayed.