



US007336788B1

(12) **United States Patent**
Hendricks

(10) **Patent No.:** **US 7,336,788 B1**
(45) **Date of Patent:** **Feb. 26, 2008**

(54) **ELECTRONIC BOOK SECURE
COMMUNICATION WITH HOME
SUBSYSTEM**

(75) Inventor: **John S. Hendricks**, Potomac, MD (US)

(73) Assignee: **Discovery Communicatoins Inc.**,
Bethesda, MD (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 688 days.

(21) Appl. No.: **09/722,519**

(22) Filed: **Nov. 28, 2000**

Related U.S. Application Data

(60) Continuation of application No. 09/237,825, filed on
Jan. 27, 1999, now abandoned, which is a division of
application No. 08/336,247, filed on Nov. 7, 1994,
now Pat. No. 5,986,690, which is a continuation-in-
part of application No. 07/991,074, filed on Dec. 9,
1992, and a continuation-in-part of application No.
08/160,194, filed on Dec. 2, 1993, now Pat. No.
5,990,927.

(51) **Int. Cl.**

H04N 7/167 (2006.01)
H04L 9/00 (2006.01)
H04L 9/32 (2006.01)
G06F 11/30 (2006.01)
G06F 12/14 (2006.01)
G06F 7/04 (2006.01)
G06F 17/30 (2006.01)
G06K 9/00 (2006.01)

(52) **U.S. Cl.** **380/239**; 380/202; 380/203;
380/217; 380/228; 380/229; 380/230; 380/239;
380/241; 713/160; 713/161; 713/193; 713/194;
713/189; 713/190; 713/191; 713/192; 726/26;
726/27; 726/28; 726/30

(58) **Field of Classification Search** 707/1,
707/200; 715/531; 380/200-202, 239; 709/220-222
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,860,873 A 1/1975 Ringstad
(Continued)

FOREIGN PATENT DOCUMENTS

CA 2044574 12/1992
(Continued)

OTHER PUBLICATIONS

Van Den Boom; An Interactive Videotex System for Two-Way
CATV Networks; 1986; pp. 397-401.

(Continued)


Primary Examiner—Ayaz Sheikh
Assistant Examiner—Longbit Chai

(74) *Attorney, Agent, or Firm*—Arent Fox LLP

(57) **ABSTRACT**

The invention, an electronic book selection and delivery system, is a new way to distribute books and other textual information to bookstores, libraries and consumers. The primary components of the system are a subsystem for placing text in a video signal format and a subsystem for receiving and selecting text that is placed in the video signal format. The system configuration for consumer use contains additional components and optional features that enhance the system, namely: (1) an operation center, (2) a video distribution system, (3) a home subsystem, including reception, selection, viewing, transacting and transmission capabilities, and (4) a billing and collection system. The operation center and/or video distribution points perform the functions of manipulation of text data, security and coding of text, cataloging of books, messaging center, and uplink functions. The home subsystem performs the functions of connecting to a video distribution system, menu selecting text, storing text, and transacting through phone or cable communicating mechanisms. A portable book-shaped viewing device is used for viewing the textual material delivered. The billing and collection system performs the transaction, management, authorization, collection and publisher payments automatically utilizing the telephone system.

7 Claims, 40 Drawing Sheets



US 7,336,788 B1

Page 2

U.S. PATENT DOCUMENTS			
3,891,792 A	6/1975	Kimura	348/622
3,978,470 A	8/1976	McGuire	
4,023,408 A	5/1977	Ryan et al.	
4,071,697 A	1/1978	Bushnell et al.	
4,197,590 A	4/1980	Sukomich et al.	345/781
4,272,819 A	6/1981	Katsumata et al.	
4,298,793 A	11/1981	Melis et al.	
4,361,848 A	11/1982	Poigner et al.	348/468
4,381,522 A	4/1983	Lambert	
4,398,216 A	8/1983	Field et al.	
4,405,829 A	9/1983	Rivest et al.	
4,429,385 A	1/1984	Cichelli et al.	
4,455,570 A	6/1984	Saeki et al.	
4,484,217 A	11/1984	Block et al.	
4,488,179 A	12/1984	Kruger et al.	
4,513,390 A	4/1985	Walter et al.	
4,517,598 A	5/1985	Van Vaulkenburg	348/478
4,528,589 A	7/1985	Block et al.	
4,528,643 A	7/1985	Freney, Jr.	
4,532,540 A	7/1985	Wine	
4,533,948 A	8/1985	McNamara et al.	
4,546,382 A	10/1985	McKenna et al.	
4,567,512 A	1/1986	Abraham	
4,578,531 A	3/1986	Everhart et al.	
4,587,520 A	5/1986	Astle	345/160
4,602,279 A	7/1986	Freeman et al.	
4,605,964 A	8/1986	Chard	725/28
4,616,263 A	10/1986	Eichelberger	
4,621,282 A	11/1986	Ahern	
4,625,076 A	11/1986	Okamoto et al.	
4,625,235 A	11/1986	Watson	
4,633,462 A	12/1986	Stifle et al.	
4,639,225 A	1/1987	Washizuka	434/208
4,644,470 A *	2/1987	Feigenbaum et al.	709/220
4,653,100 A	3/1987	Barnett et al.	
4,668,218 A	5/1987	Virtanen	
4,673,976 A	6/1987	Wreford-Howard	
4,688,218 A	8/1987	Blineau et al.	370/513
4,688,246 A	8/1987	Eilers et al.	
4,694,483 A	9/1987	Cheung	
4,694,490 A	9/1987	Harvey et al.	
4,697,209 A	9/1987	Kiewit et al.	
4,706,121 A	11/1987	Young	
4,712,105 A	12/1987	Kohler	
4,712,130 A	12/1987	Casey	
4,724,491 A	2/1988	Lambert	
4,739,510 A	4/1988	Jeffers et al.	
4,751,578 A	6/1988	Reiter et al.	
4,768,087 A	8/1988	Taub et al.	
4,774,655 A	9/1988	Kollin et al.	
4,792,972 A	12/1988	Cook, Jr.	
4,796,220 A	1/1989	Wolfe	
4,805,014 A	2/1989	Sahara et al.	
4,816,901 A	3/1989	Music et al.	
4,816,904 A	3/1989	McKenna et al.	
4,820,167 A	4/1989	Nobles et al.	
D301,037 S	5/1989	Matsuda	
4,829,372 A	5/1989	McCalley et al.	
4,829,558 A	5/1989	Welsh	
4,829,569 A	5/1989	Seth-Smith et al.	380/234
4,835,607 A	5/1989	Keith	
4,855,725 A	8/1989	Fernandez	345/175
4,860,379 A	8/1989	Schoenberger et al.	
4,876,736 A	10/1989	Kiewit	
4,885,803 A	12/1989	Hermann et al.	
4,890,319 A	12/1989	Seth-Smith et al.	
4,891,838 A	1/1990	Faber	
4,920,432 A	4/1990	Eggers et al.	
4,924,513 A	5/1990	Herbison et al.	
4,928,168 A	5/1990	Iwashita	
4,928,177 A	5/1990	Martinez	
4,930,160 A	5/1990	Vogel	
4,941,089 A *	7/1990	Fischer	709/231
4,941,125 A	7/1990	Boyne	
4,947,429 A	8/1990	Bestler et al.	
4,949,187 A	8/1990	Cohen	
4,959,810 A	9/1990	Darbee et al.	
4,961,109 A	10/1990	Tanaka	
4,965,819 A	10/1990	Kannes	
4,965,825 A	10/1990	Harvey et al.	
4,975,951 A	12/1990	Bennett	
4,977,455 A	12/1990	Young	
4,982,344 A	1/1991	Jordan	
4,985,697 A *	1/1991	Boulton	715/500.1
D314,383 S	2/1991	Hafner	
4,995,078 A	2/1991	Monslow et al.	
4,996,597 A	2/1991	Duffield	
5,001,554 A	3/1991	Johnson et al.	
5,003,384 A	3/1991	Durden et al.	
5,003,591 A	3/1991	Kauffman et al.	
5,010,499 A	4/1991	Yee	
5,014,125 A	5/1991	Pocach et al.	
5,015,829 A	5/1991	Eilert et al.	
5,020,129 A	5/1991	Martin et al.	
5,027,400 A	6/1991	Baji et al.	
5,036,394 A	7/1991	Morii et al.	348/468
5,036,537 A	7/1991	Jeffers et al.	
5,038,402 A	8/1991	Robbins	
5,046,093 A	9/1991	Wachob	
5,047,867 A	9/1991	Strubbe et al.	
5,049,990 A	9/1991	Kondo et al.	
5,054,984 A	10/1991	Chan et al.	
5,056,138 A	10/1991	Tyson, Sr.	
5,057,917 A	10/1991	Shalkauser et al.	
5,073,930 A	12/1991	Green et al.	
5,075,771 A	12/1991	Hashimoto	
5,077,607 A	12/1991	Johnson et al.	
5,078,019 A	1/1992	Aoki	
5,089,956 A *	2/1992	MacPhail	707/1
5,091,782 A	2/1992	Krause et al.	
5,093,718 A	3/1992	Hoarty et al.	
5,099,319 A	3/1992	Esch et al.	
5,099,331 A	3/1992	Truong	
D325,581 S	4/1992	Schwartz	
5,103,314 A	4/1992	Keenan	
5,105,268 A	4/1992	Yamanouchi et al.	
D326,446 S	5/1992	Wong	
5,115,426 A	5/1992	Spanke	
5,121,476 A	6/1992	Yee	
5,124,980 A	6/1992	Maki	
5,130,792 A	7/1992	Tindell et al.	
5,130,924 A	7/1992	Barker et al.	
5,132,789 A	7/1992	Ammon et al.	725/146
5,132,992 A	7/1992	Yurt et al.	
5,133,079 A	7/1992	Ballantyne et al.	
5,140,419 A	8/1992	Galumbeck et al.	
D329,238 S	9/1992	Grasso et al.	
5,144,663 A	9/1992	Kudelski et al.	
5,144,665 A	9/1992	Takaragi et al.	
5,146,552 A	9/1992	Cassorla et al.	
5,146,600 A	9/1992	Sugiura	
5,150,118 A	9/1992	Finkle	
5,151,782 A	9/1992	Ferraro	
5,151,789 A	9/1992	Young	
5,152,011 A	9/1992	Schwob	
5,155,591 A	10/1992	Wachob	
5,159,452 A	10/1992	Kinoshita et al.	
5,159,669 A	10/1992	Trigg et al.	
5,166,886 A	11/1992	Molnar et al.	
D331,760 S	12/1992	Renk, Jr.	
5,172,413 A	12/1992	Bradley et al.	725/121
5,182,639 A	1/1993	Jutamulia et al.	

US 7,336,788 B1

Page 3

5,185,667 A	2/1993	Zimmermann	5,367,330 A	11/1994	Haave et al.
5,199,104 A	3/1993	Hirayama	5,367,571 A	11/1994	Bowen et al.
5,202,817 A	4/1993	Koenck et al.	5,367,621 A	11/1994	Cohen et al.
5,204,947 A	4/1993	Bernstein et al.	5,367,643 A	11/1994	Chang et al.
5,206,722 A	4/1993	Kwan	5,371,532 A	12/1994	Gelman et al.
5,206,929 A	4/1993	Langford et al.	5,373,324 A	12/1994	Kuroda et al.
5,206,954 A	4/1993	Inoue et al.	5,375,068 A	12/1994	Palmer et al.
5,208,745 A	5/1993	Quentin et al.	5,375,160 A	12/1994	Guidon et al.
5,210,611 A	5/1993	Yee et al.	5,379,057 A	1/1995	Clough et al.
5,212,553 A	5/1993	Maruoka	5,384,588 A	1/1995	Martin et al.
5,216,515 A	6/1993	Steele et al. 386/55	5,388,101 A	2/1995	Dinkins
5,220,438 A	6/1993	Yamamoto	5,388,196 A	2/1995	Pajak et al.
5,220,649 A	6/1993	Forcier	5,390,348 A	2/1995	Magin et al.
5,221,962 A	6/1993	Backus et al.	5,396,546 A	3/1995	Remillard
5,222,136 A	6/1993	Rasmussen et al.	5,400,401 A	3/1995	Wasilewski et al.
5,223,924 A	6/1993	Strubbe	5,404,393 A	4/1995	Remillard
5,233,333 A	8/1993	Borsuk	5,404,505 A	4/1995	Levison
5,235,419 A	8/1993	Krause	5,408,258 A	4/1995	Kolessar
5,235,619 A	8/1993	Beyers et al.	5,408,465 A	4/1995	Guesella et al.
5,235,680 A	8/1993	Bijnagte	5,410,326 A	4/1995	Goldstein
5,237,311 A	8/1993	Mailey et al.	5,410,344 A	4/1995	Graves et al.
5,237,610 A	8/1993	Gammie et al. 380/228	5,412,416 A	5/1995	Nemirofsky
5,237,614 A	8/1993	Weiss	5,414,426 A	5/1995	O'Donnell et al.
5,239,665 A	8/1993	Tsuchiya	5,416,508 A	5/1995	Sakuma et al.
5,241,671 A	8/1993	Reed et al.	5,417,575 A	5/1995	McTaggart
5,247,347 A	9/1993	Litteral et al.	5,418,559 A	5/1995	Blahut
5,247,575 A	9/1993	Sprague et al.	5,418,957 A	5/1995	Narayan
5,251,324 A	10/1993	McMullan	5,420,974 A	5/1995	Morris et al.
5,253,066 A	10/1993	Vogel	5,424,770 A	6/1995	Schmelzer et al.
5,253,275 A	10/1993	Yurt et al.	5,426,594 A	6/1995	Wright et al.
5,253,341 A	10/1993	Rozmanith et al.	5,428,529 A *	6/1995	Hartrick et al. 715/513
5,257,185 A	10/1993	Farley et al.	5,432,542 A	7/1995	Thibadeau et al.
5,260,778 A	11/1993	Kauffman et al. 725/33	5,432,561 A	7/1995	Strubbe
5,260,788 A	11/1993	Takano et al.	5,437,552 A	8/1995	Baer et al.
5,282,028 A	1/1994	Johnson et al.	5,438,372 A	8/1995	Tsumori et al.
5,283,639 A	2/1994	Esch et al.	5,440,632 A	8/1995	Bacon et al.
5,285,272 A	2/1994	Bradley et al.	5,442,626 A	8/1995	Wei
5,289,271 A	2/1994	Watson	5,444,853 A	8/1995	Lentz
5,289,288 A	2/1994	Silverman et al.	5,446,488 A	8/1995	Vogel
5,291,554 A	3/1994	Morales	5,446,490 A	8/1995	Blahut et al. 725/97
5,293,540 A	3/1994	Trani et al.	5,446,919 A	8/1995	Wilkins
5,293,633 A	3/1994	Robbins	D362,429 S	9/1995	Lande et al.
D346,620 S	5/1994	McSorley	5,461,667 A	10/1995	Remillard
5,315,711 A	5/1994	Barone et al.	5,465,213 A	11/1995	Ross
5,318,450 A	6/1994	Carver	5,465,401 A	11/1995	Thompson
5,319,454 A	6/1994	Schutte	5,466,158 A	11/1995	Smith, III
5,319,455 A	6/1994	Hoarty et al.	5,467,102 A	11/1995	Kuno et al.
5,319,542 A	6/1994	King et al.	5,469,206 A	11/1995	Strubbe et al.
5,319,649 A	6/1994	Raghavan et al.	5,473,362 A	12/1995	Fitzgerald et al.
5,319,707 A	6/1994	Wasilewski et al.	5,475,398 A	12/1995	Yamazaki et al.
5,321,846 A	6/1994	Yokota et al.	5,475,399 A	12/1995	Borsuk
5,323,240 A	6/1994	Amano et al.	5,475,585 A	12/1995	Bush
5,327,554 A	7/1994	Palazzi, III et al.	5,477,262 A	12/1995	Bunker et al.
5,329,590 A	7/1994	Pond	5,477,263 A	12/1995	O'Callaghan et al.
D349,923 S	8/1994	Billings et al.	5,479,268 A	12/1995	Young
5,339,091 A	8/1994	Yamazaki et al.	5,479,508 A	12/1995	Bestler et al.
5,339,239 A	8/1994	Manake 708/1	5,479,615 A	12/1995	Ishii et al.
5,339,315 A	8/1994	Maeda et al.	5,481,294 A	1/1996	Thomas et al.
5,341,166 A	8/1994	Garr et al.	5,481,296 A	1/1996	Cragin et al.
5,341,425 A	8/1994	Wasilewski et al.	5,481,542 A	1/1996	Logston
5,341,426 A	8/1994	Barney et al.	5,483,278 A	1/1996	Strubbe et al.
5,341,474 A	8/1994	Gelman et al.	5,484,292 A	1/1996	McTaggart
5,343,239 A	8/1994	Lappington	5,485,221 A	1/1996	Banker et al.
5,343,516 A	8/1994	Callele et al.	5,486,686 A	1/1996	Zdybel, Jr. et al.
5,345,580 A	9/1994	Tamaru et al.	5,495,581 A	2/1996	Tsai
5,345,594 A	9/1994	Tsuda	5,497,187 A	3/1996	Banker et al.
5,349,638 A	9/1994	Pitroda et al.	5,497,459 A	3/1996	Tanihira et al.
5,351,075 A	9/1994	Herz et al.	5,499,330 A	3/1996	Lucas et al.
5,353,121 A	10/1994	Young et al.	5,500,794 A	3/1996	Fujita et al.
5,355,162 A	10/1994	Yazolino et al.	5,502,576 A	3/1996	Ramsay et al.
5,357,276 A	10/1994	Banker et al.	5,506,902 A	4/1996	Kubota
5,365,265 A	11/1994	Shibata et al.	5,509,074 A *	4/1996	Choudhury et al. 713/176
5,365,434 A	11/1994	Figliuzzi	5,512,934 A	4/1996	Kochanski

US 7,336,788 B1

Page 4

5,515,098 A	5/1996	Carles	5,727,065 A	3/1998	Dillon
5,517,254 A	5/1996	Monta et al.	5,734,891 A	3/1998	Saigh
5,521,631 A	5/1996	Budow et al.	5,737,725 A	4/1998	Case 704/260
5,524,193 A	6/1996	Covington et al.	5,737,747 A	4/1998	Vishlitzky et al.
5,524,201 A	6/1996	Shwartz et al.	5,739,814 A *	4/1998	Ohara et al. 345/173
5,526,035 A	6/1996	Lappington et al.	5,740,549 A	4/1998	Reily et al.
5,526,469 A	6/1996	Brindle et al.	5,742,680 A	4/1998	Wilson
5,528,281 A	6/1996	Grady et al.	5,748,441 A	5/1998	Loritz et al.
5,532,920 A	7/1996	Hartrick et al.	5,754,172 A	5/1998	Kubota et al.
5,534,888 A	7/1996	Lebby et al.	5,758,257 A	5/1998	Herz et al.
5,544,320 A	8/1996	Konrad	5,761,468 A	6/1998	Emberson
5,544,342 A	8/1996	Dean	5,761,485 A	6/1998	Munyan 345/839
5,550,863 A	8/1996	Yurt et al.	5,761,606 A	6/1998	Wolzien
5,557,722 A	9/1996	DeRose et al.	5,764,276 A	6/1998	Martin et al.
5,557,744 A	9/1996	Kobayakawa et al.	5,767,896 A	6/1998	Nemirofsky
5,561,708 A	10/1996	Remillard	5,768,521 A	6/1998	Dedrick
5,561,803 A	10/1996	Kilis	5,771,354 A	6/1998	Crawford
5,565,908 A	10/1996	Ahmad	5,774,170 A	6/1998	Hite et al.
5,565,999 A	10/1996	Takahashi	5,787,171 A	7/1998	Kubota et al.
5,570,126 A	10/1996	Blahut et al.	5,788,504 A	8/1998	Rice et al.
5,572,625 A	11/1996	Raman et al.	5,790,176 A	8/1998	Craig
5,579,055 A	11/1996	Hamilton et al.	5,790,935 A	8/1998	Payton
5,579,057 A	11/1996	Banker et al.	5,793,414 A	8/1998	Shaffer 725/133
5,581,560 A	12/1996	Shimada et al.	5,798,785 A	8/1998	Hendricks et al.
5,581,686 A	12/1996	Koppolu et al.	5,799,071 A	8/1998	Azar et al.
5,585,858 A	12/1996	Harper et al.	5,799,157 A	8/1998	Escallon 705/27
5,586,235 A	12/1996	Kauffman et al.	5,802,465 A	9/1998	Hamalainen et al.
5,587,724 A	12/1996	Matsuda	5,802,526 A	9/1998	Fawcett et al.
5,598,209 A	1/1997	Cortjens et al.	5,805,204 A	9/1998	Thompson et al.
5,598,351 A	1/1997	Chater et al.	5,815,671 A	9/1998	Morrison
5,598,523 A	1/1997	Fujita	5,819,301 A	10/1998	Rowe et al.
5,600,368 A	2/1997	Matthews, III	5,835,732 A	11/1998	Kikinis et al.
5,600,573 A	2/1997	Hendricks et al.	5,844,600 A	12/1998	Kerr
5,602,596 A	2/1997	Claussen et al.	5,844,890 A	12/1998	Delp et al.
5,604,824 A	2/1997	Chui et al.	5,850,218 A	12/1998	LaJoie et al.
5,608,449 A	3/1997	Swafford et al.	5,850,629 A	12/1998	Holm et al.
5,621,456 A	4/1997	Florin et al.	5,859,594 A	1/1999	King et al.
5,621,658 A	4/1997	Jackson et al.	5,862,325 A	1/1999	Reed et al.
5,624,265 A	4/1997	Redford et al.	5,862,329 A	1/1999	Aras et al.
5,625,833 A	4/1997	Levine et al.	5,864,823 A	1/1999	Levitan
5,630,103 A	5/1997	Smith et al.	5,870,717 A	2/1999	Wiecha
5,630,125 A	5/1997	Zellweger	5,877,755 A	3/1999	Helhake
5,631,693 A	5/1997	Wunderlich et al.	5,877,801 A	3/1999	Martin et al. 348/36
5,632,022 A	5/1997	Warren et al.	5,881,269 A	3/1999	Dobbelstein
5,634,064 A	5/1997	Warnock et al.	5,887,801 A	3/1999	Stevens
5,635,918 A	6/1997	Tett	5,890,122 A	3/1999	Van Kleeck et al.
5,636,036 A	6/1997	Ashbey	5,892,900 A	4/1999	Ginter et al.
5,640,193 A	6/1997	Wellner	5,892,915 A	4/1999	Duso et al.
5,640,196 A	6/1997	Behrens et al.	5,893,109 A	4/1999	DeRose et al.
5,644,354 A	7/1997	Thompson et al.	5,893,132 A	4/1999	Huffman et al.
5,646,675 A	7/1997	Copriviza et al.	5,898,852 A	4/1999	Petolino et al.
5,649,230 A	7/1997	Lentz	RE36,207 E	5/1999	Zimmermann et al.
5,657,414 A	8/1997	Lett et al.	5,903,319 A	5/1999	Busko et al.
5,661,516 A	8/1997	Carles	5,903,652 A	5/1999	Mital
5,663,757 A	9/1997	Morales	5,903,901 A	5/1999	Kawakura et al.
5,666,493 A	9/1997	Wojoik et al.	5,914,706 A	6/1999	Kono
5,682,206 A	10/1997	Wehmeyer et al.	5,917,543 A	6/1999	Uehara
5,689,641 A	11/1997	Ludwig et al.	5,917,915 A	6/1999	Hirose
5,689,648 A	11/1997	Diaz et al.	5,929,848 A	7/1999	Albukerk et al.
5,689,663 A	11/1997	Williams	5,930,768 A	7/1999	Hooban
5,691,777 A	11/1997	Kassaatly	5,933,498 A	8/1999	Schneck et al.
5,696,906 A	12/1997	Peters et al.	5,940,073 A	8/1999	Klosterman et al.
5,696,982 A	12/1997	Tanigawa et al.	5,956,034 A	9/1999	Sachs et al.
5,697,793 A	12/1997	Huffman et al.	5,957,695 A	9/1999	Redford et al.
5,710,887 A	1/1998	Chelliah et al.	5,963,246 A	10/1999	Kato
5,715,314 A	2/1998	Payne et al.	5,986,677 A	11/1999	Jones et al.
5,721,832 A	2/1998	Westrope et al.	5,986,690 A	11/1999	Hendricks 725/60
5,721,908 A	2/1998	Lebarde et al.	5,990,927 A	11/1999	Hendricks et al.
5,721,956 A	2/1998	Martin et al.	5,999,214 A	12/1999	Inagaki
5,722,418 A	3/1998	Bro	6,012,890 A	1/2000	Celorio
5,724,091 A	3/1998	Freeman et al.	6,014,184 A	1/2000	Knee et al.
5,724,521 A	3/1998	Dedrick	6,025,837 A	2/2000	Matthews, III et al.
5,726,909 A	3/1998	Krikorian	6,025,871 A	2/2000	Kantor et al.

6,029,045	A	2/2000	Picco et al.	EP	0281293	9/1988
6,034,680	A	3/2000	Kessenich et al. 345/733	EP	0299830	1/1989
6,052,717	A	4/2000	Reynolds et al. 709/218	EP	0314572	5/1989
6,091,823	A	7/2000	Hosomi et al.	EP	0328440	8/1989
6,091,930	A	7/2000	Mortimer et al.	EP	0340643	11/1989
6,101,485	A	8/2000	Fortenberry et al.	EP	0355697	2/1990
6,112,049	A	8/2000	Sonnenfeld	EP	0377334	7/1990
6,115,040	A	9/2000	Bladow et al.	EP	0384988	9/1990
6,163,796	A	12/2000	Yokomizo	EP	0396186	11/1990
6,195,667	B1	2/2001	Duga et al.	EP	0399200	11/1990
6,204,885	B1	3/2001	Kwoh 348/564	EP	0402809	12/1990
6,229,694	B1	5/2001	Kono	EP	0420123	4/1991
6,243,071	B1	6/2001	Shwartz et al.	EP	0424648	5/1991
6,249,785	B1	6/2001	Paepke	EP	0425834	5/1991
6,252,879	B1	6/2001	Zhang	EP	0450841	10/1991
6,260,024	B1	7/2001	Shkedy	EP	0 472 070 A2	2/1992
6,269,483	B1	7/2001	Broussard	EP	0472070	2/1992
6,279,017	B1	8/2001	Walker	EP	0506435	9/1992
6,281,986	B1	8/2001	Form	EP	0513763	11/1992
6,295,542	B1	9/2001	Corbin	EP	0516533	12/1992
6,298,441	B1	10/2001	Handelman et al.	EP	0 539 106 A2	4/1993
6,320,591	B1	11/2001	Griencewic	EP	0539106	4/1993
6,331,865	B1	12/2001	Sachs et al.	EP	093/22877	11/1993
6,331,867	B1	12/2001	Eberhard et al.	EP	0567800	11/1993
6,335,678	B1	1/2002	Heutschi	EP	0570785	11/1993
6,351,750	B1	2/2002	Duga et al.	EP	0586954	3/1994
6,363,418	B1	3/2002	Conboy et al.	EP	0620689	10/1994
6,385,614	B1	5/2002	Vellandi	EP	0646856	4/1995
6,411,973	B1	6/2002	Yianilos	EP	0702491	3/1996
6,415,316	B1	7/2002	Van Der Meer	EP	0 810 534 A2	12/1997
6,438,233	B1	8/2002	Yoshimune et al.	EP	0810534 A	12/1997
6,452,614	B1	9/2002	King et al.	EP	0 838 798 A1	4/1998
6,460,036	B1	10/2002	Herz	EP	0838798	4/1998
6,462,729	B2	10/2002	Morita	EP	0892388	1/1999
6,493,734	B1	12/2002	Sachs et al.	EP	0924629 A	6/1999
6,507,342	B1	1/2003	Hirayama	EP	0924687	6/1999
6,535,505	B1	3/2003	Hwang et al.	GB	1204190	12/1967
6,546,016	B1	4/2003	Gerszberg et al.	GB	1204190	9/1970
6,556,561	B1	4/2003	Himbeault et al.	GB	2168227	6/1986
6,557,173	B1	4/2003	Hendricks	GB	2168227 A	6/1986
6,606,603	B1	8/2003	Joseph	GB	2 177 873 A	1/1987
6,611,531	B1	8/2003	Chen et al.	GB	2269302 A	2/1994
6,634,028	B2	10/2003	Handelman	GB	2344009	5/2000
6,654,754	B1	11/2003	Knauff et al.	JP	060-143086	7/1985
6,675,384	B1	1/2004	Block et al.	JP	61-060150	3/1986
6,714,238	B2	3/2004	Urisaka et al.	JP	061060150	8/1986
6,725,203	B1	4/2004	Seet et al.	JP	062-24777	2/1987
6,813,249	B1	11/2004	Lauffenburger et al.	JP	62-245167	10/1987
2002/0120635	A1	8/2002	Joao	JP	062-245167	10/1987
2003/0018543	A1	1/2003	Alger et al.	JP	01-020454	1/1989
2003/0093336	A1	5/2003	Ukita et al.	JP	0186778	3/1989
2003/0093382	A1	5/2003	Himeno et al.	JP	01130683	5/1989
2003/0198932	A1	10/2003	Stuppy	JP	01-142918	6/1989
2005/0144133	A1	6/2005	Hoffman	JP	064-007786	11/1989
FOREIGN PATENT DOCUMENTS				JP	02-284571	11/1990
CA	2458564	6/1995		JP	03-114375	5/1991
DE	3423846	1/1986		JP	03-198119	8/1991
DE	3423846 A1	1/1986		JP	03225445	10/1991
DE	3935294	4/1991		JP	04-170183	6/1992
DE	42 12 184	10/1993		JP	05-046045	5/1993
EP	0103438	3/1984		JP	05-236437	9/1993
EP	140302	5/1985		JP	05233547	9/1993
EP	0145063	6/1985		JP	5250106	9/1993
EP	0149536	7/1985		JP	05250106	9/1993
EP	0158548	10/1985		JP	5334167 A	12/1993
EP	0158767	10/1985		JP	05334167 A	12/1993
EP	0167237	1/1986		JP	06068339 A	3/1994
EP	0187961	7/1986		JP	6068339 A	3/1994
EP	0 243 312 A2	10/1987		JP	6134489	5/1994
EP	0243312	10/1987		JP	06134489	5/1994
EP	0277014	8/1988		JP	7230466	8/1995
				JP	07230466 A	8/1995
				JP	07 235909	9/1995

JP	08008850 A	1/1996
JP	408051614 A	2/1996
JP	8228328	9/1996
JP	09227193	8/1997
JP	09 284571	10/1997
JP	410285568 A	10/1998
JP	11068770	3/1999
TW	234223	6/2005
TW	235358	7/2005
TW	235359	7/2005
TW	236065	7/2005
TW	236744	7/2005
TW	238461	8/2005
WO	WO 80/00209	2/1980
WO	WO 86/01962	3/1986
WO	WO 87/01481	3/1987
WO	WO 88/01463	2/1988
WO	WO 89/09528	10/1989
WO	WO 89/09528	10/1989
WO	WO 89/12370	12/1989
WO	WO 90/10988	9/1990
WO	WO 9100670	1/1991
WO	WO 91/03112	3/1991
WO	WO 91/11769	8/1991
WO	WO 92/10040	6/1992
WO	WO 92/11713	7/1992
WO	WO 92/12599	7/1992
WO	WO 92/17027	10/1992
WO	WO 92/21206	11/1992
WO	WO93/15466	8/1993
WO	WO 93/22877	11/1993
WO	WO 94/07327 A1	3/1994
WO	WO 94/13107	6/1994
WO	WO 94/14282	6/1994
WO	WO 94/16527	7/1994
WO	WO 95/15649	6/1995
WO	WO 95/15649 A	6/1995
WO	WO 96/08109	3/1996
WO	WO 96/17306	6/1996
WO	WO 96/25008	8/1996
WO	WO 96/41473	12/1996
WO	WO 97/13368	4/1997
WO	WO 97/12105	6/1997
WO	WO 97/20224	6/1997
WO	WO 97/20274	6/1997
WO	WO 97/22049	6/1997
WO	WO 97/22062	6/1997
WO	WO 97/22063	6/1997
WO	WO 97/22064	6/1997
WO	WO 97/22065	6/1997
WO	WO 97/22067	6/1997
WO	WO 97/22079	6/1997
WO	WO 97/22080	6/1997
WO	WO 97/22097	6/1997
WO	WO 97/22099	6/1997
WO	WO 97/22100	6/1997
WO	WO 97/22101	6/1997
WO	WO 97/22102	6/1997
WO	WO 97/22103	6/1997
WO	WO 97/22104	6/1997
WO	WO 97/22105	6/1997
WO	WO 97/22106	6/1997
WO	WO 97/22107	6/1997
WO	WO 97/22108	6/1997
WO	WO 97/22109	6/1997
WO	WO 97/22110	6/1997
WO	WO 97/22111	6/1997
WO	WO 97/22112	6/1997
WO	WO 97/22108	6/1997
WO	WO 97/12819	7/1997
WO	WO 97/23819	7/1997

WO	WO 97/41688 A1	11/1997
WO	WO 97/45798	12/1997
WO	WO 98/02836	1/1998
WO	WO 98/08344	2/1998
WO	WO 98/08344 A	2/1998
WO	WO 98/18086	4/1998
WO	WO 98/18086	4/1998
WO	WO 98/48566	10/1998
WO	WO 98/53581	11/1998
WO	WO 99/26415	11/1998
WO	WO 99/12349	3/1999
WO	WO 99/18701 A1	4/1999
WO	WO 99/44144	9/1999
WO	WO 99/44144 A	9/1999
WO	WO 99/45491	10/1999
WO	WO 99/52285	10/1999
WO	WO 99/66719	12/1999
WO	WO 00/62228 A3	10/2000
WO	WO 01/18665	3/2001
WO	WO 01/18665 A1	3/2001
WO	WO 97/18665	3/2001
WO	WO 97/22111	6/2006

OTHER PUBLICATIONS

Stephen Hartley, et al., "Enhancing Teaching Using the Internet", Jun. 1996.

Azuma; Creating Educational Web Sites; Mar. 1999; pp. 109-113.

Boltuck et al.; Prototyping an Interactive Electronic Book System Using an Object-Oriented Approach; Aug. 1988; pp. 177-190.

Rauch, et al.; Enabling the Book Metaphor for the World Wide Web: Disseminating on-line informatino as dynamic web documents; Jun. 1997; pp. 111-128.

Boyle et al.; A Survey and Classification of Hypertext Documentation Systems; Jun. 1992; pp. 90-111.

Bogdan Czejdo, Using an ER Query and Update Interface for Rapid Prototyping of Hypertext Systems, 1990, pp. 227-2.

M.W. Goldberg, et al., World Wide Web—Course Tool: An Environment for Building WWW-based courses, May 1996, pp. 1219-1231.

Bieber, et al., Fourth Generation Hypermedia, 1997, pp. 31-65.

Waite Group Press, An Interactive Lesson in the Interactive Course Series, 1996.

Goldberg, et al.; World Wide Web Course tool: An environment for building WWW-based courses; 1996; pp. 1219-1231.

Herron; Teaching with the Internet; 1998; pp. 217-222.

Speech Technology; Electronic Dictionary Pronounces Over 83,000 Words; 1989; pp. 78-79.

Yankelovich, et al.; Reading and Writing the Electronic Book; Oct. 1985; pp. 15-30.

4,251,671, Reed et al.

5,202,129, Martin et al.

WO 07/22107.

JP 062-140134, Misaki.

"A Survey and Classification of Hypertext Documentation Systems," Boyle, C. et al.; *IEEE Transactions on Professional Communication*; IEEE Inc.; New York; vol. 35, No. 2; Jun. 1, 1992.

"An Interactive Lesson in the Interactive Course Series" Waite Group Press, MacMillan Computer Publishing, Online! 1996, XP00082591, Retrieved from the Internet: <URL:http://www.waite.com/> retrieved on 1996.

- "An Interactive Lesson in the Interactive Course Series," Waite Group Press, Macmillan Computer Publishing, 'Online! 1996, XP000829591 Retrieved from the Internet: <URL:http://www.waite.com/> 'retrieved on 1996.
- "Electronic Dictionary Pronounces over 83,000 Words," *Speech Technology*; Man-Machine Voice Communications, U.S., Media Dimensions Inc.; New York, vol. 4, No. 4; Apr. 1, 1989, pp. 78-79.
- "Enabling the book metaphor for the World-Wide-Web: disseminating on-line information as dynamic Web documents," Rauch, T. et al.; *IEEE Transactions on Professional Communications*, Jun. 1997; vol. 40, No. 2, pp. 111-128.
- "Fourth generation hypermedia: some missing links for the World Wide Web," *International Journal of Human-Computer Studies*; U.S.; Academic Press: New York; vol. 47, No. 1; Jul. 1997; pp. 31-65.
- "Multimedia Systems," *A Dynamic Policy of Segment Replication for Load-Balancing in Video-On-Demand Servers*; Dan, et al.; Jul. 1995.
- "Prototyping an Interactive Electronic Book System Using and Object-oriented Approach," Pasquier-Boltuck, J. et al.; *ECOOOP*; european Conference on Object-oriented Programming; Aug. 15, 1988; pp. 177-190.
- "Reading and Writing the Electronic Book," *Computer*; U.S. IEEE Computer Society, Long Beach, Calif., U.S. vol. 18, No. 10, Oct. 1, 1985.
- "Subscription Teletext for Value Added Services", Dr. G.T. Sharpless, IEEE Transactions on Consumer Electronics, Aug. 1985, No. 3, p. 283.
- "The Internet bookstore opens for business", Medford: Jul./Aug. 1994. vol. 11, Iss. 4; p. 21 (1 page).
- "Using an ER Query and Update Interface for Rapid Prototyping of Hypertext Systems," Czejdo, B.; Proceedings of the Annual Hawaii International Conference on System Sciences; Jan. 1, 1990.
- A Store-and-Forward Architecture for Video-on-Demand Service.
- A Survey and Classification of Hypertext Documentation Systems, IEEE Transaction on Professional Communication.
- A.D. Gelman, et al.; A Store-And-Forward Architecture For Video-On-Demand Service; ICC 91 Conf.; Jun. 23-26, 1991; pp. 842-846.
- A6,034,680 Alcatel Teletra: Markets and Products Overview.
- Alexander Felman, et al., "An Architecture For Interactive Applications", May 1993, pp. 848-852.
- An interactive lesson in the interactive course series, Aug. 1996.
- An Interactive Videotex System for Two-Way CATV Networks.
- Applied Cryptography Protocols, Algorithms, and Source Code in C* (pp. 34-44); Schneier, Bruce; Pub. 199 by John Wiley & Sons.
- Azuma J.: "Creating Educational Web Sites", IEE Communications Magazine, U.S. IEEE Service Center, Piscataway, N.J., vol. 37, No. 3, Mar. 1999, pp. 109-113.
- Barnes, 10 Minute Guide to Windows 3.1., Alpha Books, 1992, pp. 60-64.
- Basch, Reva, "Books Online: Visions, Plans, and Perspectives for Electronic Text", Online. Medford: Jul. 1991. vol. 15, Iss. 4; 13 (11 pages).
- Bestler, "Flexible Data Structure and Interface Rituals for Rapid Development of OSD Applications", pp. 223-236, Jun. 1993.
- Biber, et al.; Fourth generation hypermedia: some missing links for the World Wide Web; Jul. 1997; pp. 31-65.
- Bogdan Czejdo, "Using an ER Query and Update Interface for Rapid Prototyping of Hypertext Systems", Jan. 1990, pp. 227-236.
- Boltuck et al.; Prototyping an Interactive Electronic Book System Using an Object-Oriented Approach; Aug. 1988; pp. 1770190.
- Books Online . . .*; Basch; Jul. 1991.
- Boom, "An Interactive Videotext System", pp. 397-401, Nov./Dec. 1986.
- Boyle C. et al.: "A Survey and Classification of Hypertext Documentation Systems", IEE Transactions on Professional Communications, US, IEE Inc., New York, vol. 35, No. 2, Jun. 1, 1992, pp. 98-111.
- Broering, "The Electronic Library and IAIMS at Georgetown University", Policy Issues in Information and Communication Techniques in Medical Applications, 1988. Symposium Record Sep. 29-30, 1988 pp. 27-29.
- Caejdo B.: "Using an ER Query and Update Interface for Rapid Prototyping of Hypertext Systems", Proceedings of the Annual Hawaii International Conference on System Sciences, Jan. 1, 1990, p. 231.
- Caitlin Bestler, "Flexible Data Structures and Interface Rituals for Rapid Development of OSD Applications", Jun. 1993, pp. 223-236.
- Chan, "Principles, Structure and Format", Immroth's Guide to the Library of Congress Classification, 4th Edition, 1990, Chapter 2, pp. 19-51.
- Consumer Digest advertisement; Xpand Your TV's Channel Capability; Fall/Winter 1992; p. 215.
- Craig Boyle, et al., "A Survey and Classification of Hypertext Documentation Systems", Jun. 1992, pp. 98-111. Creating Educational Web Sites.
- Czejdo B.: "Using an ER Query and Update Interface for Rapid Prototyping of Hypertext Systems" Proceedings of the Annual Hawaii International Conference on System Sciences, Jan. 1, 1990, p. 231.
- Dan A. Et al.: "A Dynamic Policy of Segment Replication for Load-Balancing in Video-on-Demand Servers", Multimedia Systems, Springer Verlag, DE, vol. 3, No. 3, Jul. 1995, pp. 93-103.
- Daniel M. Moloney, Digital Compression in Today's Addressable Environment; 1993 NCTA Technical Papers; Jun. 6, 1993; pp. 308-316.
- DeBuse, SO That's a Book . . . Advancing Technology and the Library, Mar. 1988, Information Technology and Libraries, vol. 7, Issue 1, pp. 7-18.
- Digital Compression in Today's Addressable Environment. Dinaro et al., "Markets and Products Overview", 1991.
- Dr. G. T. Sharpless, IEE Transactions on Consumer Electronics, vol. CE-31, No. 3, Aug. 1985, pp. 283-289.
- Electronic Books as . . .*; Valauskas; Aug. 1993 Electronic Dictionary Pronounces . . . , Speech Technology.
- Enabling the Book Metaphor, IEEE Transactions on Professional Communication.
- Endo et al., "Electronic Book in 3.5 Floppy Disk", Consumer Electronics, 1994. Digest of Technical Papers, IEEE 1994 International Conference on Jun. 21-23, 1994 pp. 316-317.
- Enhancing Teaching *Flexible Data Structures and Interface Rituals for Rapid Development of OSD Applications*, Caitlin Bestler, 93 NCTA Tech. Papers, pp. 223-236; Jun. 6, 1993. Fourth Generation Hypermedia . . . , Int'l Journal of Human-Computer Sciences Studies.

- Fox, et al., Users, user interfaces, and objects: Envision, a Digital Library, Sep. 1993, Journal of the American Society for Information Science, vol. 44, issue 8, p. 480.
- Fur Geschlossene*; Funkschau; Aug. 25, 1989.
- Gelman, et al., "An Architecture For Interactive Applications", May 1993, pp. 848-852.
- Goldberg M W et al: "World Wide Web—course tool: An environment for building WWW-based courses" Computer Networks and ISDN Systems, NL, North Holland Publishing, Amsterdam, vol. 28, No. 11, May 1, 1996.
- Goorfin L.: "Electronic Dictionary Pronounces over 83,000 Words" Speech Technology, Man-Machine Voice Communications, U.S., Media, Dimensions, Inc. New York, vol. 4, No. 4, Apr. 1, 1989, pp. 78-79.
- Great Presentations advertisement; Remote, Remote; 1987; p. 32H.
- H. Van Den Boom, An Interactive Videotex System for Two-Way CATV Networks, Dec. 1986, pp. 397-401.
- Harley S et al.: "Enhancing Teaching Using the Internet" SIGCSE/SIGCUE Conference on Integrating Technology into Computer Science Education, US, New York, ACM, vol. CONF. 1, Jun. 2, 1996, pp. 218-228.
- Henri van den Boom; An Interactive Videotex System for Two-Way CATV Networks; Nov. 1986; pp. 397-401.
- Herron T L: "Teaching with the Internet" Internet and Higher Education US, Jai Press, Stamford, CT, vol. 1, No. 3, 1998, pp. 217-222.
- Hong Consumer Products From SVI; Nov. 1988; p. 379
- Kong Enterprise advertisement; Two Innovative New.
- Hong Kong Enterprise; Advertisement Two Innovative New Consumer Products From SVI, Nov. 1988, p. 279.
- HP-41 C Operating Manual, Hewlett Packard Co., Dec. 1982.
- Human Factors in Telecommunications; Sorce et al.
- Indian Patent Application 762-Cal-93.
- Indian Patent Application 765-Cal-93.
- Inter et al., "The Dewey Decimal Classification", Special Libraries: A Cataloging Guide, 1998, Chapter 11, pp. 211-239.
- Interactive Videotex*; van den Boom, Nov.-Dec. 1986.
- John Reimer: Memories in My Pocket; BYTE; Feb. 1991; pp. 251-258.
- Junichi Azuma; Creating Education Web Sites; Mar. 1999; pp. 109-113.
- Kubota H. et al.: "Terrestrial Data Multiplex Broadcasting News Delivery System and Its Terminal", IEE Transactions on Consumer Electronics, U.S., IEE Inc., New York, vol. 43, No. 3, Aug. 1, 1997, pp. 504-509.
- Lewis et al.; ("Shared books: collaborative publication management for an office information system"); ACM SIGIOS Bulletin Conference sponsored by ACM SIGOIS and IEEECS TC-OA on Office information systems, vol. 9, Issue 2-3, Apr. 1988.
- Mann et al.; ("A coherent distributed file cache with directory write-behind") ACM Transactions on Computer Systems (TCOS), vol. 12, Issue 2, May 1994.
- Marco Dinaro, Alcatel Telettra; Markets and Products Overview; Revue HF Tijdschrift 15; 1991; pp. 135-148.
- Markets and Products Overview; Dinaro et al.
- Medley, et al.; Enhancing teaching using the Internet; Feb. 1996; pp. 218-228.
- Memories in My Pocket; Reimer; Byte, pp. 251, 252, 254, 255, 256, 258, Feb. 1991.
- Michael Bieber, et al.; Fourth Generation Hypermedia: some missing links for the World Wide Web; 1997; pp. 31-65.
- Miyazawa, et al., An electronic book: APT Book, Aug. 1990, Human-Computer Interaction, INTERACT '90, Proceedings of the IFIP TC 13 Third International Conference, Cambridge, UK, pp. 513-519.
- Multimedia Systems*, A Dynaic Policy of Segment Replicatoin for Load-Balancing in Video-On-Demand Servers (see 111); Dan et al.; Jul. 1995.
- Nicole Yankelovich, et al., "Reading and the Electronic Book", Oct. 1985, pp. 16-30.
- O'Gorman, "Image and document processing techniques for the RightPages electronic library system", Conference B: Pattern Recognition Methodology and Systems, Proceedings, 11th IAP International Conference on Aug. 30-Sep. 3, 1992 pp. 260-263.
- Olshansky & Joyce: Subscriber Distribution Networks Using Compressed Digital Video; Journal of Lightwavw Tech; Nov. 1992; pp. 1760-1765.
- Pasquier-Boltuck J et al: Prototyping an Interactive Electronic Book System Using an Object-Oriented Approach; Ecoop. European Conference on Object-Oriented Programming. Aug. 15, 1998, pp. 177-190.
- Pobiak, "Adjustable access electronic books", Computing Applications to Assist Persons with Disabilities, 1992, Proceedings of the John Hopkins National Search for Feb. 1-5, 1992 pp. 90-94.
- Prototyping an Interactive Electronic Book System Raman, T.V., Audio System for Technical Readings, May 1994, Cornell University, pp. 1-129.
- Rauch T et al: "Enabling the Book Metaphor for the World-Wide-Web: Disseminating On-Line Information as Dynamic Web Documents" IEEE Transactions on Professional Communications. Jun. 1997. IEEE, USA, vol. 40, No. 2, pp. 111-128.
- Rawlins, "The New Publishing—Technology's impact on the publishing industry over the next decade", Nov. 12, 1991, pp. 1-65.
- Reading and Wriing the Electronic Book, IEEE Computer Science.
- Reimer; "Memories in My Pocket", Feb. 1991, pp. 251-258.
- Remote, Remote*, Great Presentations advertisement, p. 32H; Nov. 1988.
- Schatz, "Building an electronic scientific community", System Sciences, 1991. Proceeding of the Twenty-Fourth Annual Hawaii International Conference on vol. iii, Jan. 8-11, 1991 pp. 739-748 vol. 3.
- Schepers C.: "Fur Geschlossene Benutzergruppen" Funkschau, De, Franzis-Verlag K.G. Munchen, No. 18, Aug. 25, 1989, pp. S53-S54.
- Sharpless, Dr. G. T., "Subscription teletext for value added services", IEEE Transactions On Consumer Electronics, vol. CE-31, No. 3, Aug. 1985.
- Simpson, Alan, Mastering WORDPERFECT® 5.1 & 5.2 for Windows, 1993, Sybex, Inc., pp. 72-73.
- Soloview; ("Prefetching in segmented disk cache for multi-disk systems") Proceedings of the fourth workshop on I/O in parallel and distributed systems: part of the federated computing research conference; May 1996.
- Speech Technology, "Electronic Dictionary Pronounces Over 35,000 Words", pp. 78-79 (1989).
- Stephen Hartley, et al.; Enhancing Teaching Using the Internet; Feb. 6, 1996; pp. 218-228.
- Subscriber Distribution Networks Using Compressed Digital Video.
- Subscription Teletex for Value Addes Services.
- Teaching with the Internet.

- Technology's Impact on . . .*; Rawlins; Nov. 21, 1991.
- Telman, et al.; A Store-and-Forward Architecture for Video-on-Demand Service; 1991; pp. 842-846.
- Terrestrial Data . . .
- Terri Herron; Teaching with the Internet; 1998; pp. 217-222.
- The Internet Bookstore . . .*; Jul./Aug. 1994.
- Thyra Rauch, et al., "Enabling the book metaphor for the World Wide Web: Disseminating on-line information as dynam[i]c Web documents", Jun. 1997, pp. 111-128.
- Two Innovative New Consumer Products from SVI.
- Using an ER Query and Update Interface . . . , Proceedings of the Annual Hawaii.
- Valauskas, Edward J., "Electronic books as databases", Database. Aug. 1993. vol. 16, Iss. 4; p. 84 (3 pages).
- Van Den Boom, "An Interactive Videotex System for Two-Way CATV Networks", vol. 40, No. 6, pp. 397-401, Dec. 1986.
- Waite Group Press; AN Interactive Lesson in the Interactive Course Series, 1996.
- World Wide Web—Course Tool*, Goldberg, M.W., et al., May 1996.
- Xpand your TV's Channel Capability.
- Yankelovich N et al: "Reading and Writing the Electronic Book" Computer, US, IEEE Computer Society. Long Beach, CA, US, vol. 18, No. 10.
- Herron T.L., "Teaching with the Internet" Internet and Higher Education, US, JAI Press, Stamford, CT, vol. 1, No. 3, 1998, pp. 217-222, XP002118719, ISSN: 1096-7516.
- Azuma J., "Creating Educational Web Sites", IEEE Communications Magazine, US, IEEE Service Center, Piscataway, N.J., vol. 37, No. 3, Mar. 1999, pp. 109-113, XP000823980, ISSN: 0163-6804.
- Goldberg, M.W. et al., "World Wide Web-Course tool: An environment for building WWW-based courses", Computer Networks and ISDN Systems, NL, North Holland Publishing, Amsterdam, vol. 28, No. 11, May 1, 1996, pp. 1219-1231, XP004018222, ISSN: 0169-7552.
- An Interactive Lesson in the Interactive Course Series, Waite Group Press, Macmillan Computer Publishing, 'Online! 1996, XP000829591, Retrieved from the Internet: URL:<http://www.waite.com/> retrieved on 1996!.
- Goorfin, L., "Electronic Dictionary Pronounces over 83,000 Words", Speech Technology, Man-Machine Voice Communications, US, Media Dimensions Inc., New York, vol. 4, No. 4, Apr. 1, 1989, pp. 78-79, XP000033505, ISSN: 0744-1355.
- Hartley, S. et al., "Enhancing Teaching Using the Internet", SIGCSE/SIGCUE Conference on Integrating Technology into Computer Science Education, US, New York, ACM, vol. CONF. 1, Jun. 2, 1996, pp. 218-228, ISBN: 0-89791-844-4.
- Seno, H. et al., "A Consideration of Data Transmission Method for Enhanced Teletext", NHK Science and Technical Research Laboratories, ITEJ Technical Report, vol. 16, No. 71, Oct. 1992, Japan, pp. 1-6.
- Technology Update, Wordperfect Corporation Introduces Wordperfect 6.0 for DOS, http://www.nfbnet.org/files/word_processing/WP60.TXT, Mar. 24, 1993.
- T.V. Raman, "An Audio View of (L)A(TeX) Documents," Proceedings of the 1191 Annual Meeting, pp. 1001-1008.
- Microsoft Press Computer Dictionary Second Edition, Microsoft Press, 1994, p. 418.

* cited by examiner




Fig. 1




*Fig. 2*

Fig. 3

*Fig. 4*




Fig. 5a




Fig. 5b




Fig. 6a




Fig. 6b




Fig. 7




Fig. 8







Fig. 9

*Fig. 10*

*Fig. 11*

*Fig. 12*


*Fig. 13*


Fig. 14a

Fig. 14b





Fig. 14c


Fig. 14d


Fig. 14e


Fig. 14f


Fig. 14g


Fig. 14h

Fig. 14i

864

SET UP ACCOUNT **SCREEN 2 OF 6**

Step 2 Select a credit card you wish to use for your everyBOOK™ purchase.

VISA American Express Discover

Step 3 Enter your credit card number and expiration date using keypad below.

exp. MM YY

Step 4 Enter your home phone number using the keypad below.

area code

0 1 2 3 4 5 6 7 8 9 ERASE & TRY AGAIN CONFIRM & CONTINUE

CURRENT BOOK BOOKMARK MENU PAGE TURN

Fig. 14j

864'

SET UP ACCOUNT

SCREEN
3 OF 6

Aren't you glad you only have to do this once?

STEP 5

Enter your name as it appears on your credit card

A	B	C	D	E	F
G	H	I	J	K	L
M	N	O	P	Q	R
S	T	U	V	W	X
Y	Z	.	-	space	

ERASE
& TRY
AGAIN

CONFIRM
&
CONTINUE

CURRENT BOOK

BOOKMARK

MENU

PAGE TURN


Fig. 14k


Fig. 14l


Fig. 14m

Fig. 14n




Fig. 14o





Fig. 14p


Fig. 14q


Fig. 14r


Fig. 14s

Fig. 14t





Fig. 15




Fig. 16a




Fig. 16b





Fig. 17

Fig. 18a



1

ELECTRONIC BOOK SECURE COMMUNICATION WITH HOME SUBSYSTEM

RELATED APPLICATIONS

This application is a continuation of U.S. application Ser. No. 09/237,825, filed Jan. 27, 1999, now abandoned entitled ELECTRONIC BOOK SELECTION AND DELIVERY SYSTEM, which is a divisional of U.S. application Ser. No. 08/336,247, filed Nov. 7, 1994 now U.S. Pat. No. 5,986,690, entitled ELECTRONIC BOOK SELECTION AND DELIVERY SYSTEM, which is a continuation-in-part of U.S. application Ser. No. 07/991,074, filed Dec. 9, 1992, entitled REMOTE CONTROL FOR MENU DRIVEN SUBSCRIBER ACCESS TO TELEVISION PROGRAMMING and U.S. application Ser. No. 08/160,194, entitled ADVANCED SET-TOP TERMINAL FOR CABLE TELEVISION DELIVERY SYSTEMS, filed Dec. 2, 1993 now U.S. Pat. No. 5,990,927.

BACKGROUND OF THE INVENTION

Sparked by the concept of an information superhighway, a revolution will take place in the distribution of books. Not since the introduction of Gutenberg's movable typeset printing has the world stood on the brink of such a revolution in the distribution of text material. The definition of the word "book" will change drastically in the near future. Due to reasons such as security, convenience, cost, and other technical problems, book and magazine publishers are currently only able to distribute their products in paper form. This invention solves the problems encountered by publishers.

SUMMARY OF INVENTION

The electronic book selection and delivery system is a new way to distribute books to bookstores, libraries, and consumers. The technological breakthroughs of this invention provide a secure electronic system for both delivering selected books and receiving payments. The system has an unusual combination of features that provides the consumer with a daily use household appliance that has a high tech aura while being very practical, portable, and easy to use.

The clear advantage of the system is that it eliminates the distribution of any physical object such as a paper book or computer memory device from any book distribution system. The purchase of a book becomes a pay-per-read™ event avoiding the overhead, "middle-men," printing costs, and time delay associated with the current book distribution system. Published material and text such as the President's speech, a new law, a court decision on abortion, or O. J. Simpson's testimony can be made immediately available to the consumer at a nominal fee.

The system is a novel combination of new technology involving the television, cable, telephone, and computer industries. It utilizes high bandwidth data transmissions, strong security measures, sophisticated digital switching, high resolution visual displays and user friendly interface software.

The primary components of the text delivery system are the subsystem for placing the text onto a video signal and the subsystem for receiving and selecting text that was placed on the video signal. The preferred embodiment of the system includes additional components and optional features that enhance the system. The system may be configured for use by bookstores, libraries, and consumers. The system for

2

consumer use is made up of four subsystems, namely: (1) an Operations Center, (2) a video distribution system, (3) a home subsystem including reception, selection, viewing, transacting and transmission capabilities, and (4) a billing and collection system.

The Operations Center performs several primary functions: manipulating text data (including receiving, formatting and storing of text data), security encoding text, cataloging books, providing a messaging center capability, and performing uplink functions. The system delivers the text from the Operations Center to consumer homes by inserting data within analog video signals. The insertion of text is generally performed with a text generator and an encoder at an uplink site that is within or near the Operations Center. The system can be several lines of the Vertical Blanking Interval (VBI), all the lines of the analog video signal, or a digital video signal to transmit text data. Using the VBI delivery method, the top ten or twenty book titles may be transmitted with video during normal programming utilizing existing cable or broadcast transmission capability without disruption to the subscriber's video reception. Using the entire video signal, thousands of books may be transmitted within just one hour of air time. Nearly any analog or digital video distribution system may be used to deliver the video signal with included text.

The home subsystem performs five primary functions: connecting to the video distribution system, selecting text, storing text, displaying text, and transacting through a phone or cable communicating mechanism. The components of the home subsystem may be configured in a variety of hardware configurations. Each function may be performed by a separate component, the components may be integrated, or the capability of existing cable set top converter boxes and televisions may be utilized. Preferably, a connector, library unit and viewer unit are used. The connector portion of the home subsystem receives the analog video signal and strips or extracts the text from the video. The home library stores the text signal, provides a user friendly software interface to the system and processes the transactions at the consumer home. The viewer provides a screen for viewing text or menus.

The viewing device is preferably a portable book shaped viewer which stores one or more books for viewing and provides a screen for interacting with the home library unit. A high resolution LCD display is used to both read the books and to interact with the home library software. An optional phone connector or return-path cable connection initiates the telephone calls and, with the aid of the library, transmits the necessary data to complete the ordering and billing portion of the consumer transaction. The billing and collection system performs transaction management, authorizations, collections and publisher payments automatically utilizing the telephone system.

DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of the primary components of the electronic book selection and delivery system.

FIG. 2 is a schematic showing an overview of the electronic book selection and delivery system.

FIG. 3 is a schematic of the delivery plan for the electronic book selection and delivery system.

FIG. 4 is a block diagram of the operations center.

FIG. 5a is a flow diagram of the processing at the operations center and uplink.

FIG. 5b is a block diagram of the hardware configuration for an uplink site.

FIG. 6a is a block diagram of the hardware configuration for a four component home subsystem.

FIG. 6b is a schematic of a two unit home subsystem.

FIG. 7 is a flow diagram of the processes performed by the video connector.

FIG. 8 is a block diagram for an example of a library unit.

FIG. 9 is a flow diagram of some of the processes performed by the library on the received data stream.

FIG. 10 is a flow diagram of the processes performed by the library unit on information requests from the viewer.

FIG. 11 is a block diagram showing the components for an example of a viewer.

FIG. 12 is a flow diagram of some of the processes performed by the viewer on an information request from a subscriber.

FIG. 13 is a chart depicting the menu structure and sequencing of menus in the menu system.

FIG. 14a is a schematic of an introductory menu.

FIG. 14b is a schematic showing an example of a main menu.

FIG. 14c through FIG. 14q are schematics showing examples of submenus.

FIG. 14r is a schematic showing another example of a main menu.

FIG. 14s and FIG. 14t are schematics showing examples of screens for a book.

FIG. 15 is a schematic diagram of an electronic book system for a bookstore or public library.

FIG. 16a and FIG. 16b are schematics of hardware modifications or upgrades to a set top converter.

FIG. 17 is a schematic showing a set top terminal that includes a data receiver and data transmitter.

FIG. 18a is a schematic of a book-on-demand system.

FIG. 18b is a schematic of an operations center supporting a book-on-demand system.

DETAILED DESCRIPTION

The primary components of the electronic book selection and delivery system 200 are an encoder 204, a video distribution system 208, a connector 212, and a text selector 216 as shown in FIG. 1. The encoder 204 places textual data on a video signal to form a composite signal. A variety of equipment and methods may be used to encode text data onto a video signal. The video distribution system 208 distributes the video signal from the single point of the encoder 204 to multiple locations which have connectors 212. The connector 212 receives the digital or analog video signal from the video distribution system 208 and separates, strips or extracts the text data from the composite video signal. If necessary, the extracted text data is converted into a digital bit stream. Text selector 216 works in connection with the connector 212 to select text.

Using a connector 212 and text selector 216 combination, various methods of selecting and retrieving desired text from a composite or video signal are possible. Text may be preselected, selected as received or selected after being received and stored. The preferred method is for the connector 212 to strip all the text from the video signal and have the text selector 216 screen all the text as received from the connector 212. The text selector 216 only stores text in long term or permanent memory if the text passes a screening process described below.

An overview of a preferred embodiment is shown in FIG. 2. The system 200 includes: an operations center 250 including an uplink site 254, a video distribution system 208, a home subsystem 258 including a video connector

212, a library 262, a viewer 266, and a phone connector 270, and telephone system 274 and a billing and collection subsystem 278. The operations center receives textual material from outside sources 282 such as publishers, newspapers, and on-line services. The operations center receives this textual material in various digital formats and converts them to a standard compressed format for storage. In so doing, the operations center creates a pool of textual material that is available to be delivered to the home system. Normally, the text material is grouped by books or titles for easy access. The operations center includes an uplink site for placing the text onto a video signal and sending the composite video signal into a video distribution system. The uplink site would generally include an encoder (not shown in FIG. 2) to encode the text onto a video signal.

Many analog and digital video distribution systems 208 can be used with this text delivery system 200, such as, cable television distribution systems, broadcast television distribution systems, video distributed over telephone systems, direct satellite broadcast distribution systems, and other wire and wireless distribution systems. Nearly any distribution system which can deliver a video signal will work with the text delivery system. It is also possible to distribute the text without using a video signal as described below.

The home subsystem performs five primary functions, (1) connecting with a video distribution system, (2) selecting data, (3) storing data, (4) displaying data, and (5) handling transactions. An important optional function of the home sub-system is communicating using a telephone communication system. The home subsystem is made up of primarily four parts: a video connector 212 or similar type of connector for connecting with a video distribution system, a library unit 262 for storing and processing, a viewer unit 266 for viewing menus and text and a telephone connector 270 for connecting with a telephone communications system 274.

The billing and collection subsystem 278 may be co-located with the operations center 250 or located remote from the operations center. The billing and collection subsystem 278 is in communication with the home subsystem via telephone-type communication systems. Any of a number of telephone type communication systems, such as, a cellular system, will operate with the billing and collection system. The billing and collection system records the books or portions of text that are selected or ordered by the subscriber. The collection system will charge a subscriber's credit account or bill the subscriber. In addition, the billing and collection system will monitor that amount due to publishers or other outside sources 282 who have provided textual data or other services such as air time to enable the text delivery system 200 to operate.

FIG. 3 is an expanded overview of a preferred delivery plan for the electronic book selection and delivery system. It is a comprehensive delivery plan to support various types of users and various billing systems. FIG. 3 shows that publishers 282 will provide text transfer 302 to the operations center 250' and receive payments 306 from the billing and collection system 278'. A separate channel uplink site 254' is shown in this configuration receiving data 310 from the operations center 250'. The operations center 250' has three separate sections (318, 322, 326) one for text receiving, formatting and re-entry 318, a second for security encoding 322 and a third section for catalog and messaging center functions 326.

The collection and billing system 278' shown has two sections (330, 334) one for transaction management, authorizations and publisher payments 330, and the other for customer service 334. The customer service section 334

provides for data entry and access to customer account information. Transaction accounting information **338** is supplied to credit card companies **342** by the transaction management section **330** of the billing and collection system **278'**. The credit card companies **342** provide billing **346** to customers either electronically or by mail.

Three methods for communicating between the subscriber base **348** and the billing and collection system **278'** are shown: by telephone switching **350** alone, cellular switching **354** and telephone switching **250** combined, and by use of the cable system **358** and the telephone switching **350**. The system shown supports both one-way **362** and two-way cable communication **366** with subscribers. Libraries and schools **370** as well as bookstores **374** may use the delivery system.

Libraries and schools **370** would have a modified system to allow the viewer to be checked-out or borrowed while bookstores **374** would rent or sell the viewer and sell electronic book data. The bookstores **374** as well as the libraries and schools **370** may be serviced by cable **378**. Optional direct broadcast systems (DBS) **382** can also be used with the system **200**.

I. The Operations Center

FIG. **4** is a schematic of an operations center **250** which includes an uplink **254**. The Operations Center **250** gathers text or books by receiving, formatting, storing, and encoding. A data stream **302** containing text is received at the operations center by a data receiver **402**. The data receiver **402** is under the control of a processor **404**. After reception, the data stream is formatted using digital logic for formatting **406** which is also under the control of the processor **404**. If any additional text is being generated at the operation center locally for insertion into the distributed signal, the text generation is handled through text generator hardware **410** which may include a data receiver and a keyboard (not shown). Following processing by the text generator, the additional text can be added to the text received the combining hardware **414** that includes digital logic circuitry (not shown).

The processing at the operations center is controlled by a processor **404** which uses an instruction memory **416**. The processor and instruction memory may be supplied by a personal computer or mini-computer. To perform the catalog and messaging functions, the operations center uses a catalog and message memory **420** and the text generator **410** if necessary.

The data stream of text, catalog and messages is preferably encoded by a security ending prior to being sent to the uplink module **424**. Various encoding techniques may be used such as the commercial derivative of NSA's encryption algorithm, Data Encryption System (DES), and General Instrument's DigiCipher II may be used by the security encoding module **424**. Following encoding, the encoded text may be stored in text memory **428** prior to being sent the uplink **254**. It is preferred that a first-in-first-out text memory arrangement is used under the control of the processor **404**. Various types of memory may be used for the text memory **428** including RAM. The operations center may use file server technology for the text memory **428** to catalog and spool books for transmission as is described below.

To transmit textual data, the delivery system uses high bandwidth transmission techniques such as those defined by the North American Broadcast Teletext Standard (NABTS) and the World System Teletext (WST) standard. Using the WST format (where each line of the Vertical Blanking Interval contains 266 data bits), a four hundred page book,

for example, may be transmitted during programming using four lines of the Vertical Blanking Interval at a rate of approximately one book every 1.6 minutes (63,840 bits per second). Alternatively, books may be transmitted over a dedicated channel, which interrupts programming so that 246 lines of video can be used to transmit approximately 2,250 books every hour (3.9 Mbits per second). A teletext type format is the simplest but possibly the slowest text format to use with the system. In either event, an encoder is utilized at an uplink site to insert textual data into the analog video signal. In many other respects, the delivery of the textual information is completed using existing cable television plants and equipment.

FIG. **5a** is a flowchart of the steps involved in processing text from the publisher or provider **282** that occurs at the operations center **250**. As shown in block **500**, the publisher **282** processes data files of text for books, compresses, encrypts and sends the data files to the operations center or uplink. Text files for books are preferably sent one book at a time. As shown in block **504**, the uplink **254** or operations center **250** receives and processes the data stream from the publisher **282**. Generally, part of this processing includes encryption and error correction.

As shown in block **508**, files are broken into smaller packets of information. Header information is added to the packets. The bit stream is converted from a serial digital bit stream to an analog bit stream that is compatible with an NTSC video signal. Block **512** shows the switching of analog data into the video lines of a video signal. The analog data is either placed in the VBI or the active video lines.

FIG. **5b** is an example of a hardware configuration to perform some of the functions for blocks **508** and **512**. A video feed **516** is received and processed through a sync stripper **520**. The sync signal **532** stripped is used by the digital logic control **524**. The digital logic control **524** receives the sync signal **532** and a serial digital bit stream **528** for processing. The digital logic control **524** passes the serial digital bit stream to the Digital to Analog converter **536** and outputs a control signal **540** for the video switch **544**. The video switch **544** integrates the video feed **516** and analog data stream **548** into a video feed with analog data signal inserted **552**.

As an alternative to cable or television delivery methods, the telephone system may be used to transmit books to the subscribers. An average book would take about 7 minutes to transmit over the public telephone system. Using the telephone system, it is not necessary to combine video and text into a composite signal. In most other respects, the operation center would remain similar whether text delivery was by telephone or cable. It is preferred that file server technology (such as that described in U.S. Pat. No. 5,262,875, entitled AUDIO/VIDEO FILE SERVER INCLUDING DECOMPRESSION/PLAYBACK MEANS, issued to Mincer, et al., and, U.S. Pat. No. 5,218,695, entitled FILE SERVER SYSTEM HAVING HIGH-SPEED WRITE EXECUTION, issued to Noveck, et al., incorporated herein by reference) be used at the operation center with a telephone system text delivery method.

II. The Home Subsystem

The hardware configuration for a four component home subsystem **258** is shown in FIG. **6a**. FIG. **6b** shows a hardware configuration for a two component home subsystem. The home subsystem **258** performs several functions, such as receiving data and video transmissions, stripping the data from the video signal, screening and storing the data, providing user friendly interface software, displaying

menus and text, processing transactions, initiating telephone calls and transmitting billing data. Various hardware configurations may be utilized to achieve the desired functions of the home subsystem. For example, as shown in FIG. 6b, the home subsystem can be configured to utilize the reception and channel tuning capability of the current installed subscriber base of cable converter boxes and televisions 601. The home subsystem can also be designed as an advanced set top terminal converter box with menu generation capability, electronic memory and a telephone modem as described in section V below.

The electronic components which make up the home subsystem can be arranged in a variety of ways. In the four unit subsystem of FIG. 6a the viewer 266 and library 262 are wired together while the remaining components communicate through RF transceivers 604. In the simplest version of the home subsystem there are only two units, a library 262 and a viewer 266. FIG. 6b shows a two unit home subsystem with certain optional features. The viewer 266 is generally equipped with a high resolution viewing area 602, digital logic (including a key 605, security 606, and a microprocessor 621), video graphics control and memory 607, power supply circuitry 602 (not shown), an optional battery 603 and an optional RF transceiver 604. In a two unit arrangement, the library 262 contains the connector function to the video distribution system, connector function to a public telephone communications system, and memory 600 (which may be removable and portable 600'). More specifically, the library would include data stripping functions 617, digital logic 609, memory storage 600, power circuitry 610, optional telephone connections 611 (including cellular or PCN 611'), optional battery (not shown), optional tuner module 613 and an optional RF transceiver 604. The video connector 212 and the public telephone system connection 270, as well as the removable portable memory unit 600 of the library may be broken out into separate components. (FIG. 6b shows a removable portable hard disk memory 600' with removable cartridges 614.) Therefore, the home subsystem may have as many as five separate components which communicate with each other. The two, three, four or five separate components which make up the home subsystem can communicate with each other in a variety of ways, including hardwired connection 615, RF transceiver 604 and other wireless methods.

RF communications are preferred in the home because it allows the separate components to be located throughout the home without restriction.

The data communicated between the units is preferably secure data. In addition, the library 262 may provide power to the viewer 266 through the hard wire communication link 615.

To receive and strip the data from the video signal at the consumer's home, either a cable interface device or cable connector is used. The cable connector device includes a tuner 613, while the cable interface device makes use of existing tuning equipment in the home. In either configuration, data is stripped from the video signal and stored at the subscriber's location in the library 262. The phone connector 270, and modem 611 initiate telephone calls and transmit ordering and billing information to the Operations Center or billing and collection system. The home library 262 is the intelligent component of the home subsystem, incorporating the hardware and software necessary to store the text data, generate menus and effect the purchase transactions. In addition to an RF transceiver 604, the home library 262 also includes the necessary jacks and connections to allow the system to be connected to the viewer 266. As shown in FIG.

6b, the library communicates the text data to the viewer in a secure format which requires a key 605 for decryption. The text is generally only decrypted page by page just before viewing.

a. The Video Connector

FIG. 7 shows the flow of the processes performed by the video connector 212. The video connector receives the video signal 608, tunes to the channel containing the text data 612, strips the text data from the video signal 616, and communicates the text data stream to logic components in the library 620.

The connection to the video distribution system is preferably a cable connector to a cable television delivery system, as shown in FIG. 6b. The cable connector includes a data stripper circuit 617, which accepts video input from either a set top converter, TV or VCR 601, or an optional tuner block 613 that receives the CATV signal through the cable connector 212'. The data stripper circuit 617 strips data out of the video, and outputs a digital bit stream to the digital logic portion 609 of the library unit 262. The data is embedded in the video signal either in the vertical blanking interval or the active video portion in an encrypted and compressed format. The data stripper circuit 617 can be placed inside the set top converter box 601, TV, or in the library unit. The data stripper circuit 617 outputs the digital bit stream to be used by the library digital logic 609.

The video connector 212 may also contain a channel tuner module 613 that can tune to the video channel and provide access to the video that contains the data to be stripped. Using the optional tuner module 613, a set top converter, VCR, or TV tuner is not needed in the home subsystem. The optional tuner module 613 would instead receive the CATV signal directly through the cable connector 212'.

b. Library

An embodiment of the library 212 for a two unit home subsystem is shown in both FIG. 6b and FIG. 8. The embodiment shown includes the following optional parts the video connector 212, phone connector 270, RF transceiver 604, and battery pack 624 in addition to a removal portable memory 600', microprocessor 628, instruction memory unit 632, digital logic 636, and power unit 640.

The library 262 contains a digital logic section 609 (not shown in FIG. 8) which includes the microprocessor 628, the digital logic 636 and the instruction memory unit 632. The microprocessor 628 is preferably a secure microprocessor such as the Mot SC21 device sold by Motorola. The digital logic section 609 will receive the serial digital bit stream from the data stripper circuit 617 and process the data. Error correction will also be performed by the digital logic section 609 and the data will be checked for proper address. If the address of the data is correct and the library 262 is authorized to receive the data, the data will be transferred to the memory storage unit 600, 600'. Authorization to receive the data is provided by the cable headend or another distribution point. An authorization code may be sent in the serial digital bit stream. The digital logic section 609 will send appropriate text and graphical data to the memory storage unit 600, 600'. It transfers this data in a compressed and encrypted format and the data remains stored in a compressed and encrypted format.

i. Memory Storage Unit

The memory storage unit of the library is preferably a removable portable memory unit 600 (as shown in FIGS. 6a, 6b and 8). A variety of options are available for memory storage: a hard disk drive, such as an 80 megabyte, a 200 megabyte, a hard disk with removable platters, and CD ROM. Referring to FIG. 6b, a hard disk drive unit 600'

which contains removable platters may also be used. This would provide virtually unlimited library storage capacity. Data will be stored in the memory storage unit in a compressed and encrypted format. As is also shown in FIG. 6b, the data will also contain a key or unique ID number that matches the ID or key of the viewer 266. This matching of a unique key or ID number prevents unauthorized transfer of text data from the memory storage unit to an unauthorized viewer. Small memory devices such as smart cards, electronic memory cards or PCM CIA cards (personal computer memory card industry association) may also be used to store the data.

ii. Power Circuitry

As shown in FIGS. 6b and 8, the library 262 will accept power from either AC wall power or optional battery power. It is preferred that the power circuitry provide all the voltage necessary from either the battery 624 or AC unit for the various circuitry in the library. Preferably the power circuitry will also provide power to the viewer through a single data cable when connected to the viewer. The power circuitry will recharge the battery using AC power when in operation. With the optional battery unit 624 installed, the library 262 becomes a portable unit and can still provide power to the viewer 266. In order to extend battery life, power conservation measures may be utilized, such as shutting down the memory system when not in use. When the viewer unit 266 is being utilized and the library circuitry is not being utilized, virtually all power may be shut down to the library 262.

iii. Connection to the Public Telephone System

The connection to the telephone system is preferably provided by a modem 611. Various available modems may be used to perform this function. As shown in FIG. 6b, cellular phone or PCN phone connections 611' may also be provided. When the home subsystem is first initialized, the modem will be used to transfer the name and credit card information of the consumer to the billing and collection subsystem. The telephone connection 270 may be utilized each time a book is purchased by a consumer to complete and record the transaction. The telephone connection 270 may also be used as a means for receiving the text data from the operations center, by-passing the video distribution system. The phone connection 270 may be a separate unit as shown in FIG. 6b.

iv. Library Processing

FIG. 9 shows an example of some basic processing performed by the library 262 on the data stream received from the video connector 212 or stripper circuit 617. First the data stream is checked for error correction by block 650. If an error is detected, block 654 de-interleaves the data followed by block 658 running a FEC (Forward Error Correcting) algorithm. The combination of block 650, 654 and 658 perform the error correction needed on the data stream. If no error correction is necessary the data proceeds to block 662 where packets are individually checked for packet address.

If the address is a unique address, block 666 checks whether the address of the packet matches the library box ID number. The library box ID number is a unique number associated with that library 262 which is used to ensure security of the data. Block 670 determines whether an electronic file has already been opened into which the data packet can be saved. If no data file has been opened then block 674 opens a new data file for that packet. If an electronic file has been opened, then the packet is saved in that electronic file on disk, block 678. Next, the process checks to see if this is the last packet for a particular book

for a particular textual data block being received 682. If it is the last packet of information, then the electronic file is closed and the directory of available electronic files is updated 686. Following either block 682 or 686, the process returns to receive another data packet from the data stream received from the data stripper block.

With the packet address is checked and the address is determined to be a broadcast address, the process determines the type of message that is being sent 690. The message is then stored in appropriate electronic message file 694 and the process is returned to block 650 to receive another data packet and perform another error check.

Using the process of FIG. 9, the library is able to receive, store and update directories related to the textual data and graphical data that can be used to depict pictures in a given book. Variations of the processes are possible depending on the format of the data and operating system of the library 262.

FIG. 10 shows an example of the processing of information requests from the viewer 266 at the library 262. Information requests from the viewer 266 are received either through the cable connecting the viewer 266 to the library 262 or through wireless transmissions such as RF. It is possible in some embodiments for subscribers requests to come from a set top converter box 602.

Information requests received from the viewer 266 generally fall into three categories: (1) directory data of books stored in the library 262, (2) index of all available books on the system, and (3) requests for a specific book (Block 700). Process block 704 answers a request from the viewer 266 for a directory of data showing the books stored at the viewer 266. The directory of data is sent to the viewer 266 so that it may be displayed to the subscriber. Process block 708 handles requests from the viewer 266 for an index of all available books on the system. The library 262 will obtain an index of all the available books on the system and transmit that index, process 712, with menu information to the viewer box. Process block 716 replies to a request from the viewer 266 for a specific book. The library 262 opens an electronic file for the specific book requested by the viewer 266 and transmits the record or transmits the information on a packet-by-packet basis to the viewer, 720. This process of transmitting the specific book, record, or packets to the viewer continues until the last record or packet has been sent, 724.

In addition to the processes shown on FIG. 10 in handling a request for a specific book, the library 262 also orders and receives specific books from the operations center 250 using the process as described in 716. Following a request for a specific book which is not stored at the library 262, the library 262 will proceed to determine the next available time the book will be on the video distribution system 208 and ensure reception and storage of that book (process not shown). In performing this process the library 262 will transmit to the viewer information on when it will obtain the text data for the book so that the subscriber may view the book. In addition to timing information, price and other ordering information may also be passed by the library unit 262 to the subscriber.

c. The Viewer

FIG. 11 is a block diagram of a viewer 266 showing its internal components. The viewer 266 of FIG. 11 is similar to the viewer 266 depicted in FIG. 6b. The viewer 266 is designed to physically resemble a bound book. The viewer 266 is made up of five primary components and four optional components: (1) LCD display 602, (2) digital circuitry (not shown), (3) video graphics controller 607', (4)

controls **740**, (5) book memory **728**, (6) optional power supply circuitry **736**, (7) optional battery **603'**, (8) optional RF transceiver **604**, and (9) optional cellular or mobile communicator (not shown).

(1) A high resolution LCD screen, preferably of VGA quality, is used by the viewer **266** to display text and graphic images. The screen is preferably the size of one page of a book.

(2) Digital circuitry that includes a secure microprocessor **621**, instruction memory **732**, and digital logic. Data is transferred to the viewer **266** in compressed and encrypted format. The secure microprocessor **621** compares the ID number of the viewer **266** with the incoming data stream and only stores the text data if the ID number of the viewer **266** matches that within the incoming data stream. It is preferred that the viewer **266** not output text data or other data and that the data is decompressed and decrypted only at the moment of viewing and only for the current page being viewed. These measures are preferred because they provide additional security against unauthorized access to data.

(3) A video graphics controller **607'** that is capable of assisting and displaying VGA quality text and graphic images is included in the viewer **266**. The graphics controller **607'** is controlled by the digital circuitry described above. Text may be displayed in multiple font sizes.

(4) The viewer **266** of FIG. **11** has touch panel controls **740**. The controls **740** allow the consumer to select stored books and books from catalogues, move a cursor, and turn pages in a book. Typically, the preferred controls include forward and reverse page buttons **741**, a ball **743** for cursor movement, a selection button **745**, a current book button **747** and a bookmark button **749** (see FIG. **14a**).

(5) Book memory **728** for at least one book or more of text is included in the viewer **266**. The memory **728** stores text and any graphics which represent pictures in a book. The memory **728** can also store menu graphics data. Two different memory **728** devices may be used in the viewer **266**, one for the instructions for the microprocessor **621** in the digital circuitry and a second type of memory may be used for the book memory **728**. Various memory devices available on the market may be used such as, ROM, RAM or a small hard disk. Since a book requires approximately 0.6 megabytes of storage, a small hard disk providing approximately 60 MBytes of storage provides memory to store approximately 100 books. Text for books may be stored in various font sizes so that larger or smaller fonts may be recalled from memory **728** as desired.

(6) Power supply circuitry **736** in the view will accept power from either an AC power source or from an optional battery **603'**, or the library **262**. The power supply circuitry provides the necessary voltages to accommodate the various systems within the viewer **266**.

(7) An optional battery **603'** is provided in the preferred embodiment. The battery **603'** is automatically recharged when AC power is available.

(8) An optional RF transceiver **604** which provided two-way data link between the viewer **266** and other components of the home subsystem can also be included in the viewer **266**.

(9) Also, the viewer **266** may include a cellular transceiver (not shown) for mobile communications.

The viewer **266** of FIG. **11** has parts available for providing a library connection **744**, electronic card memory **748**, CD ROM units **752**, and a portable memory unit **756** (such as that shown in FIG. **6b** **600'**). Various electronic memory cards such as PCM CIA can be used with this viewer **266**.

Security, low power consumption and excellent display technology are desired features of the viewer **266** design. The viewer **266** should be lightweight and portable. The viewer **266** contains a software operating system that allows books to be stored, read and erased and includes the capability to order books and retain them in memory for a predefined period of time determined by the system operator. The software can be configured to allow the book to be read during a period of time (i.e., two weeks) and then automatically erased, read once and erased, or held in memory permanently. Each viewer **266** has a unique key **605**. All of the data storage is encrypted with the key **605** for an individual viewer **266** to prevent more than one viewer device **266** accessing the text file or book file.

FIG. **12** is a flow diagram of some of the processes executed by the viewer **266**. Generally, the viewer **266** receives inputs from the subscriber through touch panel controls **740**. The subscriber's information requests are then processed **800** by the viewer **266**.

If the subscriber requests a menu of available books, process block **804** will select a book menu. Process block **808** will open the electronic files which list the books that are available (related to the category of topic of the menu) and display the menu with the names of the available books.

If the subscriber selects a particular book to read, then process block **812** will process the selection and determine the electronic file that contains the specific book. Process block **816** will open the file for that specific book and normally access the first page. (If a pointer has already been set in that books electronic file, the process may default to that pointer.) Process block **820** will then determine which page needs to be displayed. Process block **820** will determine whether a next page, previous page or a bookmarked page needs to be displayed. If the pointer for the electronic file is not in the correct location then process block **828** will move the pointer and obtain the previous page of data from the stored file. Otherwise, process block **824** will normally obtain the next page of text from the stored electronic file. Process block **832** will decrypt and decompress the text data and send the data to the video display. The video display will generally have a video display memory associated with it and process block **832** will send the data directly to that video display memory. The circuitry for the display then completes the process of displaying the page of text.

If the subscriber, through the controls **740**, requests (from process block **800**) that the power be turned off, then the process, **836**, of turning the power off will be initiated. Process block **840** saves the pointer in memory to the page number in the book that the viewer **266** is currently reading. Process block **844** closes all the electronic files and signals the power circuitry to shut down the power to the various circuits in the viewer **266**. With these examples of basic processes the viewer **266** is able to display book selections and display text from those books.

d. Menu System

It is preferred that the electronic book system have a menu system for selecting features and books from the electronic book system. The operating software and memory required for the menu system is preferably located at the viewer **266**. However, it can also be located at the library or the library and the viewer **266** can share the software and memory needed to operate the menu system. Since the menus are usually displayed on the viewer **266** and it is preferred that the viewer **266** be capable of operating in the absence of the library, the basic software and memory to create the menus is more conveniently located at the viewer **266**.

13

The preferred menu system is a system which allows sequencing between menus and provides menu graphics for graphical displays such as on the viewer **266**. In a system which uses a set top converter these menus may also be displayed on a television screen. In the simplest embodiment, the menus provide just basic text information for the subscriber to choose from. In more sophisticated embodiments, the menus provide visual displays and icons to assist the subscriber.

FIG. **13** depicts a menu system with sequencing. The primary menus in the system are an introductory menu **850**, a main menu **854** and various submenus **858**. In the embodiment shown, there are three levels of submenus. In certain instances one or two submenus is sufficient to easily direct the subscriber to the selection or information requested. However, there are features in which three or more submenus makes the user interface more friendly for the subscriber. Each level of submenus may consist of various menus. The particular menu displayed depends on the selection by the subscriber on the previous shown menu. An example of this tree sequence of menus are the help submenus **887**, **888**. Depending upon the specific help requested, a different menu is displayed.

An example of an introductory menu **850** is shown on FIG. **14a**. Generally the introductory menu **850** introduces the viewer **266** to the system and provides initial guidance and instruction. The introductory menu **850** is followed by a main menu **854**, an example of which is shown in FIG. **14b**. The main menu provides the viewer **266** with the basic selection or features available in the system. For example, FIG. **14b** shows that the viewer **266** is able to choose by a point and click method, six available options; (1) free previews, (2) books you can order, (3) books in your library, (4) your current book, (5) help, and (6) other system features. Following a selection on the main menu, a submenu is shown.

FIG. **13** shows ten available primary or first level submenus. They are (1) account set up **862**, (2) free previews **866**, (3) books in your library **872**, (4) books you can order **878**, (5) your current book **884**, (6) help **887**, (7) available features **890**, (8) messages **893**, (9) account information **896** (10) outgoing message submenu **898**. FIG. **14c** is an example of a first level submenu for books in your library **872**. This "Book In Your Library" submenu shows six available books by title and author and provides the subscriber with the ability to check a different shelf of books or return to the main menu. FIGS. **14d** and **14e** show other submenus for books that may be ordered using the "Books You Can Order" submenu.

The "Account Set Up Menu" **862** and further submenu us related to account set up (which provide instructions and account input **864**) are shown in FIGS. **14f** through FIG. **14m**. These submenus allow initialization of an account at the operations center and orders to be charged to credit cards. The submenus include the ability to enter data related to your credit cards.

Free previews for books **866** are also provided by submenus (**868**, **870**). Examples of the free preview menus are shown in FIG. **14n**, FIG. **14o**, and FIG. **14p**.

Referring to FIG. **13**, submenus are shown on the "Books In Your Library" submenu **872** and are preferably broken into shelf numbers with submenus for each shelf **874**, **876**. The submenus on the "Books You Can Order" submenu **878** is similarly broken out into submenus by shelves **880**, **882**. These shelves may each be a category or genre of books. Books may be grouped into categories such as best sellers, novels, fiction, romance, etc. See FIG. **14d**.

14

Referring to FIG. **13**, the submenu for "Your Current Book" allows a subscriber to select a current book **884** and then determine what page to view. This selection is confirmed with submenu **885**. The help submenu provides the subscriber with additional help screens **888**. The submenus for available features **890** are preferably broken out into a separate submenu for each feature **891**, **892**.

Referring to FIG. **13**, messages can also be sent with the electronic book selection and delivery system. A level one message screen provides the subscriber with the ability to select from the various pending messages he has **893**. Each message is then shown on a separate submenu screen **894**, **895**. An example of such a submenu is shown in FIG. **14q**.

Referring to FIG. **13**, account information is shown on a level one submenu **896** and then follow-on submenus show the recent orders and your account balance **897**. There is also a level one submenu for outgoing messages **898** which has a follow-on submenu used as an input screen **899**.

In addition to the specific features and submenus described in FIG. **13** and FIG. **14a** through FIG. **14q**, many other variations and features are possible. FIG. **14r** is an example of a main menu with additional features and submenus available.

When a book is finally selected for viewing on the system it will appear on the screen as shown in FIG. **14s** for the title and FIG. **14t** for a page of text.

III. The Billing and Collection System

The billing and collection system utilizes the latest technology in electronic transaction and telephone switching to track orders, authorize deliveries, bill consumers, and credit publishers automatically. The telephone calls initiated by the phone connector are received by the billing and collection system which responds immediately without human intervention by placing the order and charging the consumers credit card account. Data is compiled periodically and publishers are credited for sales of their books. The billing and collection system may also connect with subscribers through two-way cable connections, cellular or other communication means.

It is preferred that the billing and collection system communicate with the operations center to track changes in available books and to provide statistical data to the operations center.

IV. Library and Bookstore System

The electronic book system can be modified to be used at public libraries and bookstores. FIG. **15** shows one possible arrangement of components for a public library or bookstore location. The main unit at public library or bookstore is the file server **900**. The file server **900** is a large electronic memory unit that can store thousands of books. Various electronic storage means may be used in the file servers, such as hard disks and read-write CD ROMs and read only CD ROMs.

The system comprises five components; a converter or video connector **904**, a controller **908**, a viewer **912**, and a catalog printer **916**. The software for controlling the system is primarily located in the controller. The converter or video connector **904** is similar to those described above. In this configuration the controller unit **908** monitors the data being transferred to the file server by the converter **904**. The controller **908** is preferably provided with a viewing screens and several control buttons. When it is necessary to have a larger screen to perform more sophisticated controlling of the system a viewer may be connected to the controller **908** and the viewer screen and controls may be used.

15

The controller **908** is only able to download books to the viewer **912** which are authorized to receive books from the particular file server. For security reasons it is not desirable that the public viewer **912** have access to more than one file server. In this way, security can be maintained over the text data for books. It is preferred that the public viewer **912** be limited to receiving one or two books at a time from the controller **908**. When the user of the public viewer **912** needs a new or additional book he returns the viewer **912** to the library where he receives a new book from the controller **908**.

In order to track the books that are available on the file server, the titles of the available books may be printed on a catalog printer **916**. The catalog printer **916** is connected to the library controller **908** and the titles of the books are downloaded to the catalog printer **916**. None of the coded text for any of the books can be printed using the controller **908** and catalog printer **916** of this system. In order to maintain security over the data, none of the book data is allowed to be downloaded to the printer. Once a complete printout of available book titles, magazines, or other textual material is complete, a hard copy of the catalog **920** can be maintained at the file server.

The system shown may also be used at bookstores. The bookstores can rent the public viewer **912** to customers with the text for one or two books loaded onto the viewer **912**. The viewer **912** may be provided with an automatic timeout sequence. The timeout sequence would erase the textual data for the books after a certain period of time, for example, two weeks. It is expected that after a period of time (perhaps within two weeks) the renter would return the public viewer **912** to the bookstore and receive additional books for viewing. Using this arrangement, it is also possible for the bookstore to (permanently) sell a viewer **912** to a regular customer. The customer then returns to the bookstore from time to time to receive textual data for a book which the customer can then store permanently on his own viewer **912**. Various other configurations are possible for bookstores and libraries using the file server and viewer **912** described.

V. Use of Set Top Converter

Existing set top converter boxes such as those made by Scientific Atlanta or General Instruments are presently unequipped to handle the book selection system of the present invention. Although set top converters may be built which include the library functions, hardware modifications are necessary in order to use the book selection system with existing set top converter technology.

FIGS. **16a** and **16b** are examples of hardware modification. A port is used to attach hardware upgrades described below to a set top terminal. Two upgrades are possible to set top converters **601** to assist in receiving and selecting electronic books. A menu generation card upgrade (FIG. **16a**) and an information download unit (FIG. **16b**). Each of these upgrades may be connected to the set top terminal unit through an upgrade port. A four wire a cable, ribbon cable or the like may be used to connect the upgrade to the set top converter **601**.

A card addition **950** to a set top converter **601** is depicted in FIG. **16a**. The card **950** shown provides the additional functionality needed to utilize the book selection system with existing set top converter **601** technology. The card **950** may be configured to slip inside the frame of a set top terminal and become part of the set top terminal, an advanced set top terminal. The primary functions the card **950** adds to the set top converter **601** are the interpreting of data signals, generating of menus, sequencing of menus,

16

and, ultimately, the ability of the viewer **912** to select a book using either the television or a viewer **912**. The card **950** also provides a method for a remote location, such as the cable headend, to receive information on books ordered. The books ordered information and control commands may be passed from the cable headend to the card **950** using telephone lines.

The primary components of the card **950** are a PC chip CPU **952**, a VGA graphic controller **954**, a video combiner **956**, logic circuitry **958**, NTSC encoder **960**, a receiver **962**, demodulator (not shown), and a dialer **611'**. The card **950** operates by receiving the data text signal from the cable headend through the coaxial cable. The logic circuitry **958** of the card **950** receives data **964**, infrared commands **966**, and synchronization signals (not shown) from the set top converter **601**. Menu selections made by the viewer **912** on the remote control are received by the set top converter's **601** IR equipment and passed through to the card **950**. The card **950** interprets the IR signal and determines the book (or menu) the subscriber has selected. The card **950** modifies the IR command to send the information to the set top converter **601**. The modified IR command contains the channel information needed by the set top converter **601**. Using the phone line **968** and dialer **611'**, the card **950** is able to transmit books ordered information to the cable headend. It is also possible to receive the books over the telephone lines and by-pass the video distribution system.

These commands are passed through the interface linking the set top terminal's microprocessor with the microprocessor of the hardware upgrades. In this way, subscriber inputs, entered through the set top terminal keypad or remote control, can be transferred to any of the hardware upgrades for processing and responses generated therein can then be sent back to the set top terminal for display. In the preferred embodiment the IR commands **966** are transferred from set top terminal **601** to hardware upgrade.

Hardware upgrades may include a microprocessor, interactive software, processing circuitry, bubble memory, and a long-term memory device. In addition to these basic components, the hardware upgrade may make use of an additional telephone modem or CD-ROM device.

The information download hardware upgrade **1001** (shown in FIG. **16b**) allows the subscriber to download large volumes of information from the operations center or cable headend using the set top converter **601**. The hardware upgrade **1001** will enable subscribers to download data, such as books and magazines, to local storage. Primarily, the hardware upgrade **1001** is an additional local storage unit **1003** (e.g., hard disk, floppy, optical disk or magnetic cartridge and may include a microprocessor **1005**, instruction memory **1007**, and a random access memory **1009**, as shown in FIG. **16b**). Preferably, a small portable viewer **912** is also provided with the upgrade **1001** to enable downloaded text to be read without the use of a TV.

The downloadable information may be text or graphics supplied by the operations center or cable headend. With this upgrade, books may be downloaded and read anywhere with the portable reader. Using this upgrade, books may be downloaded and stored in compressed form for later decompression. The books would be decompressed only at the time of viewing. Important text that the public desires immediate access may made available through this system. Text such as the President's speech, a new law, or a recent abortion decision rendered by the Supreme Court may be made immediately available.

In the preferred embodiment, book ordering information is stored at each set top terminal until it is polled by the cable

17

headend using a polling request message format. An example of a polling request message format consists of six fields, namely: (1) a leading flag at the beginning of the message, (2) an address field, (3) a subscriber region designation, (4) a set top terminal identifier that includes a polling command/response (or P/F) bit, (5) an information field, and (6) a trailing flag at the end of the message. A similar response frame format for information communicated by the set top terminal to the cable headend in response to the polling request may be used.

FIG. 17 shows a preferred set top terminal that includes a data receiver 617' and a data transmitter 1011. The data transmitter provides upstream data communications capability between the set top terminal 601 and the cable headend. Upstream data transmissions are accomplished using the polling system described and, using a data transmitter 1011. Both receiver 617' and transmitter 1011 may be built into the set top terminal 601 itself or added through an upgrade module. Regardless of the specific hardware configuration, the set top terminal's data transmission capabilities may be accomplished using the hardware shown in FIG. 17.

FIG. 17 shows RF signals, depicted as being received at by a data receiver 617' and tuner 613 working in unison. Both of these devices are interfaced with the microprocessor 1013, which receives inputs 1015, from the subscriber, either through a set top terminal's keypad, a remote control unit or viewer 912. All cable signals intended for reception on the subscriber's TV are accessed by the tuner 613 and subsequently processed by the processing circuitry 1017. This processing circuitry 1017 typically includes additional components (not shown) for descrambling, demodulation, volume control and remodulation on a Channel 3 or 4 TV carrier.

Data targeted to individual set top terminals is received by the data receiver 617' according to each set top terminal's specific address or ID. In this way, each addressable set top terminal only receives its own data. The data receiver 617' may receive set top terminal 601 specific data in the information field of the signal frame described or on a separate data carrier located at a convenient frequency in the incoming spectrum.

Any received data includes information regarding books and menus available for selection. The subscriber may enter a series of commands 1015 using a keypad or remote control in order to choose a channel or program. Upon receipt of such commands, the set top terminal's microprocessor 1013 instructs the tuner to tune to the proper frequency of the channel carrying data and subsequently instructs the processing circuitry 1017 to begin descrambling of this data.

Upon selection of a book, the microprocessor 1013 stores any selection information in local memory (not shown) for later data transmission back to the cable headend. The set top terminal's microprocessor 1013 coordinates all CATV signal reception and also interacts with various upstream data transmission components. Typically, the data transmitter 1011 operates in the return frequency band between 5 and 30 MHz. In an alternative embodiment, the frequency band of 10 to 15 MHz may be used. Regardless, however, of the frequency band used, the data transmitter 1011 sends information to the cable headend in the information field of the response frame described. Those skilled in the art will recognize that a number of variations and combinations of the above-described set top terminal hardware components may be used to accomplish upstream data transmissions.

18

VI. Books-On-Demand System

The electronic book system described may also be configured in a book-on-demand style. FIG. 18a shows one example of a configuration for a book-on-demand system. A book on demand system requires more powerful two-way communications between the consumer's home, bookstore or library and either the operations center or a distribution site 1020 such as the cable headend. This type of two-way communication can be provided by the hardware shown in FIG. 17 and described above.

Referring to FIG. 18a, in a book-on-demand system, the subscriber selects the book to be download from an available menu of books. The available menu is usually sent to the subscriber location by the distribution site 1020. After his selection, information about his selection (or request) is then communicated to either a distribution point 1020 (such as a cable headend) or the operations center. Upon receipt of this request, the needed textual and graphical information for the book is spooled and sent to the subscriber. In this manner, books are only sent when requested by the subscriber and are sent immediately upon demand for the book.

In order to support such a demand system, the text delivery and distribution must be conducted on a strong nodal architected distribution system, such as, a video-on-demand cable or telephone television system, or through use of individual telephone calls on the public telephone system.

The book-on-demand system allows for a greater selection of books to the subscriber and limits the amount of communicated book data that is unnecessary or unneeded. It also provides the book to the subscriber in a much timelier fashion.

In addition to a stronger distribution system, a book-on-demand system requires a distribution point 1020 to have more sophisticated equipment to spool out the textual information. This can be accomplished using file server technology 1024 for storing the books and ATM 1028 or telephone-type switching (not shown) to distribute the textual information. The file server 1024 and distribution technology that can be used in configuring such a book-on-demand system is described in U.S. Pat. No. 5,262,875 and U.S. Pat. No. 5,218,695, cited above.

FIG. 18a shows an embodiment for a book-on-demand system that utilizes file server technology. In addition to books, the embodiment of FIG. 18a will support distribution of nearly any digital data. Books or textual files are received from publishers 282 and other sources through local feeds 1032, ATM 1028, or by satellite dish 1036. The data is then stored in memory 1040 at the file server 1024. Preferably, distribution point 1020 is a cable headend that receives requests from subscribers and delivers text to subscribers over a two-way communication system (such as a video-on-demand system (VOD) 1044).

The library unit 262 can be connected to either a basic premium-type service cable system 1048, a near video-on-demand type cable system (or pay-per-view (PPV) 1052) or a video-on-demand cable system 1044. In connecting with either of these three systems the library 262 may access the cable directly or may access the system through a set top terminal 601', 601", or 601'''.

Using the two-way video-on-demand system 1044, a subscriber is able to request a specific book title and receive that text immediately following its request. To accomplish this, the distribution point 1020 transmits a list of available books through the cable delivery system to the library 262. The library 262 displays the list of available books on a menu or similar format. As described earlier, it is preferred

19

that the library **262** use menus which list categories of available books to form its request from the distribution point **1020**. After selecting a book the library **262** then sends a request signal on the two-way communication system **1044** back to the distribution point **1020**. This request signal can be handled in two ways. Either the library **262** initiates the request or the distribution point **1020** polls the various libraries on to the two-way system **1044**. Upon receiving the request for the book title, the text associated with that book title is transmitted to the library **262** using the two-way cable system **1044**.

FIG. **18b** is an expanded view of an operations center **250** that supports a regional or national book-on-demand system. In fact, the operations center **250** shown supports distribution of nearly any digital data. The operations center **250** supports multiple feeds to receive digital information by tape **1060**, **1060'**, ATM **1028**, or satellite **1036**. The information is processed through an input MUX **1064** and a small file server **1068** before reaching the master file server **1072**. Digital data such as books received from publishers **282** is then stored on the master file server **1072**. It is preferred that the digital data is stored compressed in a standard format such as MPEG2.

A system controller **1076** provides control over the regional or national book-on-demand system. Books may be packaged into groups to provide feeds to various cable headends. In addition, scheduling and marketing research are conducted at the operations center **250**. In order to handle the scheduling and market research, book buy data is received at the operations center **250** through a multiplexer **1082**. Book buy information can be provided by the operation center **250** to the billing and collection subsystem.

The operations center **250** is also equipped to insert messages or advertisements into the file server. These messages or advertisements will eventually be received by the subscribers.

The master file server **1072** uses an output multiplexer **1080** and ATM **1028** as well as satellite connections to distribute digital data. In the preferred embodiment, cable headends receive text data on books from the master file server **1080** through the output multiplexer **1028** and an ATM system **1028**. After receiving the digital book data, the cable headends store the books in a local file server **1024**. FIG. **18a**'s distribution point **1020** is an example of a cable headend which may receive data from the operations center **250** of FIG. **18b** through an ATM hookup **1088** or satellite hookup.

What is claimed is:

1. A method for processing text data for an electronic book in an electronic book home system comprising an electronic library and a portable electronic viewer, the method comprising:

transmitting a purchase order of an electronic book from the electronic library to a remote operations center;
attaching a unique packet identifier that matches an electronic library identifier associated with the purchaser's electronic library to a packet of text data at the remote operations center;

20

after the unique packet identifier is attached, receiving the packet of text data at the electronic library;

determining, at the electronic library, whether the packet has a unique packet identifier; and

if the packet has a unique packet identifier, determining whether the packet identifier matches the electronic library identifier of the electronic library; and

if the packet identifier matches the electronic library identifier, storing the packet to a data text file of the electronic book in an electronic library storage of the portable electronic viewer, wherein said electronic book comprising a unique key associated therewith and said portable electronic viewer having a unique key associated therewith for data text encryption and decryption;

in the library, comparing the unique key associated with data text of said electronic book to the unique key identifying said portable electronic viewer; and if the comparing step produces a match, sending the encrypted and compressed data text related to said electronic book from the library to said portable electronic viewer and storing said encrypted and compressed data text in said portable electronic viewer; and decompressing and decrypting said electronic book page by page only at the moment of viewing and only for the current page (just before a page is displayed on the display of said portable electronic viewer.

2. The method of claim 1, wherein the packet is transmitted as a digital bit stream from a remote cable headend to the electronic library.

3. The method of claim 1, further comprising, if the packet does not have a unique packet identifier, storing the packet to an electronic message file.

4. The method of claim 1, wherein the step of storing comprises:

determining whether the data file has been opened, and if the data file has been not been opened,
opening the data file; and
storing the packet to the data file.

5. The method of claim 4, further comprising:
determining whether the packet is a final packet received for an electronic book, and
if the packet is the final packet,
closing the data file; and
updating a directory.

6. The method of claim 1, further comprising sending the data file to a viewer.

7. The method of claim 6, further comprising encrypting and compressing the data file.

* * * * *