




(22) Date de dépôt/Filing Date: 2001/03/30
(41) Mise à la disp. pub./Open to Public Insp.: 2001/10/11
(45) Date de délivrance/Issue Date: 2017/01/24
(62) Demande originale/Original Application: 2 403 240
(30) Priorité/Priority: 2000/03/31 (US60/193,894)

(51) Cl.Int./Int.Cl. *H04N 21/472* (2011.01),
H04N 21/4722 (2011.01)
(72) Inventeurs/Inventors:
THOMAS, WILLIAM L., US;
BEREZOWSKI, DAVID M., US;
ELLIS, MICHAEL D., US;
MOORE, S. SEAN, US;
DEWEESE, TOBY, US
(73) Propriétaire/Owner:
ROVI GUIDES, INC., US
(74) Agent: SMART & BIGGAR

(54) Titre : SYSTEME DE MEDIA INTERACTIF ET METHODE DESTINEE A PREVENIR SELECTIVEMENT L'ACCES A
DES FONCTIONS DE MODES DE REPRODUCTION SPECIALES
(54) Title: INTERACTIVE MEDIA SYSTEM AND METHOD FOR SELECTIVELY PREVENTING ACCESS TO TRICK
PLAY FUNCTIONS



(57) **Abrégé/Abstract:**

A method is disclosed for preventing a user from accessing a feature of an interactive media application. The method comprises recording media that has associated media data, wherein the media data describes content of the media storing the media data associated with the media. A request is received from the user to access the feature of the interactive media application and in response to receiving the request, during playback of the media, it is determined whether the user should be prevented from accessing the feature of the interactive media application based on the determined content. In response to determining the user should be prevented from accessing the feature of the interactive media application based on media data, the user is prevented from accessing the feature of the interactive media application.

55604-70D

ABSTRACT

A method is disclosed for preventing a user from
5 accessing a feature of an interactive media application. The
method comprises recording media that has associated media
data, wherein the media data describes content of the media
storing the media data associated with the media. A request is
received from the user to access the feature of the interactive
10 media application and in response to receiving the request,
during playback of the media, it is determined whether the user
should be prevented from accessing the feature of the
interactive media application based on the determined content.
In response to determining the user should be prevented from
15 accessing the feature of the interactive media application
based on media data, the user is prevented from accessing the
feature of the interactive media application.

55604-70D

- 1 -

**INTERACTIVE MEDIA SYSTEM AND METHOD FOR SELECTIVELY
PREVENTING ACCESS TO TRICK PLAY FUNCTIONS**

This is a divisional of Canadian National Phase Patent Application Serial No. 2,403,240 filed on March 30, 2001.

5 Background of the Invention

This invention relates to an interactive media application and, more particularly, to an interactive media application that provides for pausing media.

Audio and video media, such as broadcast television
10 programs, cable television programs, pay-per-view programs, video-on-demand (VOD) programs, near video-on-demand (NVOD) programs, music, promotional material, and other types of media are typically distributed to viewers over wired or wireless networks. Near video-on-demand and video-on-demand systems
15 allow users to view media nearly on-demand or on-demand. Wired and wireless networks may include one-way cable or two-way cable television systems, broadcast television systems, satellite service networks such as digital broadcast satellite (DBS) systems, the Internet, or any other suitable means for
20 delivering audio and video media.

61009-576D

- 2 -

Viewers and listeners of such media typically record the media on video cassettes, audio cassettes, compact disks, digital storage media, or the like. Recently, products have been developed that provide users with increased flexibility in managing what they watch and record. Personal video recorders such as the Philips™ HDR612 Tivo™ Personal TV Recorder and ReplayTV™ 3060 digital video recorder can record programs on a hard disk drive. Personal video recorder systems may provide users with video cassette functionality such as recording programs, scheduling recording of programs, allowing a user to watch one program while simultaneously recording another program, etc. In addition, personal video recorder systems may provide features that are not available with video cassette recorders such as the ability to pause real-time media (e.g., to answer the telephone or to answer the door) and then resume watching the media at the point where the media was initially paused. This provides the user with immediate control over watching real-time media. For example, there may be no need for the user to locate a blank video cassette to start recording the media that the user may miss.

Current personal video recorder systems such as Tivo™ based systems and ReplayTV™ systems display the last frame currently viewed by the viewer when the media is paused. For anyone viewing the media, the duration of time that the media is paused may be considered useless or uninformative.

Personal video recorder systems also allow users to fast-forward through commercial breaks when media is being played back. Some systems exist that are designed to play back recorded media without the

61009-576D

- 3 -

commercial breaks for a viewer's convenience. Advertisers and the like who pay for time slots within the commercial breaks may prefer, however, to reach the viewers with their promotional material.

5 It is therefore an object of the present invention to provide an improved interactive media application.

 It is a more particular object of the present invention to provide an interactive media application
10 that presents pause-time content to users while media is being paused.

 It is also an object of the invention to provide an interactive media application that restricts users from fast-forwarding through certain designated
15 media.

Summary of the Invention

 These and other objects of the invention are accomplished in accordance with the principles of the present invention by providing an interactive media
20 application that may display pause-time content when a user pauses media that is being played.

 The interactive media application may enable a user to pause media that is being played. The media may be real-time programing, near video-on-demand
25 programming, video-on-demand programming, recorded programs, or any other suitable type of media. When the media is paused, the interactive media application may substitute pause-time content in place of the paused media. Pause-time content may include media
30 such as graphics, text, animations, music, promotions, advertisements, summaries, trivia, or any other suitable media. The interactive media application may

61009-576D

- 4 -

substitute customized pause-time content that is related to the media paused by the user, such as a summary of the events viewed up until the point at which the media was paused. The media may have
5 associated media data such as metadata, identifiers, universal resource locators, interactive media application control information, or any other suitable information that is associated with the media. The interactive media application may substitute specific
10 pause-time content based upon the media data to provide, for example, pause-time content related to the paused media.

The interactive media application may also prevent users from accessing features of the system at
15 certain times. For example, the interactive media application may prevent the user from fast-forwarding through certain time slots within a commercial break. The interactive media application may restrict the user's actions based upon the content of the media data
20 associated with the media currently being played.

55604-70D

- 4a -

According to one aspect of the present invention, there is provided a method for preventing a user from accessing a feature of an interactive media application, comprising: recording media that has associated media data; storing the
5 media data associated with the media; receiving a request from the user to access the feature of the interactive media application; in response to receiving the request, during playback of the media, determining whether the user should be prevented from accessing the feature of the interactive media
10 application based on the media data; and in response to determining the user should be prevented from accessing the feature of the interactive media application based on media data, preventing the user from accessing the feature of the interactive media application.

15 According to another aspect of the present invention, there is provided an interactive media system that prevents a user from accessing a feature of an interactive media application, comprising user equipment configured to: record media that has associated media data; store the media data
20 associated with the media; receive a request from the user to access the feature of the interactive media application; in response to receiving the request, during playback of the media determine whether the user should be prevented from accessing the feature of the interactive media application based on the
25 media data; and in response to determining the user should be prevented from accessing the feature of the interactive media application based on the media data, prevent the user from accessing the feature of the interactive media application.

55604-70D

- 4b -

According to another aspect of the present invention, there is provided a method comprising: recording media with user equipment; storing media data associated with the media; playing the recorded media; receiving user input to fast forward through the recorded media; in response to receiving the user input to fast forward through the media, determining whether an indicator stored with the media data indicates that the user equipment should be prevented from fast-forwarding through the recorded media; and in response to determining that the indicator received with the media indicates that the user equipment should be prevented from fast forwarding through the media, preventing the user equipment from fast forwarding through the recorded media.

According to another aspect of the present invention, there is provided a system comprising: means for recording media; means for storing media data associated with the media; means for playing the recorded media; means for receiving user input to fast forward through the media; means for, in response to receiving the user input to fast forward through the media, determining whether an indicator stored with the media data indicates that the user equipment should be prevented from fast forwarding through the media; and means for, in response to determining that the indicator received with the media indicates that the user equipment should be prevented from fast forwarding through the media, preventing the user equipment from fast forwarding through the media.

According to still another aspect of the present invention, there is provided a method comprising: playing broadcast media with user equipment; in response to user input

55604-70D

- 4c -

received while the broadcast media is playing, retrieving, from a server, a stored version of the broadcast media and media data that indicates that the user equipment should be prevented from fast-forwarding through the stored version of the

5 broadcast media; receiving user input to fast-forward through the stored version of the broadcast media; in response to receiving the user input to fast forward through the media, determining, local to the user, whether the user equipment should be prevented from fast-forwarding through the stored

10 version of the broadcast media based on the retrieved media data; and in response to determining that the user equipment should be prevented from fast forwarding through the media, preventing the user equipment from fast-forwarding through the stored version of the broadcast media.

15 According to yet another aspect of the present invention, there is provided a system comprising: means for playing broadcast media with user equipment; means for, in response to user input received while the broadcast media is playing, retrieving, from a server, a stored version of the

20 broadcast media and media data that indicates that the user equipment should be prevented from fast-forwarding through the stored version of the broadcast media; means for receiving user input to fast-forward through the stored version of the broadcast media; means for, in response to receiving the user

25 input to fast forward through the stored version of the broadcast media, determining, local to the user, whether the user equipment should be prevented from fast-forwarding through the stored version of the broadcast media based on the retrieved media data; and means for, in response to determining

30 that the user equipment should be prevented from fast-

55604-70D

- 4d -

forwarding through the stored version of the broadcast media, preventing the user equipment from fast-forwarding through the stored version of the broadcast media.

Brief Description of the Drawings

5 The above and other objects and advantages of the invention will be apparent upon consideration of the following detailed description, taken in conjunction with the accompanying drawings, in which like reference characters refer to like parts throughout, and in which:

10 FIG. 1 is a schematic diagram of an illustrative interactive media system in accordance with the present invention;

 FIG. 2 shows an illustrative interactive media display screen in which pause-time content is

61009-576D

- 5 -

being substituted for paused media in accordance with one embodiment of the present invention;

FIG. 3 shows an illustrative interactive media display screen in which the user has resumed
5 playing media in accordance with one embodiment of the present invention;

FIG. 4 is a flowchart of illustrative steps involved with substituting pause-time content for real-time media in accordance with one embodiment of the
10 present invention;

FIG. 5 is a flowchart of illustrative steps involved with substituting pause-time content for near video-on-demand media in accordance with one embodiment of the present invention;

15 FIG. 6 is a flowchart of illustrative steps involved with substituting pause-time content for recorded media or video-on-demand media in accordance with one embodiment of the present invention;

FIG. 7 is a flowchart of illustrative steps
20 involved with preventing the user to access features in accordance with one embodiment of the present invention; and

FIG. 8 shows an illustrative screen that indicates that fast-forwarding is prohibited in
25 accordance with one embodiment of the present invention.

FIG. 9 is a flowchart of illustrative steps involved with the media data instructing the interactive media application to store certain portions
30 of the media in accordance with one embodiment of the present invention.

61009-576D

- 6 -

Detailed Description of Preferred Embodiments

An illustrative interactive media system 30 in accordance with the present invention is shown in FIG. 1. Illustrative interactive media system 30 may include main facility 34, media distribution facility 36, and user equipment 40. Illustrative interactive media system 30 may include multiple main facilities, but only one main facility 34 is illustrated in FIG. 1 to avoid over complicating the drawing. For clarity the invention will be primarily discussed in connection with the use of one such main facility. Main facility 34 may include server 33 for storing and distributing media and media data from media and media data database 32, which may be used for storing media and media data. Main facility 34 may also store and distribute pause-time content, which may be media, media data, or both. Media may include audio and video media such as broadcast television programs, cable television programs, pay-per-view programs, video-on-demand (VOD) programs, near video-on-demand (NVOD) programs, music, promotional material, or any other suitable type of media. Media data may include data associated with the media such as metadata, identifiers, universal resource locators, interactive media application control information, program guide information (e.g., program guide listings data, pay-per-view ordering information, program promotional information, or any other suitable program guide information) or any other suitable data. Main facility 34 may distribute the media and media data to multiple media distribution facilities 36 via communications paths such as communications path 38. Communications path 38 may be any suitable communications path, such

61009-576D

-7-

as a satellite link, a cable link, a fiber-optic link, a microwave link, a telephone network link, an Internet link, or a combination of such links. If it is desired to transmit video signals (e.g., television programs) over communications path 38 in addition to data signals, a relatively high bandwidth link such as a satellite link may be preferable to a relatively low bandwidth link such as a telephone line. Only one distribution facility 36 is illustrated in FIG. 1 to avoid over complicating the drawing. For clarity, the invention will be primarily discussed in connection with the use of one such distribution facility.

Media distribution facility 36 may be a broadcast television facility, a cable system headend, a satellite distribution facility, a broadcast music facility, or any other suitable media distribution facility for transmitting media, pause-time content, and any suitable information to user equipment 40. Media distribution facility 36 may include server 58. Server 58 may be capable of handling media such as text, images, graphics, audio, video, any other suitable media, or a combination of such media. Server 58 may include a database for storing media, media data, pause-time content or any other suitable content. In addition, server 58 may be capable of providing interactive services such as near video-on-demand (NVOD) and video-on-demand (VOD). Server 58 may be based on one or more computers.

Media data, which is associated with media, may include information such as metadata, identifiers, universal resource locators (URL's), interactive media application control information, or any other suitable information that may be associated with the media. For

61009-576D

- 8 -

example, if the media is television, its associated media data may include information on the type of program that is being presented to the user such as comedy, movie, sports, etc., the URL to the program's Web site, or any other suitable information. Media distribution facility 36 may receive the media data from main facility 34 via communications path 38. If desired, some or all of the media data may be provided using data sources at facilities other than main facility 34. For example, media distribution facility 34 may receive the media data from Internet 60 via communications path 61, which may be a T1 link, a digital subscriber line (DSL) link, cable modem link, analog modem link, or any other suitable link.

Media data may be distributed along with its associated media using an in-band or out-of-band technique and may use digital or analog techniques. Media data may be distributed continuously, periodically, or on-demand to user equipment 40.

Media distribution facility 36 may distribute various audio and video media such as television programs, cable television programs, satellite programs, pay-per-view programs, VOD programs, NVOD programs, music programs, promotional material, or any other suitable type of media to user equipment 40 over communications paths 42. Media distribution facility may also distribute pause-time content, which may be any combination of text, graphics, audio, video, animations, trivia, promotions, advertisements, music, or any other suitable media content to user equipment 40.

Each media distribution facility 36 may have a number of associated users, each of which may have

61009-576D

- 9 -

user equipment 40 coupled to media distribution facility 36 via one of communications paths 42. User equipment 40 may be equipment such as user television equipment, user computer equipment (e.g., a desktop computer, a laptop computer, a notebook computer, a handheld computing device such as a personal digital assistant or other small portable computer, etc.), user music equipment (e.g., a stereo) or any other suitable user media equipment for implementing the interactive media application. The interactive media application may be implemented locally on user equipment 40 or may be implemented using a client-server or distributed architecture where some of the application is implemented locally on user equipment 40 in the form of a client process and some of the application is implemented at a remote location (e.g., media distribution facility 36) as a server process.

User equipment 40 may include components such as control circuitry 44, memory and storage 46, communication circuitry 48, media presentation device 52, and user input device 56 for implementing the interactive media application. The components may be configured to support functions of the interactive media application such as receiving media, media data, and pause-time content, recording media in storage, simultaneously recording and playing media, playing recorded media from storage, and sending and receiving application data and information. Control circuitry 44 may communicate with and control storage and memory 46, communications circuitry 48, and media presentation device 52 using communications paths 50. Paths 50 may be hard wired, wireless (e.g., Bluetooth), optical paths or the like.

61009-576D

- 10 -

Storage and memory 46 may include a magnetic media recorder (e.g., hard disk drive or the like), memory (e.g. flash memory, EEPROM, or the like), a videocassette recorder, a digital recording device, any
5 other suitable memory and storage device, or any suitable combination thereof. Some or all of memory and storage 46 may be located external to the device that contains control circuitry 44.

Control circuitry 44 may provide media
10 presentation device 52 with media and pause-time content stored in storage and memory 46. Control circuitry 44 may also provide media presentation device 52 with media and pause-time content that is received from communications circuitry 48. Media presentation
15 device 52 may be a television, a computer system with monitor and speakers, a stereo system, or any other suitable presentation device.

The user may interact with control circuitry 44 using input device 56. User input device 56 may be
20 a remote control, a keyboard, a wireless keyboard, a display remote, a handheld computer, a mouse, a trackball, a touch pad, or any other suitable interactive interface. User input device 56 may transmit signals to communications circuitry 48 or
25 media presentation device 52 via any suitable communications path, such as a hard wired or wireless path.

Communications paths 42 may be any suitable type of link that allows media distribution facility 36
30 to distribute media, pause-time content, media data, program schedule information, and any other suitable information to user equipment 40. For example, if media distribution facility 36 is a cable headend,

61009-576D

- 11 -

communications paths 42 may be cable. If media distribution facility 36 is a music broadcast facility, communications paths 42 may be a wireless link. There may also be more than one communications path 42

5 coupling each user equipment 40 to media distribution facility 36. For example, if media distribution facility 36 is a cable headend, user equipment 40 may receive information and media from media distribution facility 36 via a cable link and may transmit

10 information to media distribution facility 36 via a dial-up modem connection or any other suitable link. Each of communications paths 42 may be unidirectional or bidirectional.

The features of the present invention are

15 sometimes described herein in the context of an interactive media application implemented on user television equipment. This is only illustrative. An interactive media application implemented on any suitable platform (user computer equipment, user music

20 equipment, or any other suitable platform) may be used to provide such features. In computer arrangements, on-screen options may be selected by clicking on them using a mouse pointer or other pointing arrangement. In television arrangements, on-screen options and icons

25 may be made larger than they appear in computer-based arrangements to accommodate the greater viewing distance from which televisions are typically operated. Options may be selected by highlighting them using remote control arrow keys and by pressing an

30 appropriate key such as an OK or enter or select key.

In a user television environment, the interactive media system may allow the user to interact with the interactive media application using user input

61009-576D

- 12 -

device 56. In one suitable approach, the user may interact with the interactive media application using specific keys or selectable options on a remote control or other suitable user input device. The user may also
5 interact with the interactive media application by navigating a highlight and selecting options displayed on the television. The interactive media application may include or be integrated with an interactive program guide. The interactive media application may
10 access program guide information (e.g., from program guide database 32) to provide the user with program guide information, for example, in the form of an interactive program guide.

In one suitable embodiment, multiple
15 television and audio channels (analog, digital, or both analog and digital) may be provided to user equipment 40 via communications paths 42. If desired, pause-time content may be distributed by one or more distribution facilities that are similar to, but separate, from
20 media distribution facility 36 using communications paths that are separate from communications paths 40 (e.g., using Internet paths).

In one suitable embodiment, the interactive media application may provide the user with access to
25 real-time media. The real-time media may, for example, be television programming, music programming or any other suitable media. The real-time media may be presented to the user on media presentation device 52. The interactive media application may provide the user
30 with the ability to pause the real-time media. This may be done, for example, by pressing a pause button on a remote control. In response to the pause command, the interactive media application may direct the real-

61009-576D

- 13 -

time media to be stored at user equipment 40 (e.g., in storage and memory 46). In another suitable approach, the interactive media application may direct the real-time media to be stored on a remote server. The remote server may be located at distribution facility 36, at a storage facility accessible via the Internet, or at any other suitable remote location. The real-time media may be stored from substantially the same point in time as the issuance of the pause command and onwards. In another suitable approach, the real-time media may begin being stored at the same point in time as the issuance of the pause command or shortly thereafter. While the real-time media is being paused, the interactive media application may present pause-time content to the user.

Upon receiving a resume command, the interactive media application may continue to play the real-time media from the point at which it was paused. The user may resume play of the real-time media by pressing a play button, by pressing the pause button a second time, or by any other suitable method. In order to play the real-time media from the point at which it was paused, the interactive media application may retrieve the real-time media from storage. The real-time media, retrieved from storage, may be played back delayed in time from the real-time media that user equipment 40 is receiving. While the delayed real-time media is being played from storage, the interactive media application may continue to store the real-time media. The interactive media application may also provide the user with the ability to fast-forward and rewind the delayed real-time media. If the delayed real-time media is fast-forwarded until there is no

61009-576D

- 14 -

delay between the delayed real-time media and the real-time media, then the interactive media application may play the real-time media as it is received with user equipment 40 instead of from storage. The interactive media application may also at that point stop storing the real-time media until the media is paused again.

In another suitable approach, the interactive media application may continuously store the real-time media that the user is playing. The interactive media application may, for example, store the previous half hour or any other suitable time period of media that has been played. In this embodiment, the real-time media that is being played is always retrieved from storage. The real-time media may be played at substantially the same time at which user equipment 40 receives the real-time media. The interactive media application in this embodiment may enable the user to rewind, pause, and fast-forward the real-time media.

Media distribution facility 36 may, in one suitable approach, provide the pause-time content to user equipment 40. Pause-time content may also be distributed to user equipment 40 from Internet 60 via communications paths other than communications path 42 or from any other facility or location remote from media distribution facility 36. Pause-time content may be distributed on-demand from server 58 or continuously on a broadcast channel (e.g., on an analog channel, digital channel, vertical blanking interval, side band, or by any other suitable method). Pause-time content may also be distributed periodically or by any other suitable method to user equipment 40.

The interactive media application may substitute pause-time content that may not be related

61009-576D

- 15 -

to the media currently played by the user. For example, the interactive media application may substitute pause-time content that is continuously provided to user equipment 40, for example, on a specific broadcast channel. In this approach, all users of a specific media distribution facility may be played the same pause-time content while media is paused.

The interactive media application may also substitute pause-time content that is specific to the media that is being paused or specific to each user. The pause-time content may be an advertisement associated with the media, a summary of the events that have transpired up until the point in time at which the media was paused, trivia or facts related to the media, a link to the Web site of the media, or any other suitable media or application associated with the media. The interactive media application may monitor a user's activities to provide a customized pause-time experience for that user. For example, the interactive media application may substitute specific advertisements of upcoming media events to the user based on the type of media that the user has historically played.

The interactive media application may store some or all of the pause-time content on user equipment 40. The interactive media application may update the stored pause-time content periodically, on-demand, via polling, or by any other suitable approach. Specific pause-time content may be stored and updated according to the media data. For example, if a golf related media program is available to the user, the interactive media application may store a first advertisement

61009-576D

- 16 -

featuring Callaway™ irons. If the user pauses the golf related media program, then the first advertisement may be played to the user. The interactive media application may subsequently replace the first
5 advertisement and store a second advertisement featuring Ping™ putters. This way, if the user pauses the golf related media program for a second time, the user is presented with updated pause-time content.

In order to substitute customized pause-time
10 content, the interactive media application may monitor the content of the media data associated with the media. Media data may be data such as identifiers, URL's, interactive media application control instructions, feature access information, metadata,
15 program guide data or any other data related to the media and pause-time content. Media data may describe the media or pause-time content presented by user equipment 40. For example, media data may include information describing the content of a program, the
20 clothes that an actor is wearing, the equipment used by the actors, the geographic location where the program takes place, whether media (e.g., commercials) can be skipped on playback, or any other suitable media or pause-time content information. Media data for media
25 may contain an identifier to specific pause-time content stored by the system (e.g., in media distribution facility 36). When the user pauses the currently viewed media, the interactive media application may, for example, retrieve pause-time
30 content from media distribution facility 36 based upon an identifier contained within the media data associated with currently paused media. In another embodiment, the interactive media application may, for

61009-576D

- 17 -

example, substitute advertisements linked to metadata contained within the media data. Metadata-linked advertisements are described, for example, in Moore et al. U.S. patent publication No. 2001-0047298 A1
5 published November 29, 2001.

Media data may also contain instructions or commands for the interactive media application. The media data may include instructions such as
10 instructions to record certain portions of the media that is playing (e.g., to create a video summary), instructions to prevent the user from fast-forwarding through the media, or any other suitable instructions. For example, when the user is viewing a sporting event
15 such as basketball, the interactive media application may be instructed by the media data associated with the sporting event to record replays (i.e., the second showing of a play just viewed) of a "great basketball play" as the replay is presented for the second time.
20 This way, a collection of "great plays" may be compiled and stored by the interactive media application and substituted upon pause to provide a video summary highlighting the best plays of the game.

In another suitable approach, media data
25 associated with media such as video-on-demand, near video-on-demand, or any other suitable media may instruct the interactive media application to record certain portions of the media as it is presented to the user. In this approach, the media data may, for
30 example, instruct the interactive media application to record certain portions (e.g., important scenes of a movie) of the media. The media data associated with the media may instruct the interactive media

61009-576D

- 18 -

application to record different scenes of the media each time the user views the same media. For example, the media data may instruct the interactive media application to record different themes (e.g., a
5 compilation of action scenes, plot scenes, romance scenes, or any other suitable category of the media) of media each time the user is presented with the same media. If desired, the interactive media application may compile a summary (e.g., a shortened version of a
10 theatrical movie trailer) specific to the media viewed by the user.

Media data may be received by the interactive media application in a variety of different ways. In one suitable approach, media data may be received in
15 conjunction with pause-time content or media, received separately from the viewed media, or by any other suitable reception means. When the media data is received in conjunction with the pause-time content or media, it may, for example, be incorporated, hidden, or
20 ingrained (e.g., in the vertical blanking interval or on a side band) with the media or real-time signal received by user equipment 40. In such an approach, the interactive media application may process the media signal to obtain the media data (e.g., identifier,
25 instructions, URL, etc.).

The interactive media application may also obtain the media data associated with the played media by monitoring, for example, the channel that the user is viewing. The interactive media application using
30 this information (e.g., channel information) and the current time, may access a database that contains the media data for the channels that are available to the user in order to obtain the desired media data. For

61009-576D

- 19 -

example, when the user is viewing channel five, the interactive media application may check the database and determine that the media data associated with channel five indicates that channel five is playing a comedy. In this case, the interactive media application may substitute comedy related pause-time content if the user pauses the media.

When the interactive media application stores media (e.g., during the pausing of media, when the media has been scheduled to be recorded, etc.), the application may also store the media's associated media data. The stored media data may, for example, enable the interactive media application to provide customized pause-time content, prevent access to application features at certain times (e.g., preventing fast-forwarding of certain media), or perform any other suitable actions when the user is playing delayed real-time media, delayed near video-on-demand media, or recorded media. For example, when the user pauses previously recorded media, the interactive media application may access its associated stored media data so that the appropriate pause-time content may be substituted for the paused recorded media.

The interactive media application may provide the user with the ability to personalize pause-time content presented to the user. For example, the user may select the type of pause-time content that is presented by the interactive media application when the media is paused. The interactive media application may also provide the user with the ability to select the type of pause-time content that is presented for specific types of media. The different types of pause-time content may include trivia, summaries, interviews,

61009-576D

- 20 -

broadcast video, music, promotions, advertisements, or any other suitable pause-time content. For example, if the media is "home improvement" or "build it yourself" oriented programming, the user may select promotions and advertisements as the presented pause-time content. This way, the user may be, for example, presented with different promotions on power tools, building supplies, hand tools, or any other suitable home building related promotions during pause. In another suitable approach, the user may be able to prevent certain types of pause-time content to be presented when the media is paused.

The interactive media application may provide the user with the ability to change the pause-time content being provided to the user. For example, if the user is presented with a pause-time content promotion that has been previously presented, the user may advance to the next promotion by pressing, for example, a button on a remote control. The user may also be provided with the ability to change the type of pause-time content currently being presented to a different type of pause-time content. If the user is viewing pause-time content that is an interview, the user may change the pause-time content to, for example, an advertisement or any other suitable pause-time content.

The interactive media application may also display information on user equipment 40, for example, in the form of an overlay, an interactive overlay, a program guide screen, or in any other suitable display format. The interactive media application may display information to inform the user as to the status of the interactive media application or in response to user inputs (e.g., play, pause, fast-forward, rewind, stop,

61009-576D

- 21 -

etc.). These display screens may be displayed for a certain period of time and then time out or may be removed in response to a user input (e.g., by pressing a button on user input device 56). The interactive
5 media application may also display additional information such as program guide information (e.g, title information), the current time and date, information that indicates how much time delay exists between the displayed media and the real-time media, or
10 any other suitable information.

An illustrative display screen that may be displayed by the interactive media application is shown in FIG. 2. Screen 200 of FIG. 2 may be displayed when the user pauses real-time media. As illustrated, the
15 user has paused the movie "Braveheart." The interactive media application has substituted the Web site for the movie "Braveheart" in place of the paused movie. Screen 200 may include options 205 that the user may select with indicator 210. Options 205 on the
20 Web site may include "Cast and Characters," "Reviews," "Theatrical Trailer," "The Making of Braveheart," or any other suitable options. The user may navigate indicator 210 to a desired option by using, for example, up and down arrow keys. A user may select a
25 desired option by pressing an "Ok" or "Enter" key or by any other suitable method. For example, if the user selects "Reviews," the interactive media application may display one or more reviews of "Braveheart."

Screen 200 may also include overlay 215.
30 Overlay 215 may include status indicator 220 that informs the user the current status of media. Overlay 215 may also include time indicator 225. Time indicator 225 may inform the user how much time has

61009-576D

- 22 -

elapsed between the point in time at which the media has been paused and the point in time in the media that is currently being received by user equipment 40. As illustrated, "Braveheart" has been paused for three
5 minutes and forty-nine seconds.

If the user resumes play of the paused real-time media, the interactive media application may display illustrative display screen 300 as shown in FIG. 3. The interactive media application may resume
10 playing the movie "Braveheart" from substantially the same point in time at which the movie was paused. Screen 300 may also include interactive overlay 305. Interactive overlay 305 may illustrate the different
15 options available to the user. As illustrated, the user may be able to rewind, pause, and fast-forward the delayed media. Pause option 310 is highlighted to indicate that if the user presses, for example, the "Select" key, then the interactive media application may pause the media. The user may also be able to
20 navigate the highlight to either the rewind or fast-forward options. In another suitable approach, the user may press designated buttons on user input device 52 to pause, fast-forward, rewind, or to perform any other suitable function. If the user presses a
25 designated button, a highlight corresponding to the selected button may be presented on screen 300 to indicate which button was selected. Interactive overlay 305 may also include time indicator 225. As illustrated, time indicator 225 is displayed in a
30 graphical format. Bar 315 denotes the length of the entire movie. Present position indicator 320 represents the point of the movie that is currently being displayed. Real-time indicator 325 represents

61009-576D

- 23 -

the point in the real-time media that is currently being received by user equipment 40. If, for example, the user fast-forwards the media, present position indicator 320 may move closer to real-time indicator 5 325. If the present position indicator 320 and the real-time indicator 325 refer to the same point within the media, then the user may not be allowed to fast-forward beyond that point.

FIG. 4 is a flow chart of illustrative steps 10 that may be involved for allowing the user to pause real-time media and playing pause-time content. The real-time media may, for example, be television programming such as broadcast programming, cable programming, and pay-per-view programming, music 15 programming, or any other suitable type of real-time media. At step 410, the interactive media application may provide the user with the ability to pause real-time media. The real-time media may be music programming such as "The Greatest Hits of Pink Floyd." 20 For example, the user may pause the music programming by pressing the pause button on user input device 56 or by any other suitable method.

At step 420, the interactive media application may substitute pause-time content and 25 record the real-time media. The pause-time content may be any suitable pause-time content such as pause-time content specific to the media paused or specific to the user. The pause-time content may be any media such as graphics, text, animations, music, promotions, 30 advertisements, summaries, trivia, Web Sites or any other suitable media or combination of media. The interactive media application may monitor the content of the media data associated with the media in order to

61009-576D

- 24 -

provide the pause-time content specific to the paused media. The interactive media system may substitute pause-time content such as an audio interview with Roger Waters in place of "The Greatest Hits of Pink Floyd." This pause-time content or any other pause-time content may be substituted until the user resumes play of the real-time media.

At step 430, the interactive media application may resume playing the real-time media at substantially the same point in time at which the real-time media was paused. The interactive media application may, for example, resume play of the paused real-time media a few seconds before the pause, at the exact moment in time the media was paused, or a few seconds after the pause. The user may, for example, press the pause button again on user input device 56 or any other suitable device to resume play of the real-time media.

It will be understood that the steps shown in FIG. 4 are merely exemplary and that additional steps may be added and some of the steps may be omitted or modified. For example, the above steps may also be used for allowing a user to pause near video-on-demand media.

In another suitable approach for pausing NVOD media, the interactive media application may not record the NVOD media when the user pauses the media. Typically, NVOD media may be provided by a server (e.g., server 58) that distributes the same media program at regular intervals (e.g., every five minutes). In such an approach, the interactive media application may play a later showing of the NVOD media when the user resumes play of the media.

61009-576D

- 25 -

FIG. 5 is a flow chart of illustrative steps that may be involved for allowing the user to pause NVOD media and substituting pause-time content. At step 510, the user may be provided with the ability to
5 pause the NVOD media that is currently playing.

At step 520, the interactive media application may substitute pause-time content in place of the NVOD media. The pause-time content may be any suitable pause-time content such as pause-time content
10 specific to the media paused or specific to the user. In addition, the pause-time content may be any media such as graphics, text, animations, music, promotions, advertisements, summaries, trivia, Web Sites or any other suitable media or combination of media. The
15 interactive media application may monitor the content of the media data associated with the NVOD media in order to provide pause-time content specific to the paused media. The pause-time content may be played until the user resumes play of the NVOD media.

20 At step 530, the interactive media application may resume playing the NVOD media by playing a later showing of the NVOD media. For example, if the NVOD media is distributed every five minutes and the user pauses the media for thirty
25 minutes, then the interactive media application may resume playing the NVOD media by playing the sixth following showing of the NVOD media.

It will be understood that the steps shown in FIG. 5 are merely exemplary and that additional steps
30 may be added and some of the steps may be omitted or modified. For example, at step 520, the interactive media application may also inform the user how much time is remaining until the next showing of the NVOD

61009-576D

- 26 -

media will line up with the currently paused NVOD media.

The interactive media application may also provide the user with the ability to access video-on-demand media. The interactive media application may, for example, access VOD media in a client-server arrangement. The VOD media may be stored on a VOD server (e.g., at media distribution facility 36) that is located remote from user equipment 40. The interactive media application may use program guide information to inform the user of available VOD media. This information may be accessed by the user through an interactive program guide. When the user pauses VOD media, the interactive media application may stop playing the media from the VOD server and substitute pause-time content. When the user resumes play of the VOD media, the interactive media application may resume playing the media from the VOD server at the point in time at which it was paused.

The interactive media application may operate in a similar manner with recorded media. However, instead of accessing the media from a server located remote from user equipment 40, the interactive media application may access the recorded media locally at user equipment 40. The interactive media application may provide the user with the ability to record media by, for example, selecting programs for recording from an interactive program guide.

FIG. 6 is a flow chart of illustrative steps that may be involved for allowing the user to pause VOD or recorded media and substituting pause-time content. At step 610, the user may be provided with the ability

61009-576D

- 27 -

to pause the VOD or recorded media that is currently playing.

At step 620, the interactive media application may substitute pause-time content in place of the paused VOD or recorded media. The interactive media application may substitute, for example, unrelated pause-time content that is continuously provided to user equipment 40 on a specific broadcast channel. The interactive media application may also monitor the content of the media data associated with the VOD or recorded media in order to substitute pause-time content that is associated with the paused media. The interactive media application may also monitor the user's actions and substitute pause-time content specific to the user. The pause-time content may be played until the user resumes play of the VOD or recorded media.

At step 630, the interactive media application may resume playing the VOD media or recorded media at substantially the same point in time at which the media was paused.

It will be understood that the steps shown in FIG. 6 are merely exemplary and that additional steps may be added and some of the steps may be omitted or modified.

In another embodiment of the present invention, the user may be prevented from accessing certain features of the interactive media application. The user may, for example, be prohibited from rewinding media, fast-forwarding media, pausing media, recording media or performing any other suitable feature of the interactive media application.

61009-576D

- 28 -

FIG. 7 is a flowchart of illustrative steps that may be involved for preventing the user from accessing a feature. At step 710, the interactive media application may provide the user with the ability to access a feature. For example, the interactive media application may provide the user with the ability to access a fast-forward feature while viewing delayed real-time media or recorded media (e.g., "The Simpsons," which may be recorded on a daily basis).

At step 720, the interactive media application may determine if the media data associated with the currently viewed media prevents the user from accessing the feature. For example, media data associated with the media may prevent users from fast-forwarding through certain commercials in the media. This may provide media providers with the ability to force viewers to watch certain portions of the media (e.g., commercials) during playback.

When the media data does not prevent the user from accessing the feature, the interactive media application may allow the user to access the feature as indicated in step 730.

Alternatively, when the media data prevents the user from accessing the feature, the interactive media application may prevent the user from accessing the feature as indicated at step 740. The interactive media application may also inform the user that the feature is restricted.

It will be understood that the steps shown in FIG. 7 are merely exemplary and that additional steps may be added and some of the steps may be omitted or modified.

61009-576D

- 29 -

An illustrative display screen that may be displayed by the interactive media application when the user attempts to access a feature is shown in FIG. 8. Screen 800 of FIG. 8 may be displayed when the user
5 attempts to fast-forward the media. As illustrated, the user is attempting to fast-forward through a "Lexus" commercial. Overlay 815 may be displayed to inform the user that the media may not be fast-forwarded. Overlay 815 is merely illustrative and any
10 other suitable overlay or notification may be presented to the user to indicate that the feature is restricted.

FIG. 9 is a flowchart of illustrative steps that may be involved in instructing the interactive media application to perform certain tasks based on the
15 content of the media data. At step 910, the interactive media application may present media (e.g., real-time, VOD, NVOD) to the user. At step 920, the interactive media application may look at the media data associated with the media currently being
20 presented for instructions and perform any instructions contained with the associated media data. For example, if the user is watching a television program, the media data may, for example, instruct the
interactive media application to record the opening
25 scene, an important shift in the plot, a replay, or any other suitable portion of the program viewed by the user.

Thus, systems and methods for presenting pause-time content are provided. One skilled in the
30 art will realize that the present invention can be practiced by other than the described embodiments, which are presented for purposes of illustration and

61009-576D

- 30 -

not of limitation, and that the present invention is limited only by the claims which follow.

55604-70D

- 31 -

CLAIMS:

1. A method for preventing a user from accessing a feature of an interactive media application, comprising:
 - recording media that has associated media data;
 - 5 storing the media data associated with the media;
 - receiving a request from the user to access the feature of the interactive media application;
 - in response to receiving the request, during playback of the media, determining whether the user should be prevented
 - 10 from accessing the feature of the interactive media application based on the media data; and
 - in response to determining the user should be prevented from accessing the feature of the interactive media application based on media data, preventing the user from
 - 15 accessing the feature of the interactive media application.
2. The method of claim 1 wherein the feature is fast forwarding through the media that is playing.
3. The method of claim 1 wherein the media data describes content of the media, wherein the content of the
- 20 media is an advertisement and wherein the user is prevented from fast-forwarding through the advertisement.
4. The method of claim 1 further comprising displaying an indicator when the user attempts to access the feature.

55604-70D

- 32 -

5. The method of claim 4, wherein the indicator is a graphic that indicates that the feature that the user attempted to access is restricted.

6. An interactive media system that prevents a user from
5 accessing a feature of an interactive media application, comprising user equipment configured to:

record media that has associated media data;

store the media data associated with the media;

receive a request from the user to access the feature
10 of the interactive media application;

in response to receiving the request, during playback of the media determine whether the user should be prevented from accessing the feature of the interactive media application based on the media data; and

15 in response to determining the user should be prevented from accessing the feature of the interactive media application based on the media data, prevent the user from accessing the feature of the interactive media application.

7. The system of claim 6 wherein the feature is fast-
20 forwarding through the media that is playing.

8. The system of claim 6 wherein the media data describes content of the media, wherein the content of the media is an advertisement and wherein the user is prevented from fast-forwarding through the advertisement.

55604-70D

- 33 -

9. The system of claim 6 wherein the user equipment is further configured to display an indicator when the user attempts to access the feature.

10. The system of claim 9, wherein the user equipment is further configured to display a graphic indicator that the feature the user attempted to access is restricted.

11. A method comprising:

recording media with user equipment;

storing media data associated with the media;

10 playing the recorded media;

receiving user input to fast forward through the recorded media;

15 in response to receiving the user input to fast forward through the media, determining whether an indicator stored with the media data indicates that the user equipment should be prevented from fast-forwarding through the recorded media; and

20 in response to determining that the indicator received with the media indicates that the user equipment should be prevented from fast forwarding through the media, preventing the user equipment from fast forwarding through the recorded media.

12. The method of claim 11, wherein the media is a delayed version of a broadcast media.

55604-70D

- 34 -

13. The method of claim 11, further comprising displaying an indicator when the user equipment attempts to fast forward through the media.

14. The method of claim 13, wherein the indicator is a
5 graphic that indicates that the fast forwarding feature that the user equipment attempted to access is restricted.

15. The method of claim 11, wherein the media is an advertisement and wherein media data associated with the media indicates that the user equipment should be prevented from
10 fast-forwarding through the advertisement.

16. The method of claim 11, wherein media data associated with the media indicates that the user equipment should be prevented from fast-forwarding through the media.

17. The method of claim 16, wherein the determination of
15 whether the user equipment should be prevented from fast forwarding through media is based on the media data associated with the media.

18. The method of claim 11, wherein the media data is stored on user equipment or received from a remote server.

20 19. The method of claim 11, wherein the media is received, the method further comprising:

determining that the user equipment should be prevented from fast-forwarding through the media when an indicator recorded with the media data indicates that the user
25 should be prevented from fast forwarding through the media.

55604-70D

- 35 -

20. The method of claim 11, wherein the media is on-demand media, broadcast media, or stored media.

21. The method of claim 11, further comprising determining, based on media data associated with the media,
5 whether the user equipment should be prevented from pausing the media, or rewinding the media.

22. The method of claim 11, further comprising:

allowing the user equipment to fast forward through the media if it is determined that the user equipment should
10 not be prevented from fast forwarding through the media.

23. A system comprising:

means for recording media;

means for storing media data associated with the
media;

15 means for playing the recorded media;

means for receiving user input to fast forward through the media;

means for, in response to receiving the user input to fast forward through the media, determining whether an
20 indicator stored with the media data indicates that the user equipment should be prevented from fast forwarding through the media; and

means for, in response to determining that the indicator received with the media indicates that the user
25 equipment should be prevented from fast forwarding through the

55604-70D

- 36 -

media, preventing the user equipment from fast forwarding through the media.

24. The system of claim 23, wherein the media is a delayed version of a broadcast media.

5 25. The system of claim 23, further comprising means for displaying an indicator when the user equipment attempts to fast forward through the media.

26. The system of claim 23, wherein the indicator is a graphic that indicates that the fast forwarding feature that
10 the user equipment attempted to access is restricted.

27. The system of claim 23, wherein the media is an advertisement and wherein the media data associated with the media indicates that the user equipment should be prevented from fast-forwarding through the advertisement.

15 28. The system of claim 23, wherein the media data associated with the media indicates that the user equipment should be prevented from fast-forwarding through the media.

29. The system of claim 28, wherein the determination of whether the user equipment should be prevented from fast
20 forwarding through media is based on the media data associated with the media.

30. The system of claim 23, wherein the media data is stored on user equipment or received from a remote server.

31. The system of claim 23, wherein the media is
25 received, further comprising:

55604-70D

- 37 -

means for determining that the user equipment should be prevented from fast forwarding through the media when an indicator received with the media data indicates that the user equipment should be prevented from fast forwarding through the
5 media.

32. The system of claim 23, wherein the media is on-demand media, broadcast media, or stored media.

33. The system of claim 23, further comprising means for determining, based on the media data associated with the media,
10 whether the user equipment should be prevented from pausing the media, or rewinding the media.

34. The system of claim 23, further comprising:

means for allowing the user equipment to fast forward through the media if it is determined that the user equipment
15 should not be prevented from fast forwarding through the media.

35. A method comprising:

playing broadcast media with user equipment;

in response to user input received while the broadcast media is playing, retrieving, from a server, a stored
20 version of the broadcast media and media data that indicates that the user equipment should be prevented from fast-forwarding through the stored version of the broadcast media;

receiving user input to fast-forward through the stored version of the broadcast media;

55604-70D

- 38 -

in response to receiving the user input to fast forward through the media, determining, local to the user, whether the user equipment should be prevented from fast-forwarding through the stored version of the broadcast media
5 based on the retrieved media data; and

in response to determining that the user equipment should be prevented from fast forwarding through the media, preventing the user equipment from fast-forwarding through the stored version of the broadcast media.

10 36. The method of claim 35, wherein the stored version of the broadcast media is a delayed version of the broadcast media.

37. The method of claim 35, further comprising displaying an indicator when the user equipment attempts to fast-forward
15 through the stored version of the broadcast media.

38. The method of claim 37, wherein the indicator is a graphic that indicates that the fast-forwarding feature that the user equipment attempted to access is restricted.

39. The method of claim 35, wherein the stored version of
20 the media is an advertisement and wherein the media data indicates that the user equipment should be prevented from fast-forwarding through the advertisement.

40. The method of claim 35, wherein the media data is stored on user equipment or received from a remote server.

25 41. The method of claim 35, further comprising:

55604-70D

- 39 -

receiving the broadcast media with an indicator that indicates that the user should be prevented from fast-forwarding through the stored version of the broadcast media.

42. The method of claim 35, further comprising
5 determining, based on the media data, whether the user equipment should be prevented from pausing the stored version of the broadcast media, or rewinding the stored version of the broadcast media.

43. The method of claim 35, further comprising: allowing
10 the user equipment to fast-forward through the stored version of the broadcast media if it is determined that the user equipment should not be prevented from fast-forwarding through the stored version of the broadcast media.

44. The method of claim 35, wherein the broadcast media
15 is received from a remote server.

45. A system comprising:

means for playing broadcast media with user equipment;

20 means for, in response to user input received while the broadcast media is playing, retrieving, from a server, a stored version of the broadcast media and media data that indicates that the user equipment should be prevented from fast-forwarding through the stored version of the broadcast media;

25 means for receiving user input to fast-forward through the stored version of the broadcast media;

55604-70D

- 40 -

means for, in response to receiving the user input to fast forward through the stored version of the broadcast media, determining, local to the user, whether the user equipment should be prevented from fast-forwarding through the stored
5 version of the broadcast media based on the retrieved media data; and

means for, in response to determining that the user equipment should be prevented from fast-forwarding through the stored version of the broadcast media, preventing the user
10 equipment from fast-forwarding through the stored version of the broadcast media.

46. The system of claim 45, wherein the stored version of the broadcast media is a delayed version of the broadcast media.

15 47. The system of claim 45, further comprising:

means for displaying an indicator when the user equipment attempts to fast-forward through the stored version of the broadcast media.

48. The system of claim 47, wherein the indicator is a
20 graphic that indicates that the fast-forwarding feature that the user equipment attempted to access is restricted.

49. The system of claim 45, wherein the stored version of the media is an advertisement and wherein the media data indicates that the user equipment should be prevented from
25 fast-forwarding through the advertisement.

50. The system of claim 45, wherein the media data is stored on user equipment or received from a remote server.

55604-70D

- 41 -

51. The system of claim 45, further comprising:

means for receiving the broadcast media with an indicator that indicates that the user should be prevented from fast-forwarding through the stored version of the broadcast
5 media.


52. The system of claim 45, further comprising:

means for determining, based on the media data, whether the user equipment should be prevented from pausing the stored version of the broadcast media, or rewinding the stored
10 version of the broadcast media.

53. The system of claim 45, further comprising:

means for allowing the user equipment to fast-forward through the stored version of the broadcast media if it is determined that the user equipment should not be prevented from
15 fast-forwarding through the stored version of the broadcast media.

54. The system of claim 45, wherein the broadcast media is received from a remote server.






FIG. 2




FIG. 3




FIG.4




FIG. 5

5/8




FIG.6

6/8




FIG.7

7/8




FIG.8




FIG.9